


Table of Contents

BLACK

Oxide & Zinc

FASTENERS



KANEBRIDGE

*Offering Same-Day Shipping
on Thousands of Fasteners
available from inventory
with Black Oxide or Black
Zinc finish.*

WHO WE ARE

Kanebridge is a distributor that only sells to other distributors. **We stock over 42,000 items.** We carry inventory at three locations: Elgin IL, Bell CA and Oakland NJ.

WHAT OUR SPECIALTY IS

Over **99% of the items** we sell are available from our shelves **today!** That includes military & commercial fasteners, steel & stainless, inch-sized & metric parts. All orders placed by 5PM can ship the same day.

HOW TO USE THIS FEATURE CATALOG

This ordering guide lists our most current selection of fasteners with Black Zinc or Black Oxide finish. This includes many hard-to-find items that few suppliers carry.

For each item, we list the size, description and Kanebridge carton quantity. That quantity is the minimum order amount for each item. There is no dollar minimum requirement to place an order with Kanebridge.

HOW TO PLACE AN ORDER

Place orders:

- by phone (888-222-9221)
- by fax (201-337-2301)
- online at www.kanebridge.com
- via the Kanebridge wireless app

Orders placed by 5PM local time ship the same day from each Kanebridge branch.

WHAT YOUR SHIPPING OPTIONS ARE

- **UPS & FedEx** pick-up from each of our branches daily. For larger shipments, we can arrange for your preferred common carrier to pick-up your order—usually the same day.
- Will-call orders can be picked up within 1 hour.

WHEN KANEBRIDGE IS OPEN

Our Customer Service Department can be contacted 7:30 AM - 8:00 PM Eastern, Monday thru Friday. Our e-commerce site, FasNet™, is available 24/7.

Black Oxide & Black Zinc Fasteners

Steel

Stainless Steel

•

Same-Day Shipping until 5 PM

Black Oxide Finished Fasteners

Steel & Stainless

MACHINE SCREWS - Stainless

Phillips Flat 100°	4
Phillips Flat 82°	4
Phillips Flat Undercut	5
Phillips Pan	5
Phillips Truss	6
Six-Lobe Pan *NEW*	6

MACHINE SCREWS & SEMS - Steel

Combination Pan	6
Phillips Flat 100°	6
Phillips Flat 82°	7
Phillips Flat Undercut	7
Phillips Fillister	8
Phillips Hex Washer *NEW*	8
Phillips Oval	8
Phillips Pan	8
Phillips Round	9
Phillips Truss	9
Slotted Binding	10
Slotted Fillister	10
Slotted Hex	10
Unslotted Hex	10
Slotted Hex Washer	11
Unslotted Hex Washer	11
Slotted Oval	12
Slotted Pan	12
Slotted Round	12
Slotted Truss	12
Six-Lobe Flat	13
Six-Lobe Pan	13
Phillips Pan	
External Tooth SEMS	13
Internal Tooth SEMS	13

TAPPING SCREWS-Types A & AB - 18-8 Stainless

Phillips Flat Type A	14
Phillips Pan Type A	14
Phillips Pan Type AB	14
Unslotted Hex Washer Type AB	14
Six-Lobe Pan *NEW*	14

TAPPING SCREWS-Types A & AB - Steel

Phillips Flat Type A	15
Phillips Flat Undercut Type A	15
Phillips Flat Type AB	15
Phillips Flat Undercut Type AB	15
Phillips Pan Type A	16
Phillips Pan Type AB	16
Phillips Hex Washer Type A	16
Phillips Hex Washer Type AB	16
Phillips Oval Type AB	17
Phillips Oval Type A, #6 Head *NEW*	17
Phillips Oval Type AB, #6 Head	17
Phillips Round Washer Type A	17
Phillips Truss Type A	17
Phillips Truss Type AB	17
Slotted Indented Hex Washer	
Type A	18
Type AB	18
Serrated Type AB	18

TAPPING SCREWS-Types A & AB - Steel (cont.)

Unslotted Indented Hex Washer	
Type A	18
Type AB	18
Serrated Type AB	19
Six-Lobe Flat Type AB *NEW*	19
Six-Lobe Pan Type AB	19
Square Pan Type A	19
Square Pan Type AB	19

TAPPING SCREWS-Type B - Steel

Phillips Flat	19
Phillips Flat Undercut	20
Phillips Pan	20
Phillips Truss	20
Slotted Hex Washer	20
Unslotted Hex Washer	20

HIGH-LOW SCREWS - Steel

Phillips Flat	21
Unslotted Hex Washer	21
Phillips Pan	21
Six-Lobe Flat	21
Six-Lobe Pan	21

DRIVE SCREWS - Type U

Round Head	22
------------------	----

THREAD CUTTING SCREWS - 18-8 Stainless

<i>Type F</i>	
Phillips Flat Undercut	22

THREAD CUTTING SCREWS - Steel

<i>Type F</i>	
Phillips Flat	22
Phillips Flat Undercut	22
Phillips Pan	23
Phillips Truss	23
Slotted Hex Washer	23
Unslotted Hex Washer	23

Type 1

Phillips Pan	23
Unslotted Hex Washer	24

Type 23

Phillips Pan	24
Slotted Hex Washer	24
Unslotted Hex Washer	24

Type 25

Phillips Flat	24
Phillips Pan	24

THREAD ROLLING SCREWS

Generic-Alternatives to Tapite II Steel*

Phillips Flat	25
Phillips Flat Undercut	25
Phillips Pan	25
Slotted Hex Washer	25
Unslotted Hex Washer	25
Six-Lobe Flat	25
Six-Lobe Pan	26

Black Oxide Finished Fasteners

Steel & Stainless

THREAD ROLLING SCREWS (cont.)

Generic-Alternatives to Plastite® - 18-8 Stainless

Phillips Pan	26
Six-Lobe Pan *NEW*	26

Generic-Alternatives to Plastite® - Steel

Phillips Flat	26
Phillips Flat Undercut *NEW*	26
Phillips Pan	26
Unslotted Hex Washer	27
Six-Lobe Flat *NEW*	27
Six-Lobe Flat Undercut *NEW*	27
Six-Lobe Pan	27

CAP SCREWS, BOLTS & FLANGE SCREWS

Hex Cap Screws	27
Carriage Bolts	28
Serrated Hex	28

SELF DRILLING SCREWS - 410 Stainless

Unslotted Hex Washer *NEW*	28
---	----

SELF DRILLING SCREWS - Steel

Phillips Flat	28
Phillips Hex Washer *NEW*	28
Phillips Oval	28
Phillips Pan	29
Phillips Modified Truss (Black Phos).....	29
Slotted Hex Washer	29
Unslotted Hex Washer	29
Square Recess Pan *NEW*	29

NUTS - 18-8 Stainless

Finished Hex	30
Hex Machine Screw	30
K-Lock	30
Nylon Insert Stop	30

NUTS - Steel

Acorn Cap	30
Hex Machine Screw	
Standard Pattern	30
Small Pattern	30
Square Machine Screw	30
Finished Hex, Low Carbon	31
Finished Hex, Grade 5	31
Heavy Hex *NEW*	31
Hex Jam	31
Serrated Hex Flange Lock	31
K-Lock	31
Nylon Insert Stop	
Light Hex, Standard Height	32
Light Hex, Thin Height *NEW*	32
Two-Way Reversible Stop	32
Wing, Cold-Forged	32
Wing, Stamped	32

WASHERS - 18-8 Stainless

External Tooth Lock	32
Regular Split Lock	32
Flat Machine Screw	32

WASHERS - Steel

Tooth Lock	
External	33
Internal	33
External-Internal Combo	33
Regular Split Lock	33
Flat Machine Screw	33
S.A.E. Low Carbon Flat	33
U.S.S. Low Carbon Flat	33
Fender	33
Countersunk Finishing	34

SELF-CLINCH STUDS

Flush Head, 12 Rib Style	34
--------------------------------	----

WOODWORKING SCREWS

Deep Thread Style	
#8 Flat Square w/Nibs & Ty-17 Pt *NEW*	34
#8 Flat Square-Phillips w/Nibs & Ty-17 Pt *NEW*	34
Flat Phillips	34
Flat Phillips w/Nibs *NEW*	34
Flat Square-Phillips	34
Flat Square	35
Flat Phillips w/Nibs & Type-17 Pt *NEW*	35
Flat Phillips w/Type-17 Pt	35
Flat Square-Phillips w/Nibs & Type-17 Pt *NEW*	35
Flat Square w/Nibs & Type-17 Pt *NEW*	35
Flat Square w/Type-17 Pt	35
Flat Square w/Nibs & Double Type-17 Pt *NEW*	36
Large Round Washer w/Type-17 Pt *NEW*	36
Pan Phillips *NEW*	36
Pan Square *NEW*	36
Pan Phillips w/Ty-17 Pt *NEW*	36
Round Washer Square	36
Round Washer Square-Phillips w/Ty-17 Pt *NEW*	37
Round Washer Square w/Ty-17 Pt	37
Truss Phillips *NEW*	37
#8 Truss Phillips w/#6 Head *NEW*	37
#8 Truss Square-Phillips w/#6 Head *NEW*	37
Truss Phillips w/Ty-17 Pt *NEW*	37
Face-Framing Screws, #7 Head w/Ty-17 Pt	
Pan Phillips, Fine Thread *NEW*	37
Pan Square, Coarse Thread *NEW*	38
Pan Square, Fine Thread *NEW*	38
Hinge Screws	
Flat Phillips	38
Full-Body Wood Screws	
Phillips Flat, Full Body	38

THUMB SCREWS

No Shoulder	38
With Shoulder	38

BLACK ZINC begins on page 39.

METRIC begins on page 52.

MIL-SPEC begins on page 55.

*Tapite® and Plastite® are registered trademarks of REMINC. Our screws are not authorized or made by licensed REMINC manufacturers.

Black Oxide over
18-8 Stainless Steel




FLAT 100° PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-003MP1188B	0-80X3/32	5,000	0.08	0803MP1188B	8-32X3/16	5,000	1.18
-002MP1188B	0-80X1/8	5,000	0.09	0804MP1188B	8-32X1/4	3,000	1.47
-0053MP1188B	0-80X5/32	5,000	0.10	0805MP1188B	8-32X5/16	3,000	1.78
-003MP1188B	0-80X3/16	5,000	0.12	0806MP1188B	8-32X3/8	3,000	2.02
-0073MP1188B	0-80X7/32	5,000	0.13	0807MP1188B	8-32X7/16	3,000	2.57
-004MP1188B	0-80X1/4	5,000	0.15	0808MP1188B	8-32X1/2	5,000	2.66
-0093MP1188B	0-80X9/32	5,000	0.17	0810MP1188B	8-32X5/8	4,000	3.09
-005MP1188B	0-80X5/16	5,000	0.19	0812MP1188B	8-32X3/4	2,000	3.63
-0113MP1188B	0-80X11/32	5,000	0.20	0814MP1188B	8-32X7/8	1,000	4.19
-006MP1188B	0-80X3/8	5,000	0.22	0816MP1188B	8-32X1	4,000	4.74
-007MP1188B	0-80X7/16	5,000	0.26				
-008MP1188B	0-80X1/2	5,000	0.30	1006MP1188B	10-24X3/8	2,000	2.83
				1008MP1188B	10-24X1/2	2,000	3.55
0203MP1188B	2-56X3/16	5,000	0.25	1010MP1188B	10-24X5/8	1,000	4.20
0204MP1188B	2-56X1/4	5,000	0.34	1012MP1188B	10-24X3/4	1,000	5.02
0205MP1188B	2-56X5/16	5,000	0.41	1014MP1188B	10-24X7/8	1,000	5.68
0206MP1188B	2-56X3/8	5,000	0.49	1016MP1188B	10-24X1	1,000	6.34
0207MP1188B	2-56X7/16	5,000	0.55				
0208MP1188B	2-56X1/2	5,000	0.61	1104MP1188B	10-32X1/4	2,000	2.30
				1106MP1188B	10-32X3/8	2,000	3.40
0403MP1188B	4-40X3/16	5,000	0.48	1108MP1188B	10-32X1/2	2,000	4.15
0404MP1188B	4-40X1/4	5,000	0.68	1110MP1188B	10-32X5/8	2,000	4.85
0405MP1188B	4-40X5/16	5,000	0.78	1112MP1188B	10-32X3/4	1,000	5.67
0406MP1188B	4-40X3/8	5,000	0.92	1114MP1188B	10-32X7/8	2,000	6.40
0407MP1188B	4-40X7/16	5,000	1.02	1116MP1188B	10-32X1	1,000	7.10
0408MP1188B	4-40X1/2	5,000	1.13				
				1406MP1188B	1/4-20X3/8	1,000	5.55
0603MP1188B	6-32X3/16	5,000	0.75	1408MP1188B	1/4-20X1/2	1,000	6.85
0604MP1188B	6-32X1/4	5,000	1.07	1410MP1188B	1/4-20X5/8	1,000	8.05
0605MP1188B	6-32X5/16	5,000	1.22	1412MP1188B	1/4-20X3/4	1,000	9.35
0606MP1188B	6-32X3/8	5,000	1.42	1414MP1188B	1/4-20X7/8	1,000	10.60
0607MP1188B	6-32X7/16	5,000	1.61	1416MP1188B	1/4-20X1	1,000	12.00
0608MP1188B	6-32X1/2	5,000	1.75				

Black Oxide over
18-8 Stainless Steel




FLAT 82° PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-0053MPF188B	0-80X5/32	5,000	0.12	0404MPF188B	4-40X1/4	8,000	0.67
-003MPF188B	0-80X3/16	5,000	0.12	0405MPF188B	4-40X5/16	8,000	0.80
-0073MPF188B	0-80X7/32	5,000	0.15	0406MPF188B	4-40X3/8	8,000	1.00
-004MPF188B	0-80X1/4	5,000	0.16	0407MPF188B	4-40X7/16	7,000	1.04
-0093MPF188B	0-80X9/32	5,000	0.18	0408MPF188B	4-40X1/2	7,000	1.14
-005MPF188B	0-80X5/16	5,000	0.20	0409MPF188B	4-40X9/16	6,000	1.33
-0113MPF188B	0-80X11/32	5,000	0.22	0410MPF188B	4-40X5/8	6,000	1.50
-006MPF188B	0-80X3/8	5,000	0.24	0411MPF188B	4-40X11/16	5,000	1.55
-007MPF188B	0-80X7/16	5,000	0.27	0412MPF188B	4-40X3/4	6,000	1.69
-008MPF188B	0-80X1/2	5,000	0.30	0414MPF188B	4-40X7/8	6,000	1.87
				0416MPF188B	4-40X1	5,000	2.05
02053MPF188B	2-56X5/32	10,000	0.25	0420MPF188B	4-40X1 1/4	4,000	2.54
0203MPF188B	2-56X3/16	10,000	0.30	0424MPF188B	4-40X1 1/2	4,000	3.08
02073MPF188B	2-56X7/32	10,000	0.30				
0204MPF188B	2-56X1/4	10,000	0.42	0604MPF188B	6-32X1/4	6,000	1.08
0205MPF188B	2-56X5/16	9,000	0.47	0605MPF188B	6-32X5/16	6,000	1.23
0206MPF188B	2-56X3/8	9,000	0.54	0606MPF188B	6-32X3/8	6,000	1.46
0207MPF188B	2-56X7/16	8,000	0.63	0607MPF188B	6-32X7/16	5,000	1.58
0208MPF188B	2-56X1/2	8,000	0.68	0608MPF188B	6-32X1/2	5,000	1.77
0210MPF188B	2-56X5/8	5,000	0.93	0610MPF188B	6-32X5/8	5,000	2.20

More sizes on next column

Black Oxide over
18-8 Stainless Steel




FLAT 82° PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0612MPF188B	6-32X3/4	5,000	2.50	1116MPF188B	10-32X1	2,000	7.08
0614MPF188B	6-32X7/8	5,000	2.91	1120MPF188B	10-32X1 1/4	1,000	8.42
0616MPF188B	6-32X1	4,000	3.29	1124MPF188B	10-32X1 1/2	1,000	10.07
0620MPF188B	6-32X1 1/4	3,000	4.06	1128MPF188B	10-32X1 3/4	1,000	11.69
0624MPF188B	6-32X1 1/2	3,000	4.75	1132MPF188B	10-32X2	1,000	13.18
0628MPF188B	6-32X1 3/4	3,000	5.47	1140MPF188B	10-32X2 1/2	1,000	16.17
0632MPF188B	6-32X2	3,000	6.17	1148MPF188B	10-32X3	1,000	19.26
0648MPF188B	6-32X3	1,000	10.00				
				1208MPF188B	12-24X1/2	1,000	5.66
0805MPF188B	8-32X5/16	5,000	2.06	1210MPF188B	12-24X5/8	1,000	6.56
0806MPF188B	8-32X3/8	5,000	2.24	1212MPF188B	12-24X3/4	1,000	7.31
0807MPF188B	8-32X7/16	5,000	2.46	1214MPF188B	12-24X7/8	2,000	8.09
0808MPF188B	8-32X1/2	5,000	2.80	1216MPF188B	12-24X1	1,000	9.02
0810MPF188B	8-32X5/8	5,000	3.28	1220MPF188B	12-24X1 1/4	1,000	10.76
0812MPF188B	8-32X3/4	3,000	3.87	1232MPF188B	12-24X2	1,000	18.30
0814MPF188B	8-32X7/8	4,000	3.88	1248MPF188B	12-24X3	1,000	24.40
0816MPF188B	8-32X1	3,000	4.94				
0820MPF188B	8-32X1 1/4	2,000	5.82	1408MPF188B	1/4-20X1/2	1,000	7.25
0824MPF188B	8-32X1 1/2	2,000	7.07	1410MPF188B	1/4-20X5/8	1,000	8.82
0832MPF188B	8-32X2	2,000	9.42	1412MPF188B	1/4-20X3/4	1,000	9.87
0836MPF188B	8-32X2 1/4	1,000	10.27	1414MPF188B	1/4-20X7/8	1,000	10.98
0840MPF188B	8-32X2 1/2	1,000	11.63	1416MPF188B	1/4-20X1	1,000	12.47
				1420MPF188B	1/4-20X1 1/4	1,000	14.45
1006MPF188B	10-24X3/8	4,000	3.08	1424MPF188B	1/4-20X1 1/2	1,000	17.17
1007MPF188B	10-24X7/16	4,000	3.50	1426MPF188B	1/4-20X1 5/8	1,000	18.61
1008MPF188B	10-24X1/2	4,000	3.84	1428MPF188B	1/4-20X1 3/4	500	19.57
1010MPF188B	10-24X5/8	3,000	4.50	1432MPF188B	1/4-20X2	500	22.56
1012MPF188B	10-24X3/4	3,000	5.22	1440MPF188B	1/4-20X2 1/2	1,000	27.32
1014MPF188B	10-24X7/8	2,000	5.92	1448MPF188B	1/4-20X3	500	32.46
1016MPF188B	10-24X1	2,000	6.63	1456MPF188B	1/4-20X3 1/2	500	38.15
1020MPF188B	10-24X1 1/4	2,000	7.98	1464MPF188B	1/4-20X4	300	43.25
1024MPF188B	10-24X1 1/2	2,000	9.42	1472MPF188B	1/4-20X4 1/2	200	48.40
1028MPF188B	10-24X1 3/4	1,000	11.50	1480MPF188B	1/4-20X5	200	53.60
1032MPF188B	10-24X2	1,000	12.29	1488MPF188B	1/4-20X5 1/2	200	59.00
1040MPF188B	10-24X2 1/2	1,000	14.93	1496MPF188B	1/4-20X6	200	64.00
1048MPF188B	10-24X3	1,000	17.86				
1056MPF188B	10-24X3 1/2	1,000	22.20	3112MPF188B	5/16-18X3/4	1,000	16.15
				3116MPF188B	5/16-18X1	1,000	21.70
1106MPF188B	10-32X3/8	4,000	3.07	3120MPF188B	5/16-18X1 1/4	500	25.57
1107MPF188B	10-32X7/16	4,000	3.64	3124MPF188B	5/16-18X1 1/2	1,000	29.60
1108MPF188B	10-32X1/2	4,000	4.02	3128MPF188B	5/16-18X1 3/4	500	33.40
1110MPF188B	10-32X5/8	3,000	4.69	3132MPF188B	5/16-18X2	500	37.20
1112MPF188B	10-32X3/4	3,000	5.40				
1114MPF188B	10-32X7/8	2,000	6.27	3748MPF188B	3/8-16X3	200	78.00

**18-8 Stainless
Truss Phillips
Machine Screws with
Black Ox Finish —
page 6**

Black Oxide over
18-8 Stainless Steel




**FLAT PHILLIPS UNDERCUT
MACHINE SCREWS**

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-0033MPU188B	0-80X3/32	5,000	0.08	0803MPU188B	8-32X3/16	5,000	1.30
-002MPU188B	0-80X1/8	5,000	0.08	0804MPU188B	8-32X1/4	5,000	1.68
0202MPU188B	2-56X1/8	10,000	0.22	0805MPU188B	8-32X5/16	5,000	2.03
0204MPU188B	2-56X1/4	5,000	0.35	0806MPU188B	8-32X3/8	5,000	2.28
0205MPU188B	2-56X5/16	9,000	0.42	0807MPU188B	8-32X7/16	5,000	2.55
0206MPU188B	2-56X3/8	9,000	0.49	0808MPU188B	8-32X1/2	5,000	2.84
0207MPU188B	2-56X7/16	8,000	0.56	1004MPU188B	10-24X1/4	4,000	2.50
0208MPU188B	2-56X1/2	8,000	0.63	1005MPU188B	10-24X5/16	4,000	2.80
0402MPU188B	4-40X1/8	8,000	0.39	1006MPU188B	10-24X3/8	4,000	3.12
0403MPU188B	4-40X3/16	8,000	0.54	1008MPU188B	10-24X1/2	4,000	3.77
0404MPU188B	4-40X1/4	8,000	0.65	1104MPU188B	10-32X1/4	4,000	2.50
0405MPU188B	4-40X5/16	8,000	0.76	1105MPU188B	10-32X5/16	4,000	2.89
0406MPU188B	4-40X3/8	8,000	0.86	1106MPU188B	10-32X3/8	4,000	2.98
0407MPU188B	4-40X7/16	7,000	1.00	1108MPU188B	10-32X1/2	4,000	4.00
0408MPU188B	4-40X1/2	7,000	1.12	1110MPU188B	10-32X5/8	3,000	4.68
0603MPU188B	6-32X3/16	6,000	0.80	1112MPU188B	10-32X3/4	3,000	5.39
0604MPU188B	6-32X1/4	6,000	1.06	1208MPU188B	12-24X1/2	1,000	5.20
0605MPU188B	6-32X5/16	6,000	1.24	1406MPU188B	1/4-20X3/8	1,000	6.40
0606MPU188B	6-32X3/8	6,000	1.42	1408MPU188B	1/4-20X1/2	1,000	7.27
0607MPU188B	6-32X7/16	5,000	1.61	1412MPU188B	1/4-20X3/4	1,000	9.74
0608MPU188B	6-32X1/2	5,000	1.86	1416MPU188B	1/4-20X1	1,000	12.40

Black Oxide over
18-8 Stainless Steel




**PAN PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-0033MPP188B	0-80X3/32	5,000	0.11	0404MPP188B	4-40X1/4	7,000	0.98
-0022MPP188B	0-80X1/8	5,000	0.14	0405MPP188B	4-40X5/16	7,000	1.13
-0053MPP188B	0-80X5/32	5,000	0.16	0406MPP188B	4-40X3/8	7,000	1.25
-003MPP188B	0-80X3/16	5,000	0.17	0407MPP188B	4-40X7/16	7,000	1.32
-0073MPP188B	0-80X7/32	5,000	0.19	0408MPP188B	4-40X1/2	7,000	1.44
-004MPP188B	0-80X1/4	5,000	0.21	0409MPP188B	4-40X9/16	6,000	1.63
-0093MPP188B	0-80X9/32	5,000	0.22	0410MPP188B	4-40X5/8	6,000	1.70
-005MPP188B	0-80X5/16	5,000	0.24	0411MPP188B	4-40X11/16	5,000	1.87
-0113MPP188B	0-80X11/32	5,000	0.26	0412MPP188B	4-40X3/4	5,000	1.94
-006MPP188B	0-80X3/8	5,000	0.27	0414MPP188B	4-40X7/8	5,000	2.19
-007MPP188B	0-80X7/16	5,000	0.33	0416MPP188B	4-40X1	5,000	2.43
-008MPP188B	0-80X1/2	5,000	0.35	0418MPP188B	4-40X1 1/8	4,000	2.70
0202MPP188B	2-56X1/8	9,000	0.38	0420MPP188B	4-40X1 1/4	4,000	2.88
02053MPP188B	2-56X5/32	9,000	0.39	0424MPP188B	4-40X1 1/2	4,000	3.36
0203MPP188B	2-56X3/16	9,000	0.46	0428MPP188B	4-40X1 3/4	3,000	3.95
02073MPP188B	2-56X7/32	5,000	0.47	0432MPP188B	4-40X2	2,000	4.44
0204MPP188B	2-56X1/4	9,000	0.53	0504MPP188B	5-40X1/4	4,000	1.27
0205MPP188B	2-56X5/16	8,000	0.61	0508MPP188B	5-40X1/2	4,000	1.95
0206MPP188B	2-56X3/8	7,000	0.69	0602MPP188B	6-32X1/8	7,000	1.33
0207MPP188B	2-56X7/16	7,000	0.78	0603MPP188B	6-32X3/16	6,000	1.48
0208MPP188B	2-56X1/2	6,000	0.81	0604MPP188B	6-32X1/4	6,000	1.61
0210MPP188B	2-56X5/8	5,000	0.93	0605MPP188B	6-32X5/16	6,000	1.86
0212MPP188B	2-56X3/4	4,000	1.09	0606MPP188B	6-32X3/8	6,000	2.06
0216MPP188B	2-56X1	4,000	1.40	0607MPP188B	6-32X7/16	6,000	2.23
0402MPP188B	4-40X1/8	7,000	0.76	0608MPP188B	6-32X1/2	5,000	2.35
0403MPP188B	4-40X3/16	7,000	0.87	0610MPP188B	6-32X5/8	5,000	2.69

More sizes on next column

Black Oxide over
18-8 Stainless Steel




**PAN PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0612MPP188B	6-32X3/4	5,000	3.15	1120MPP188B	10-32X1 1/4	1,000	10.20
0614MPP188B	6-32X7/8	4,000	3.46	1124MPP188B	10-32X1 1/2	2,000	11.80
0616MPP188B	6-32X1	4,000	3.82	1128MPP188B	10-32X1 3/4	1,000	13.37
0618MPP188B	6-32X1 1/8	3,000	4.26	1132MPP188B	10-32X2	1,000	14.86
0620MPP188B	6-32X1 1/4	3,000	4.54	1136MPP188B	10-32X2 1/4	1,000	16.00
0622MPP188B	6-32X1 3/8	2,000	4.94	1140MPP188B	10-32X2 1/2	1,000	17.86
0624MPP188B	6-32X1 1/2	2,000	5.28	1148MPP188B	10-32X3	1,000	20.85
0628MPP188B	6-32X1 3/4	2,000	6.10	1164MPP188B	10-32X4	1,000	27.13
0632MPP188B	6-32X2	2,000	6.76	1206MPP188B	12-24X3/8	2,000	6.38
0636MPP188B	6-32X2 1/4	1,000	7.91	1208MPP188B	12-24X1/2	1,000	7.50
0640MPP188B	6-32X2 1/2	1,000	8.30	1210MPP188B	12-24X5/8	1,000	8.35
0648MPP188B	6-32X3	1,000	9.56	1212MPP188B	12-24X3/4	1,000	9.28
0803MPP188B	8-32X3/16	5,000	2.44	1214MPP188B	12-24X7/8	1,000	10.38
0804MPP188B	8-32X1/4	5,000	2.68	1216MPP188B	12-24X1	1,000	11.30
0805MPP188B	8-32X5/16	5,000	3.04	1220MPP188B	12-24X1 1/4	1,000	11.92
0806MPP188B	8-32X3/8	4,000	3.29	1224MPP188B	12-24X1 1/2	1,000	14.70
0807MPP188B	8-32X7/16	4,000	3.59	1232MPP188B	12-24X2	1,000	18.30
0808MPP188B	8-32X1/2	4,000	3.83	1404MPP188B	1/4-20X1/4	1,000	8.47
0810MPP188B	8-32X5/8	3,000	4.38	1406MPP188B	1/4-20X3/8	1,000	9.64
0812MPP188B	8-32X3/4	3,000	4.96	1408MPP188B	1/4-20X1/2	1,000	10.92
0814MPP188B	8-32X7/8	3,000	5.51	1410MPP188B	1/4-20X5/8	1,000	12.27
0816MPP188B	8-32X1	2,000	6.04	1412MPP188B	1/4-20X3/4	1,000	13.46
0820MPP188B	8-32X1 1/4	2,000	6.95	1414MPP188B	1/4-20X7/8	1,000	14.86
0824MPP188B	8-32X1 1/2	2,000	8.27	1416MPP188B	1/4-20X1	1,000	16.02
0828MPP188B	8-32X1 3/4	2,000	9.29	1420MPP188B	1/4-20X1 1/4	1,000	18.09
0832MPP188B	8-32X2	1,000	10.35	1424MPP188B	1/4-20X1 1/2	1,000	21.06
0840MPP188B	8-32X2 1/2	1,000	12.55	1428MPP188B	1/4-20X1 3/4	1,000	22.98
0848MPP188B	8-32X3	1,000	14.96	1432MPP188B	1/4-20X2	1,000	26.21
0864MPP188B	8-32X4	1,000	18.90	1436MPP188B	1/4-20X2 1/4	1,000	28.22
1004MPP188B	10-24X1/4	4,000	3.97	1440MPP188B	1/4-20X2 1/2	1,000	31.16
1005MPP188B	10-24X5/16	4,000	4.24	1448MPP188B	1/4-20X3	500	36.18
1006MPP188B	10-24X3/8	4,000	4.66	1456MPP188B	1/4-20X3 1/2	500	41.07
1007MPP188B	10-24X7/16	4,000	4.98	1464MPP188B	1/4-20X4	500	46.20
1008MPP188B	10-24X1/2	3,000	5.58	1472MPP188B	1/4-20X4 1/2	200	51.05
1010MPP188B	10-24X5/8	2,000	6.08	1480MPP188B	1/4-20X5	200	56.40
1012MPP188B	10-24X3/4	2,000	6.97	1488MPP188B	1/4-20X5 1/2	200	61.75
1014MPP188B	10-24X7/8	2,000	7.62	1496MPP188B	1/4-20X6	200	67.25
1016MPP188B	10-24X1	2,000	8.34	1508MPP188B	1/4-28X1/2	1,000	11.10
1020MPP188B	10-24X1 1/4	2,000	9.61	3108MPP188B	5/16-18X1/2	1,000	19.97
1024MPP188B	10-24X1 1/2	1,000	11.06	3112MPP188B	5/16-18X3/4	1,000	23.83
1028MPP188B	10-24X1 3/4	1,000	12.56	3116MPP188B	5/16-18X1	1,000	27.98
1032MPP188B	10-24X2	1,000	14.01	3120MPP188B	5/16-18X1 1/4	500	31.93
1040MPP188B	10-24X2 1/2	1,000	16.64	3124MPP188B	5/16-18X1 1/2	500	35.75
1048MPP188B	10-24X3	1,000	19.45	3128MPP188B	5/16-18X1 3/4	500	39.95
1056MPP188B	10-24X3 1/2	500	22.20	3132MPP188B	5/16-18X2	500	43.95
1103MPP188B	10-32X3/16	3,000	3.65	3712MPP188B	3/8-16X3/4	200	38.00
1104MPP188B	10-32X1/4	3,000	4.10				
1105MPP188B	10-32X5/16	3,000	4.45				
1106MPP188B	10-32X3/8	3,000	4.86				
1107MPP188B	10-32X7/16	3,000	5.31				
1108MPP188B	10-32X1/2	3,000	5.79				
1110MPP188B	10-32X5/8	2,000	6.38				
1112MPP188B	10-32X3/4	2,000	7.14				
1114MPP188B	10-32X7/8	2,000	7.98				
1116MPP188B	10-32X1	2,000	8.76				

Black Oxide over
18-8 Stainless Steel



TRUSS PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403MPT188B	4-40X3/16	7,000	0.95	1006MPT188B	10-24X3/8	3,000	4.83
0404MPT188B	4-40X1/4	7,000	1.04	1008MPT188B	10-24X1/2	3,000	6.03
0406MPT188B	4-40X3/8	7,000	1.30	1012MPT188B	10-24X3/4	2,000	7.25
0408MPT188B	4-40X1/2	7,000	1.50	1016MPT188B	10-24X1	2,000	8.83
0603MPT188B	6-32X3/16	6,000	1.59	1106MPT188B	10-32X3/8	3,000	5.30
0604MPT188B	6-32X1/4	6,000	1.76	1108MPT188B	10-32X1/2	3,000	5.81
0605MPT188B	6-32X5/16	6,000	2.00	1110MPT188B	10-32X5/8	2,000	7.04
0606MPT188B	6-32X3/8	6,000	2.15	1112MPT188B	10-32X3/4	2,000	7.77
0608MPT188B	6-32X1/2	5,000	2.50	1116MPT188B	10-32X1	2,000	9.00
0804MPT188B	8-32X1/4	5,000	2.93	1408MPT188B	1/4-20X1/2	1,000	10.97
0805MPT188B	8-32X5/16	5,000	3.30	1412MPT188B	1/4-20X3/4	1,000	13.33
0806MPT188B	8-32X3/8	4,000	3.33	1416MPT188B	1/4-20X1	1,000	16.20
0808MPT188B	8-32X1/2	4,000	3.95	1420MPT188B	1/4-20X1 1/4	1,000	18.00
0810MPT188B	8-32X5/8	4,000	4.40	1424MPT188B	1/4-20X1 1/2	1,000	21.10
0812MPT188B	8-32X3/4	3,000	4.96				
0816MPT188B	8-32X1	3,000	6.22				

NEW!

Black Oxide over
18-8 Stainless Steel




PAN SIX LOBE MACHINE SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MTP188B	2-56X1/8	5,000	0.34	0806MTP188B	8-32X3/8	5,000	3.19
0203MTP188B	2-56X3/16	5,000	0.40	0808MTP188B	8-32X1/2	5,000	3.80
0204MTP188B	2-56X1/4	5,000	0.50	0810MTP188B	8-32X5/8	4,000	4.39
0403MTP188B	4-40X3/16	5,000	0.83	0812MTP188B	8-32X3/4	4,000	4.92
0404MTP188B	4-40X1/4	5,000	1.19	1008MTP188B	10-24X1/2	3,000	5.42
0405MTP188B	4-40X5/16	5,000	1.09	1010MTP188B	10-24X5/8	2,000	6.00
0406MTP188B	4-40X3/8	5,000	1.20	1012MTP188B	10-24X3/4	2,000	6.75
0408MTP188B	4-40X1/2	5,000	1.40	1104MTP188B	10-32X1/4	4,500	4.06
0603MTP188B	6-32X3/16	5,000	1.46	1106MTP188B	10-32X3/8	3,000	4.80
0604MTP188B	6-32X1/4	5,000	1.60	1108MTP188B	10-32X1/2	3,000	5.64
0605MTP188B	6-32X5/16	5,000	1.80	1110MTP188B	10-32X5/8	2,000	6.40
0606MTP188B	6-32X3/8	5,000	2.00	1112MTP188B	10-32X3/4	2,000	7.17
0608MTP188B	6-32X1/2	5,000	2.39	1408MTP188B	1/4-20X1/2	1,000	10.67
				1412MTP188B	1/4-20X3/4	1,000	13.50
				1416MTP188B	1/4-20X1	1,000	16.50

Steel Black Oxide




Combination Phillips
and Slotted Drive

PAN COMBINATION MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0603MCPB	6-32X3/16	10,000	1.46	1104MCPB	10-32X1/4	9,000	4.12
0604MCPB	6-32X1/4	10,000	1.62	1105MCPB	10-32X5/16	8,000	4.60
0605MCPB	6-32X5/16	10,000	1.88	1106MCPB	10-32X3/8	8,000	4.96
0606MCPB	6-32X3/8	10,000	2.04	1108MCPB	10-32X1/2	7,000	5.76
0608MCPB	6-32X1/2	10,000	2.40	1208MCPB	12-24X1/2	5,000	7.40
0612MCPB	6-32X3/4	10,000	3.06	1212MCPB	12-24X3/4	4,000	9.20
0804MCPB	8-32X1/4	10,000	2.66	1408MCPB	1/4-20X1/2	3,500	11.18
0805MCPB	8-32X5/16	10,000	2.98	1412MCPB	1/4-20X3/4	2,500	13.48
0806MCPB	8-32X3/8	10,000	3.20				
0808MCPB	8-32X1/2	10,000	3.72				
0828MCPB	8-32X1 3/4	3,000	9.40				
0832MCPB	8-32X2	2,000	10.33				

Steel Black Oxide




FLAT 100° PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MP1B	2-56X1/8	10,000	0.21	0805MP1B	8-32X5/16	10,000	1.78
0203MP1B	2-56X3/16	10,000	0.25	0806MP1B	8-32X3/8	10,000	2.02
0204MP1B	2-56X1/4	10,000	0.34	0807MP1B	8-32X7/16	10,000	2.57
0205MP1B	2-56X5/16	10,000	0.41	0808MP1B	8-32X1/2	10,000	2.66
0206MP1B	2-56X3/8	10,000	0.49	0809MP1B	8-32X9/16	10,000	2.94
0207MP1B	2-56X7/16	10,000	0.55	0810MP1B	8-32X5/8	10,000	3.09
0208MP1B	2-56X1/2	10,000	0.61	0812MP1B	8-32X3/4	10,000	3.63
0402MP1B	4-40X1/8	10,000	0.35	0816MP1B	8-32X1	5,000	4.74
0403MP1B	4-40X3/16	10,000	0.50	0820MP1B	8-32X1 1/4	5,000	5.86
0404MP1B	4-40X1/4	10,000	0.60	0824MP1B	8-32X1 1/2	3,000	7.07
0405MP1B	4-40X5/16	10,000	0.71	0828MP1B	8-32X1 3/4	3,000	9.40
0406MP1B	4-40X3/8	10,000	0.86	0832MP1B	8-32X2	2,500	9.50
0407MP1B	4-40X7/16	10,000	0.97	0840MP1B	8-32X2 1/2	1,500	11.63
0408MP1B	4-40X1/2	10,000	1.03	1006MP1B	10-24X3/8	10,000	2.83
0409MP1B	4-40X9/16	10,000	1.17	1008MP1B	10-24X1/2	10,000	3.55
0410MP1B	4-40X5/8	10,000	1.30	1010MP1B	10-24X5/8	8,000	4.20
0412MP1B	4-40X3/4	10,000	1.54	1012MP1B	10-24X3/4	7,000	5.02
0414MP1B	4-40X7/8	10,000	1.82	1016MP1B	10-24X1	6,000	6.34
0416MP1B	4-40X1	10,000	2.50	1020MP1B	10-24X1 1/4	4,000	7.75
0420MP1B	4-40X1 1/4	9,000	3.00	1104MP1B	10-32X1/4	10,000	2.30
0603MP1B	6-32X3/16	10,000	0.75	1105MP1B	10-32X5/16	10,000	2.47
0604MP1B	6-32X1/4	10,000	0.91	1106MP1B	10-32X3/8	10,000	2.93
0605MP1B	6-32X5/16	10,000	1.12	1107MP1B	10-32X7/16	10,000	3.36
0606MP1B	6-32X3/8	10,000	1.31	1108MP1B	10-32X1/2	10,000	3.66
0607MP1B	6-32X7/16	10,000	1.69	1110MP1B	10-32X5/8	7,000	4.44
0608MP1B	6-32X1/2	10,000	1.71	1112MP1B	10-32X3/4	7,000	5.25
0609MP1B	6-32X9/16	10,000	1.80	1116MP1B	10-32X1	6,000	6.80
0610MP1B	6-32X5/8	10,000	2.02	1120MP1B	10-32X1 1/4	4,000	8.37
0612MP1B	6-32X3/4	10,000	2.44	1124MP1B	10-32X1 1/2	3,500	10.34
0614MP1B	6-32X7/8	10,000	2.90	1406MP1B	1/4-20X3/8	6,000	5.40
0616MP1B	6-32X1	10,000	3.17	1408MP1B	1/4-20X1/2	5,000	6.92
0620MP1B	6-32X1 1/4	6,000	3.80	1410MP1B	1/4-20X5/8	4,000	8.82
0624MP1B	6-32X1 1/2	5,000	4.44	1412MP1B	1/4-20X3/4	4,000	9.52
0628MP1B	6-32X1 3/4	4,500	5.40	1416MP1B	1/4-20X1	3,000	11.62
0632MP1B	6-32X2	3,500	6.11	1420MP1B	1/4-20X1 1/4	2,000	18.70
0803MP1B	8-32X3/16	10,000	1.18	1424MP1B	1/4-20X1 1/2	2,000	21.20
0804MP1B	8-32X1/4	10,000	1.47				

Steel Black Oxide




**FLAT 82° PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203MPFB	2-56X3/16	10,000	0.28	1006MPFB	10-24X3/8	10,000	3.18
0204MPFB	2-56X1/4	10,000	0.36	1007MPFB	10-24X7/16	10,000	3.51
0205MPFB	2-56X5/16	10,000	0.43	1008MPFB	10-24X1/2	10,000	4.14
0206MPFB	2-56X3/8	10,000	0.52	1009MPFB	10-24X9/16	8,000	4.42
0207MPFB	2-56X7/16	10,000	0.57	1010MPFB	10-24X5/8	8,000	4.69
0208MPFB	2-56X1/2	10,000	0.64	1012MPFB	10-24X3/4	7,000	5.47
0210MPFB	2-56X5/8	10,000	0.83	1014MPFB	10-24X7/8	6,000	6.04
0212MPFB	2-56X3/4	10,000	0.96	1016MPFB	10-24X1	5,000	7.12
0216MPFB	2-56X1	10,000	1.20	1020MPFB	10-24X1 1/4	4,000	8.41
				1024MPFB	10-24X1 1/2	3,500	9.59
0404MPFB	4-40X1/4	10,000	0.70	1028MPFB	10-24X1 3/4	2,500	10.78
0405MPFB	4-40X5/16	10,000	0.77	1032MPFB	10-24X2	2,000	11.97
0406MPFB	4-40X3/8	10,000	0.88	1040MPFB	10-24X2 1/2	1,500	14.55
0407MPFB	4-40X7/16	10,000	1.00	1048MPFB	10-24X3	750	17.40
0408MPFB	4-40X1/2	10,000	1.14				
0409MPFB	4-40X9/16	10,000	1.26	1106MPFB	10-32X3/8	10,000	3.20
0410MPFB	4-40X5/8	10,000	1.37	1107MPFB	10-32X7/16	10,000	3.76
0411MPFB	4-40X11/16	10,000	1.53	1108MPFB	10-32X1/2	10,000	3.97
0412MPFB	4-40X3/4	10,000	1.68	1109MPFB	10-32X9/16	9,000	4.28
0414MPFB	4-40X7/8	10,000	1.91	1110MPFB	10-32X5/8	8,000	4.59
0416MPFB	4-40X1	10,000	2.13	1112MPFB	10-32X3/4	7,000	5.70
0420MPFB	4-40X1 1/4	9,000	2.58	1114MPFB	10-32X7/8	6,000	6.39
0422MPFB	4-40X1 3/8	8,000	3.10	1116MPFB	10-32X1	5,000	7.12
0424MPFB	4-40X1 1/2	8,000	2.97	1120MPFB	10-32X1 1/4	4,000	8.53
0432MPFB	4-40X2	3,000	4.03	1124MPFB	10-32X1 1/2	3,500	10.34
0436MPFB	4-40X2 1/4	3,000	4.51	1128MPFB	10-32X1 3/4	2,500	11.67
0440MPFB	4-40X2 1/2	2,000	5.25	1132MPFB	10-32X2	2,000	12.99
				1140MPFB	10-32X2 1/2	1,500	15.75
0512MPFB	5-40X3/4	10,000	2.06	1148MPFB	10-32X3	1,000	19.00
0516MPFB	5-40X1	10,000	2.66				
				1212MPFB	12-24X3/4	5,000	7.24
0604MPFB	6-32X1/4	10,000	1.03	1216MPFB	12-24X1	4,000	9.20
0605MPFB	6-32X5/16	10,000	1.19	1220MPFB	12-24X1 1/4	3,500	10.76
0606MPFB	6-32X3/8	10,000	1.46	1224MPFB	12-24X1 1/2	2,000	12.05
0607MPFB	6-32X7/16	10,000	1.67	1232MPFB	12-24X2	1,500	15.88
0608MPFB	6-32X1/2	10,000	1.81	1240MPFB	12-24X2 1/2	1,000	20.50
0609MPFB	6-32X9/16	10,000	2.00				
0610MPFB	6-32X5/8	10,000	2.18	1408MPFB	1/4-20X1/2	5,000	7.75
0612MPFB	6-32X3/4	10,000	2.58	1410MPFB	1/4-20X5/8	4,000	8.82
0614MPFB	6-32X7/8	10,000	2.90	1412MPFB	1/4-20X3/4	3,500	9.72
0616MPFB	6-32X1	10,000	3.46	1414MPFB	1/4-20X7/8	3,500	11.32
0620MPFB	6-32X1 1/4	8,000	3.98	1416MPFB	1/4-20X1	3,000	12.50
0622MPFB	6-32X1 3/8	7,000	4.43	1420MPFB	1/4-20X1 1/4	2,500	15.37
0624MPFB	6-32X1 1/2	6,000	4.87	1424MPFB	1/4-20X1 1/2	2,000	17.64
0628MPFB	6-32X1 3/4	4,500	5.40	1428MPFB	1/4-20X1 3/4	1,500	19.57
0632MPFB	6-32X2	4,000	6.11	1432MPFB	1/4-20X2	1,250	23.30
				1436MPFB	1/4-20X2 1/4	1,000	24.50
0805MPFB	8-32X5/16	10,000	2.00	1440MPFB	1/4-20X2 1/2	1,000	27.18
0806MPFB	8-32X3/8	10,000	2.35	1448MPFB	1/4-20X3	700	32.33
0807MPFB	8-32X7/16	10,000	2.47	1456MPFB	1/4-20X3 1/2	500	37.00
0808MPFB	8-32X1/2	10,000	2.94	1464MPFB	1/4-20X4	500	41.67
0809MPFB	8-32X9/16	10,000	3.20	1496MPFB	1/4-20X6	200	63.50
0810MPFB	8-32X5/8	10,000	3.45				
0811MPFB	8-32X11/16	10,000	3.70	3116MPFB	5/16-18X1	1,500	19.88
0812MPFB	8-32X3/4	10,000	3.94	3120MPFB	5/16-18X1 1/4	1,250	23.80
0814MPFB	8-32X7/8	8,000	4.38	3124MPFB	5/16-18X1 1/2	1,250	27.83
0816MPFB	8-32X1	7,000	4.89	3132MPFB	5/16-18X2	1,000	36.18
0820MPFB	8-32X1 1/4	5,000	6.24	3140MPFB	5/16-18X2 1/2	750	44.00
0822MPFB	8-32X1 3/8	4,000	6.66	3148MPFB	5/16-18X3	500	54.21
0824MPFB	8-32X1 1/2	4,000	7.07	3164MPFB	5/16-18X4	200	78.20
0828MPFB	8-32X1 3/4	3,000	9.40				
0832MPFB	8-32X2	2,500	9.50	3712MPFB	3/8-16X3/4	1,250	24.67

Steel Black Oxide




**FLAT PHILLIPS UNDERCUT
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MPUB	2-56X1/8	10,000	0.23	1004MPUB	10-24X1/4	10,000	2.28
0203MPUB	2-56X3/16	10,000	0.27	1005MPUB	10-24X5/16	10,000	2.64
0204MPUB	2-56X1/4	10,000	0.35	1006MPUB	10-24X3/8	10,000	3.12
0205MPUB	2-56X5/16	10,000	0.42	1008MPUB	10-24X1/2	10,000	3.77
0206MPUB	2-56X3/8	10,000	0.49	1010MPUB	10-24X5/8	7,000	4.36
0207MPUB	2-56X7/16	10,000	0.56	1012MPUB	10-24X3/4	7,000	5.08
0208MPUB	2-56X1/2	10,000	0.63	1014MPUB	10-24X7/8	6,000	6.00
				1016MPUB	10-24X1	5,000	6.67
0302MPUB	3-48X1/8	10,000	0.30	1040MPUB	10-24X2 1/2	1,500	16.60
				1048MPUB	10-24X3	1,000	19.50
0402MPUB	4-40X1/8	10,000	0.39				
0403MPUB	4-40X3/16	10,000	0.51	1104MPUB	10-32X1/4	10,000	2.40
0404MPUB	4-40X1/4	10,000	0.61	1105MPUB	10-32X5/16	10,000	2.80
0405MPUB	4-40X5/16	10,000	0.76	1106MPUB	10-32X3/8	10,000	2.98
0406MPUB	4-40X3/8	10,000	0.86	1107MPUB	10-32X7/16	10,000	3.80
0407MPUB	4-40X7/16	10,000	1.12	1108MPUB	10-32X1/2	10,000	3.85
0408MPUB	4-40X1/2	10,000	1.12	1110MPUB	10-32X5/8	7,000	4.68
0409MPUB	4-40X9/16	10,000	1.26	1112MPUB	10-32X3/4	6,000	5.39
0410MPUB	4-40X5/8	10,000	1.40	1114MPUB	10-32X7/8	6,000	6.25
0412MPUB	4-40X3/4	10,000	1.60	1116MPUB	10-32X1	6,000	6.95
0414MPUB	4-40X7/8	10,000	1.83	1128MPUB	10-32X1 3/4	3,000	11.68
0416MPUB	4-40X1	10,000	2.50				
				1206MPUB	12-24X3/8	9,000	4.12
0503MPUB	5-40X3/16	10,000	1.20	1208MPUB	12-24X1/2	7,000	4.91
				1210MPUB	12-24X5/8	6,000	6.13
0603MPUB	6-32X3/16	10,000	0.80	1212MPUB	12-24X3/4	5,000	7.02
0604MPUB	6-32X1/4	10,000	1.02	1214MPUB	12-24X7/8	3,000	10.40
0605MPUB	6-32X5/16	10,000	1.21	1216MPUB	12-24X1	3,000	11.00
0606MPUB	6-32X3/8	10,000	1.41	1224MPUB	12-24X1 1/2	2,500	14.70
0607MPUB	6-32X7/16	10,000	1.61	1248MPUB	12-24X3	1,000	24.40
0608MPUB	6-32X1/2	10,000	1.73				
0609MPUB	6-32X9/16	10,000	2.02	1405MPUB	1/4-20X5/16	6,000	5.40
0610MPUB	6-32X5/8	10,000	2.16	1406MPUB	1/4-20X3/8	6,000	6.00
0612MPUB	6-32X3/4	10,000	2.50	1407MPUB	1/4-20X7/16	6,000	6.60
0614MPUB	6-32X7/8	10,000	2.87	1408MPUB	1/4-20X1/2	5,000	7.00
0616MPUB	6-32X1	10,000	3.90	1410MPUB	1/4-20X5/8	4,000	8.60
0620MPUB	6-32X1 1/4	8,000	4.60	1412MPUB	1/4-20X3/4	4,000	9.50
0624MPUB	6-32X1 1/2	5,000	5.30	1414MPUB	1/4-20X7/8	3,000	10.94
0632MPUB	6-32X2	3,500	6.11	1416MPUB	1/4-20X1	3,000	12.40
				1420MPUB	1/4-20X1 1/4	2,500	15.00
0803MPUB	8-32X3/16	10,000	1.30	1428MPUB	1/4-20X1 3/4	1,500	20.00
0804MPUB	8-32X1/4	10,000	1.61				
0805MPUB	8-32X5/16	10,000	1.93				
0806MPUB	8-32X3/8	10,000	2.14				
0807MPUB	8-32X7/16	10,000	2.47				
0808MPUB	8-32X1/2	10,000	2.65				
0810MPUB	8-32X5/8	10,000	3.20				
0812MPUB	8-32X3/4	10,000	3.73				
0814MPUB	8-32X7/8	8,000	4.28				
0816MPUB	8-32X1	7,000	6.20				
0820MPUB	8-32X1 1/4	5,000	6.24				

Steel Black Oxide




FILLISTER PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0402MPLB	4-40X1/8	10,000	0.71	1004MPLB	10-24X1/4	8,000	4.07
0403MPLB	4-40X3/16	10,000	0.81	1006MPLB	10-24X3/8	7,000	4.80
0404MPLB	4-40X1/4	10,000	0.92	1008MPLB	10-24X1/2	7,000	5.40
0405MPLB	4-40X5/16	10,000	1.04	1016MPLB	10-24X1	4,000	8.25
0406MPLB	4-40X3/8	10,000	1.23	1020MPLB	10-24X1 1/4	3,000	10.40
0408MPLB	4-40X1/2	10,000	1.40				
				1104MPLB	10-32X1/4	8,000	4.22
0604MPLB	6-32X1/4	10,000	1.70	1105MPLB	10-32X5/16	8,000	4.87
0605MPLB	6-32X5/16	10,000	1.79	1106MPLB	10-32X3/8	8,000	5.35
0606MPLB	6-32X3/8	10,000	2.01	1108MPLB	10-32X1/2	6,000	5.80
0607MPLB	6-32X7/16	10,000	2.11	1110MPLB	10-32X5/8	6,000	6.22
0608MPLB	6-32X1/2	10,000	2.39	1112MPLB	10-32X3/4	5,000	7.30
0610MPLB	6-32X5/8	10,000	2.77	1116MPLB	10-32X1	4,000	8.82
0612MPLB	6-32X3/4	10,000	3.04	1120MPLB	10-32X1 1/4	3,000	10.25
0614MPLB	6-32X7/8	9,000	3.43	1124MPLB	10-32X1 1/2	3,000	11.90
0632MPLB	6-32X2	3,000	6.10				
				1408MPLB	1/4-20X1/2	3,000	10.67
0805MPLB	8-32X5/16	10,000	2.97	1410MPLB	1/4-20X5/8	3,000	12.29
0806MPLB	8-32X3/8	10,000	3.26	1412MPLB	1/4-20X3/4	2,500	14.00
0808MPLB	8-32X1/2	10,000	3.79	1414MPLB	1/4-20X7/8	2,500	14.86
0810MPLB	8-32X5/8	9,000	4.40	1416MPLB	1/4-20X1	2,000	16.15
0812MPLB	8-32X3/4	8,000	4.81	1420MPLB	1/4-20X1 1/4	1,500	18.70
0814MPLB	8-32X7/8	5,000	5.60				
0816MPLB	8-32X1	5,000	5.93				
0820MPLB	8-32X1 1/4	4,000	7.30				
0824MPLB	8-32X1 1/2	3,000	8.30				

NEW!

Steel Black Oxide




HEX WASHER PHILLIPS MACHINE SCREWS

Manufactured to SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408MPWB	1/4-20X1/2	3,000	11.43	1412MPWB	1/4-20X3/4	2,000	14.31
1410MPWB	1/4-20X5/8	3,000	12.83	1416MPWB	1/4-20X1	2,000	17.11

Steel Black Oxide




OVAL PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404MPOB	4-40X1/4	10,000	0.76	1008MPOB	10-24X1/2	8,000	4.62
0405MPOB	4-40X5/16	10,000	0.90	1010MPOB	10-24X5/8	7,000	5.25
0406MPOB	4-40X3/8	10,000	1.00	1012MPOB	10-24X3/4	7,000	5.85
				1016MPOB	10-24X1	5,000	7.44
0604MPOB	6-32X1/4	10,000	1.33	1020MPOB	10-24X1 1/4	4,000	8.57
0606MPOB	6-32X3/8	10,000	1.66	1024MPOB	10-24X1 1/2	3,500	10.10
0608MPOB	6-32X1/2	10,000	2.12	1032MPOB	10-24X2	2,000	13.00
0610MPOB	6-32X5/8	10,000	2.31				
0612MPOB	6-32X3/4	10,000	2.70	1108MPOB	10-32X1/2	8,000	4.46
0616MPOB	6-32X1	10,000	3.90	1112MPOB	10-32X3/4	6,000	6.22
				1116MPOB	10-32X1	5,000	7.92
0806MPOB	8-32X3/8	10,000	2.57	1120MPOB	10-32X1 1/4	4,000	9.12
0808MPOB	8-32X1/2	10,000	3.11	1122MPOB	10-32X1 3/8	2,000	10.50
0810MPOB	8-32X5/8	10,000	3.80	1124MPOB	10-32X1 1/2	3,500	11.01
0812MPOB	8-32X3/4	9,000	4.37				
0816MPOB	8-32X1	7,000	5.37	1408MPOB	1/4-20X1/2	4,000	9.04
0820MPOB	8-32X1 1/4	5,000	6.50	1416MPOB	1/4-20X1	3,000	13.50
0824MPOB	8-32X1 1/2	4,000	7.50	1420MPOB	1/4-20X1 1/4	2,500	16.86
0840MPOB	8-32X2 1/2	1,500	12.90	1424MPOB	1/4-20X1 1/2	2,000	18.50
				1428MPOB	1/4-20X1 3/4	1,500	21.84
				1432MPOB	1/4-20X2	1,250	24.04

Steel Black Oxide




PAN PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MPPB	2-56X1/8	10,000	0.36	0503MPPB	5-40X3/16	10,000	1.12
0203MPPB	2-56X3/16	10,000	0.46	0504MPPB	5-40X1/4	10,000	1.27
0204MPPB	2-56X1/4	10,000	0.52	0505MPPB	5-40X5/16	10,000	1.50
0205MPPB	2-56X5/16	10,000	0.58	0506MPPB	5-40X3/8	10,000	1.54
0206MPPB	2-56X3/8	10,000	0.63	0508MPPB	5-40X1/2	10,000	1.95
0207MPPB	2-56X7/16	10,000	0.72	0510MPPB	5-40X5/8	10,000	2.30
0208MPPB	2-56X1/2	10,000	0.82	0512MPPB	5-40X3/4	10,000	2.65
0210MPPB	2-56X5/8	10,000	0.93	0516MPPB	5-40X1	9,000	3.20
0212MPPB	2-56X3/4	10,000	1.07				
				0602MPPB	6-32X1/8	10,000	1.28
0304MPPB	3-48X1/4	10,000	0.70	0603MPPB	6-32X3/16	10,000	1.48
0305MPPB	3-48X5/16	10,000	0.80	0604MPPB	6-32X1/4	10,000	1.64
0306MPPB	3-48X3/8	10,000	0.94	0605MPPB	6-32X5/16	10,000	1.78
				0606MPPB	6-32X3/8	10,000	1.89
0402MPPB	4-40X1/8	10,000	0.77	0607MPPB	6-32X7/16	10,000	2.11
0403MPPB	4-40X3/16	10,000	0.84	0608MPPB	6-32X1/2	10,000	2.35
0404MPPB	4-40X1/4	10,000	0.92	0609MPPB	6-32X9/16	10,000	2.48
0405MPPB	4-40X5/16	10,000	1.09	0610MPPB	6-32X5/8	10,000	2.64
0406MPPB	4-40X3/8	10,000	1.23	0612MPPB	6-32X3/4	10,000	3.23
0407MPPB	4-40X7/16	10,000	1.36	0614MPPB	6-32X7/8	9,000	3.53
0408MPPB	4-40X1/2	10,000	1.45	0616MPPB	6-32X1	9,000	3.67
0409MPPB	4-40X9/16	10,000	1.63	0618MPPB	6-32X1 1/8	8,000	4.13
0410MPPB	4-40X5/8	10,000	1.73	0620MPPB	6-32X1 1/4	7,000	4.42
0411MPPB	4-40X11/16	10,000	1.80	0622MPPB	6-32X1 3/8	5,000	4.94
0412MPPB	4-40X3/4	10,000	1.87	0624MPPB	6-32X1 1/2	4,500	5.40
0414MPPB	4-40X7/8	10,000	2.17	0628MPPB	6-32X1 3/4	3,000	6.01
0416MPPB	4-40X1	10,000	2.45	0632MPPB	6-32X2	3,000	6.82
0420MPPB	4-40X1 1/4	8,000	2.83	0636MPPB	6-32X2 1/4	3,000	7.91
0424MPPB	4-40X1 1/2	7,000	3.34	0644MPPB	6-32X2 3/4	2,000	8.76
0436MPPB	4-40X2 1/4	3,000	4.65	0648MPPB	6-32X3	1,500	9.56
				0652MPPB	6-32X3 1/4	1,000	10.80
				0656MPPB	6-32X3 1/2	1,000	12.00
				0664MPPB	6-32X4	1,000	12.40

Steel Black Oxide




**PAN PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0802MPPB	8-32X1/8	10,000	1.86	1136MPPB	10-32X2 1/4	1,500	16.00
0803MPPB	8-32X3/16	10,000	2.36	1140MPPB	10-32X2 1/2	1,250	17.90
0804MPPB	8-32X1/4	10,000	2.65	1144MPPB	10-32X2 3/4	1,000	20.00
0805MPPB	8-32X5/16	10,000	2.96	1148MPPB	10-32X3	750	21.01
0806MPPB	8-32X3/8	10,000	3.28	1152MPPB	10-32X3 1/4	700	22.70
0807MPPB	8-32X7/16	10,000	3.49	1156MPPB	10-32X3 1/2	700	24.00
0808MPPB	8-32X1/2	10,000	3.66	1164MPPB	10-32X4	700	27.17
0809MPPB	8-32X9/16	9,000	4.13	1204MPPB	12-24X1/4	7,000	5.59
0810MPPB	8-32X5/8	9,000	4.40	1206MPPB	12-24X3/8	6,000	6.51
0811MPPB	8-32X11/16	8,000	4.67	1208MPPB	12-24X1/2	5,000	7.60
0812MPPB	8-32X3/4	8,000	4.94	1210MPPB	12-24X5/8	4,000	8.30
0814MPPB	8-32X7/8	6,000	5.34	1212MPPB	12-24X3/4	4,000	9.33
0816MPPB	8-32X1	5,000	6.07	1216MPPB	12-24X1	3,000	11.08
0818MPPB	8-32X1 1/8	5,000	6.33	1220MPPB	12-24X1 1/4	3,000	11.90
0820MPPB	8-32X1 1/4	4,000	7.00	1224MPPB	12-24X1 1/2	2,000	14.70
0822MPPB	8-32X1 3/8	4,000	7.61	1228MPPB	12-24X1 3/4	2,000	16.88
0824MPPB	8-32X1 1/2	3,000	8.21	1232MPPB	12-24X2	1,250	18.63
0826MPPB	8-32X1 5/8	2,500	8.90	1404MPPB	1/4-20X1/4	5,000	8.47
0828MPPB	8-32X1 3/4	2,500	9.26	1405MPPB	1/4-20X5/16	5,000	9.28
0832MPPB	8-32X2	2,000	10.47	1406MPPB	1/4-20X3/8	4,000	9.64
0836MPPB	8-32X2 1/4	2,000	11.42	1407MPPB	1/4-20X7/16	4,000	9.94
0840MPPB	8-32X2 1/2	1,250	12.55	1408MPPB	1/4-20X1/2	3,000	10.23
0844MPPB	8-32X2 3/4	1,250	13.50	1410MPPB	1/4-20X5/8	3,000	12.27
0848MPPB	8-32X3	1,000	14.96	1412MPPB	1/4-20X3/4	2,500	13.86
0852MPPB	8-32X3 1/4	800	15.83	1414MPPB	1/4-20X7/8	2,500	14.86
0856MPPB	8-32X3 1/2	800	17.40	1416MPPB	1/4-20X1	2,000	16.08
0864MPPB	8-32X4	700	18.90	1418MPPB	1/4-20X1 1/8	2,000	17.00
0880MPPB	8-32X5	600	26.20	1420MPPB	1/4-20X1 1/4	2,000	18.46
1003MPPB	10-24X3/16	9,000	3.50	1424MPPB	1/4-20X1 1/2	1,500	20.39
1004MPPB	10-24X1/4	9,000	3.96	1428MPPB	1/4-20X1 3/4	1,250	22.98
1005MPPB	10-24X5/16	9,000	4.35	1432MPPB	1/4-20X2	1,000	26.18
1006MPPB	10-24X3/8	8,000	4.56	1436MPPB	1/4-20X2 1/4	1,000	28.22
1007MPPB	10-24X7/16	8,000	4.89	1440MPPB	1/4-20X2 1/2	800	30.58
1008MPPB	10-24X1/2	7,000	5.37	1444MPPB	1/4-20X2 3/4	600	33.25
1009MPPB	10-24X9/16	7,000	5.50	1448MPPB	1/4-20X3	600	35.70
1010MPPB	10-24X5/8	7,000	5.63	1456MPPB	1/4-20X3 1/2	500	41.40
1012MPPB	10-24X3/4	5,000	6.86	1464MPPB	1/4-20X4	500	46.00
1014MPPB	10-24X7/8	5,000	7.60	1480MPPB	1/4-20X5	300	56.50
1016MPPB	10-24X1	4,000	8.27	1506MPPB	1/4-28X3/8	4,000	9.80
1020MPPB	10-24X1 1/4	3,000	9.54	1508MPPB	1/4-28X1/2	3,000	11.14
1024MPPB	10-24X1 1/2	3,000	10.96	1512MPPB	1/4-28X3/4	3,000	14.06
1028MPPB	10-24X1 3/4	2,500	12.56	3106MPPB	5/16-18X3/8	2,000	18.27
1032MPPB	10-24X2	1,500	15.05	3108MPPB	5/16-18X1/2	2,000	19.97
1036MPPB	10-24X2 1/4	1,500	15.20	3110MPPB	5/16-18X5/8	1,750	21.83
1044MPPB	10-24X2 3/4	1,000	18.00	3112MPPB	5/16-18X3/4	1,500	24.45
1048MPPB	10-24X3	750	19.50	3116MPPB	5/16-18X1	1,250	28.17
1052MPPB	10-24X3 1/4	700	20.60	3120MPPB	5/16-18X1 1/4	1,000	31.64
1056MPPB	10-24X3 1/2	700	22.20	3124MPPB	5/16-18X1 1/2	1,000	36.00
1064MPPB	10-24X4	700	25.00	3132MPPB	5/16-18X2	800	44.60
1072MPPB	10-24X4 1/2	500	27.70	3136MPPB	5/16-18X2 1/4	600	49.60
1080MPPB	10-24X5	500	32.00	3140MPPB	5/16-18X2 1/2	600	52.50
1103MPPB	10-32X3/16	10,000	3.65	3148MPPB	5/16-18X3	400	60.00
1104MPPB	10-32X1/4	9,000	4.04	3708MPPB	3/8-16X1/2	1,000	32.20
1105MPPB	10-32X5/16	9,000	4.50	3712MPPB	3/8-16X3/4	750	38.00
1106MPPB	10-32X3/8	8,000	4.98	3716MPPB	3/8-16X1	750	45.50
1107MPPB	10-32X7/16	7,000	5.28				
1108MPPB	10-32X1/2	7,000	5.75				
1109MPPB	10-32X9/16	6,000	6.10				
1110MPPB	10-32X5/8	6,000	6.45				
1112MPPB	10-32X3/4	5,000	7.22				
1114MPPB	10-32X7/8	5,000	7.90				
1116MPPB	10-32X1	4,000	8.71				
1118MPPB	10-32X1 1/8	4,000	9.40				
1120MPPB	10-32X1 1/4	3,000	10.02				
1122MPPB	10-32X1 3/8	3,000	10.75				
1124MPPB	10-32X1 1/2	3,000	11.50				
1128MPPB	10-32X1 3/4	2,500	13.38				
1132MPPB	10-32X2	1,500	14.90				

Steel Black Oxide



**ROUND PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404MPRB	4-40X1/4	10,000	0.98	1008MPRB	10-24X1/2	7,000	4.90
0406MPRB	4-40X3/8	10,000	1.17	1106MPRB	10-32X3/8	8,000	4.84
0408MPRB	4-40X1/2	10,000	1.47	1108MPRB	10-32X1/2	10,000	5.40
0604MPRB	6-32X1/4	10,000	1.57	1408MPRB	1/4-20X1/2	4,000	9.75
0606MPRB	6-32X3/8	10,000	1.86	1412MPRB	1/4-20X3/4	3,000	12.31
0608MPRB	6-32X1/2	10,000	2.26	1416MPRB	1/4-20X1	2,500	14.60
0804MPRB	8-32X1/4	10,000	2.40				
0806MPRB	8-32X3/8	10,000	2.92				
0808MPRB	8-32X1/2	10,000	3.80				

Steel Black Oxide




**TRUSS PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403MPTB	4-40X3/16	10,000	0.89	1104MPTB	10-32X1/4	8,000	4.70
0404MPTB	4-40X1/4	10,000	1.03	1106MPTB	10-32X3/8	8,000	5.12
0405MPTB	4-40X5/16	10,000	1.13	1108MPTB	10-32X1/2	8,000	5.82
0406MPTB	4-40X3/8	10,000	1.23	1110MPTB	10-32X5/8	7,000	7.00
0408MPTB	4-40X1/2	10,000	1.56	1112MPTB	10-32X3/4	6,000	7.66
0603MPTB	6-32X3/16	10,000	1.62	1116MPTB	10-32X1	5,000	9.23
0604MPTB	6-32X1/4	10,000	1.79	1120MPTB	10-32X1 1/4	2,000	10.50
0605MPTB	6-32X5/16	10,000	1.98	1124MPTB	10-32X1 1/2	2,000	12.13
0606MPTB	6-32X3/8	10,000	2.14	1132MPTB	10-32X2	1,500	14.96
0608MPTB	6-32X1/2	10,000	2.49	1404MPTB	1/4-20X1/4	5,000	8.70
0610MPTB	6-32X5/8	10,000	2.89	1406MPTB	1/4-20X3/8	3,000	10.68
0612MPTB	6-32X3/4	10,000	3.26	1408MPTB	1/4-20X1/2	4,000	11.33
0616MPTB	6-32X1	9,000	3.98	1410MPTB	1/4-20X5/8	4,000	12.20
0620MPTB	6-32X1 1/4	7,000	4.64	1412MPTB	1/4-20X3/4	3,000	13.61
0803MPTB	8-32X3/16	10,000	2.63	1416MPTB	1/4-20X1	2,500	16.30
0804MPTB	8-32X1/4	10,000	2.95	1420MPTB	1/4-20X1 1/4	2,000	18.30
0805MPTB	8-32X5/16	10,000	3.37	1424MPTB	1/4-20X1 1/2	1,250	20.17
0806MPTB	8-32X3/8	10,000	3.43	1432MPTB	1/4-20X2	1,000	26.20
0808MPTB	8-32X1/2	10,000	3.91	1440MPTB	1/4-20X2 1/2	800	30.80
0810MPTB	8-32X5/8	9,000	4.60	1448MPTB	1/4-20X3	500	36.50
0812MPTB	8-32X3/4	7,000	5.22	1464MPTB	1/4-20X4	400	46.31
1004MPTB	10-24X1/4	8,000	4.29	3108MPTB	5/16-18X1/2	2,000	18.70
1006MPTB	10-24X3/8	8,000	5.00	3110MPTB	5/16-18X5/8	1,750	22.13
1008MPTB	10-24X1/2	8,000	5.70	3112MPTB	5/16-18X3/4	1,500	22.25
1010MPTB	10-24X5/8	6,000	6.56	3116MPTB	5/16-18X1	1,250	28.20
1012MPTB	10-24X3/4	6,000	7.00	3120MPTB	5/16-18X1 1/4	1,000	32.30
1016MPTB	10-24X1	5,000	8.30	3124MPTB	5/16-18X1 1/2	1,000	36.50
1020MPTB	10-24X1 1/4	3,000	9.53	3132MPTB	5/16-18X2	500	43.00
1028MPTB	10-24X1 3/4	2,000	12.60	3708MPTB	3/8-16X1/2	1,000	28.67
1032MPTB	10-24X2	1,500	14.00	3712MPTB	3/8-16X3/4	800	35.00
				3716MPTB	3/8-16X1	750	40.00
				3720MPTB	3/8-16X1 1/4	600	45.77
				3724MPTB	3/8-16X1 1/2	600	55.80
				3728MPTB	3/8-16X1 3/4	500	58.00
				3732MPTB	3/8-16X2	500	66.00
				3740MPTB	3/8-16X2 1/2	200	76.50

Steel Black Oxide




BINDING UNDERCUT SLOTTED MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0402MSBB	4-40X1/8	10,000	0.70	0803MSBB	8-32X3/16	10,000	2.45
0403MSBB	4-40X3/16	10,000	0.87	0804MSBB	8-32X1/4	10,000	2.60
0404MSBB	4-40X1/4	10,000	0.94	0805MSBB	8-32X5/16	10,000	2.97
0405MSBB	4-40X5/16	10,000	1.12	0806MSBB	8-32X3/8	10,000	3.08
0406MSBB	4-40X3/8	10,000	1.24	0808MSBB	8-32X1/2	10,000	3.72
0408MSBB	4-40X1/2	10,000	1.46				
				1104MSBB	10-32X1/4	9,000	4.13
0604MSBB	6-32X1/4	10,000	1.64	1105MSBB	10-32X5/16	9,000	4.47
0605MSBB	6-32X5/16	10,000	1.86	1106MSBB	10-32X3/8	8,000	4.84
0606MSBB	6-32X3/8	10,000	2.09	1108MSBB	10-32X1/2	8,000	5.48
0608MSBB	6-32X1/2	10,000	2.33	1110MSBB	10-32X5/8	6,000	6.43
0610MSBB	6-32X5/8	10,000	2.79	1112MSBB	10-32X3/4	6,000	7.31
				1208MSBB	12-24X1/2	5,000	7.60

Steel Black Oxide




FILLISTER SLOTTED MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0208MSLB	2-56X1/2	10,000	0.78	0820MSLB	8-32X1 1/4	4,000	7.30
				0832MSLB	8-32X2	2,000	10.44
0402MSLB	4-40X1/8	10,000	0.70				
0403MSLB	4-40X3/16	10,000	0.82	1008MSLB	10-24X1/2	7,000	5.50
0404MSLB	4-40X1/4	10,000	0.93	1010MSLB	10-24X5/8	7,000	5.72
0405MSLB	4-40X5/16	10,000	1.07	1016MSLB	10-24X1	5,000	8.30
0406MSLB	4-40X3/8	10,000	1.22				
0407MSLB	4-40X7/16	10,000	1.20	1104MSLB	10-32X1/4	9,000	4.12
0408MSLB	4-40X1/2	10,000	1.39	1106MSLB	10-32X3/8	8,000	4.75
0410MSLB	4-40X5/8	10,000	1.66	1108MSLB	10-32X1/2	7,000	5.60
0414MSLB	4-40X7/8	10,000	2.19				
				1208MSLB	12-24X1/2	5,000	7.44
0512MSLB	5-40X3/4	10,000	2.60	1216MSLB	12-24X1	4,000	11.00
				1220MSLB	12-24X1 1/4	3,000	13.00
0604MSLB	6-32X1/4	10,000	1.66				
0606MSLB	6-32X3/8	10,000	2.00	1410MSLB	1/4-20X5/8	3,000	12.40
0610MSLB	6-32X5/8	10,000	2.76	1412MSLB	1/4-20X3/4	3,000	13.44
0612MSLB	6-32X3/4	10,000	3.05				
0616MSLB	6-32X1	9,000	3.77	3112MSLB	5/16-18X3/4	1,500	24.62
				3116MSLB	5/16-18X1	1,250	28.84
0804MSLB	8-32X1/4	10,000	2.69	3124MSLB	5/16-18X1 1/2	1,000	36.50
0805MSLB	8-32X5/16	10,000	2.90				
0806MSLB	8-32X3/8	10,000	3.14				
0808MSLB	8-32X1/2	10,000	3.76				
0810MSLB	8-32X5/8	9,000	4.22				
0812MSLB	8-32X3/4	8,000	4.78				
0814MSLB	8-32X7/8	6,000	5.33				
0816MSLB	8-32X1	5,000	6.10				

Steel Black Oxide




HEX SLOTTED MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0806MSHB	8-32X3/8	10,000	2.65	1105MSHB	10-32X5/16	9,000	3.76
0808MSHB	8-32X1/2	10,000	3.22	1106MSHB	10-32X3/8	9,000	4.12
0810MSHB	8-32X5/8	9,000	3.75	1108MSHB	10-32X1/2	8,000	4.80
0812MSHB	8-32X3/4	8,000	4.30	1110MSHB	10-32X5/8	7,000	5.74
0814MSHB	8-32X7/8	6,000	4.76	1112MSHB	10-32X3/4	5,000	6.43
0816MSHB	8-32X1	5,000	5.36	1116MSHB	10-32X1	4,000	8.08
0832MSHB	8-32X2	2,000	10.60				
				1408MSHB	1/4-20X1/2	3,500	9.72
1006MSHB	10-24X3/8	8,000	4.00	1410MSHB	1/4-20X5/8	3,500	10.95
1008MSHB	10-24X1/2	8,000	4.65	1412MSHB	1/4-20X3/4	3,000	12.05
1010MSHB	10-24X5/8	7,000	5.35	1416MSHB	1/4-20X1	2,500	14.83
1012MSHB	10-24X3/4	6,000	6.05	1420MSHB	1/4-20X1 1/4	1,500	17.22
1014MSHB	10-24X7/8	5,000	6.78				
1016MSHB	10-24X1	5,000	7.33	3720MSHB	3/8-16X1 1/4	600	49.80
1020MSHB	10-24X1 1/4	3,000	9.70				
1024MSHB	10-24X1 1/2	3,000	10.29				

Steel Black Oxide




HEX UNSLOTTED MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406MHB	4-40X3/8	10,000	1.08	1006MHB	10-24X3/8	8,000	3.88
0408MHB	4-40X1/2	10,000	1.30	1008MHB	10-24X1/2	8,000	4.68
				1010MHB	10-24X5/8	7,000	5.43
0604MHB	6-32X1/4	10,000	1.68	1012MHB	10-24X3/4	5,000	6.30
0606MHB	6-32X3/8	10,000	2.09	1016MHB	10-24X1	4,000	8.30
0608MHB	6-32X1/2	10,000	2.44	1020MHB	10-24X1 1/4	3,000	9.05
0612MHB	6-32X3/4	10,000	3.12	1024MHB	10-24X1 1/2	3,000	10.44
				1028MHB	10-24X1 3/4	2,000	12.11
0804MHB	8-32X1/4	10,000	2.22	1032MHB	10-24X2	1,500	13.26
0805MHB	8-32X5/16	10,000	2.41	1048MHB	10-24X3	1,000	18.80
0806MHB	8-32X3/8	10,000	2.78				
0808MHB	8-32X1/2	10,000	3.25	1104MHB	10-32X1/4	9,000	3.63
0810MHB	8-32X5/8	9,000	3.86	1106MHB	10-32X3/8	9,000	4.33
0812MHB	8-32X3/4	8,000	4.56	1108MHB	10-32X1/2	7,000	5.19
0814MHB	8-32X7/8	6,000	5.15	1110MHB	10-32X5/8	6,000	5.77
0816MHB	8-32X1	5,000	5.49	1112MHB	10-32X3/4	5,000	6.58
0820MHB	8-32X1 1/4	4,000	6.69	1114MHB	10-32X7/8	5,000	7.40
0824MHB	8-32X1 1/2	3,000	7.73	1116MHB	10-32X1	4,000	8.16
0828MHB	8-32X1 3/4	2,500	9.40	1120MHB	10-32X1 1/4	3,000	9.79
0832MHB	8-32X2	2,000	9.73	1124MHB	10-32X1 1/2	3,000	11.11
				1128MHB	10-32X1 3/4	2,500	13.50
				1132MHB	10-32X2	1,500	14.20
				1136MHB	10-32X2 1/4	1,500	15.95
				1140MHB	10-32X2 1/2	1,250	17.58
				1212MHB	12-24X3/4	4,000	9.20

Steel Black Oxide




**HEX WASHER SLOTTED
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404MSWB	4-40X1/4	10,000	0.93	1016MSWB	10-24X1	4,000	8.32
0405MSWB	4-40X5/16	10,000	1.10	1020MSWB	10-24X1 1/4	3,000	9.70
0406MSWB	4-40X3/8	10,000	1.21	1024MSWB	10-24X1 1/2	3,000	11.01
0408MSWB	4-40X1/2	10,000	1.46	1028MSWB	10-24X1 3/4	2,000	12.50
0410MSWB	4-40X5/8	10,000	1.67	1032MSWB	10-24X2	1,500	13.80
0412MSWB	4-40X3/4	10,000	2.10	1036MSWB	10-24X2 1/4	1,000	15.20
0416MSWB	4-40X1	10,000	2.38	1040MSWB	10-24X2 1/2	1,300	16.60
0516MSWB	5-40X1	9,000	3.10	1048MSWB	10-24X3	700	19.90
0603MSWB	6-32X3/16	10,000	1.40	1104MSWB	10-32X1/4	10,000	4.36
0604MSWB	6-32X1/4	10,000	2.18	1105MSWB	10-32X5/16	8,000	4.69
0605MSWB	6-32X5/16	10,000	2.48	1106MSWB	10-32X3/8	10,000	5.25
0606MSWB	6-32X3/8	10,000	2.54	1107MSWB	10-32X7/16	7,000	5.40
0608MSWB	6-32X1/2	10,000	2.91	1108MSWB	10-32X1/2	8,000	5.86
0610MSWB	6-32X5/8	10,000	3.30	1110MSWB	10-32X5/8	5,000	6.48
0612MSWB	6-32X3/4	10,000	3.69	1112MSWB	10-32X3/4	5,000	7.39
0614MSWB	6-32X7/8	9,000	4.06	1114MSWB	10-32X7/8	5,000	8.10
0616MSWB	6-32X1	7,000	4.27	1116MSWB	10-32X1	4,000	8.98
0620MSWB	6-32X1 1/4	5,000	5.04	1120MSWB	10-32X1 1/4	3,000	10.40
0624MSWB	6-32X1 1/2	4,500	5.73	1124MSWB	10-32X1 1/2	3,000	12.00
0628MSWB	6-32X1 3/4	3,000	6.55	1128MSWB	10-32X1 3/4	2,000	13.50
0632MSWB	6-32X2	3,000	7.32	1132MSWB	10-32X2	1,500	15.00
0640MSWB	6-32X2 1/2	2,000	8.30	1136MSWB	10-32X2 1/4	1,000	16.60
0648MSWB	6-32X3	2,000	9.80	1140MSWB	10-32X2 1/2	1,000	18.10
0804MSWB	8-32X1/4	10,000	2.87	1148MSWB	10-32X3	800	21.20
0805MSWB	8-32X5/16	10,000	3.12	1204MSWB	12-24X1/4	8,000	5.00
0806MSWB	8-32X3/8	10,000	3.38	1206MSWB	12-24X3/8	6,000	6.26
0808MSWB	8-32X1/2	10,000	3.94	1208MSWB	12-24X1/2	5,000	7.40
0810MSWB	8-32X5/8	9,000	4.49	1210MSWB	12-24X5/8	4,000	8.00
0812MSWB	8-32X3/4	8,000	5.03	1212MSWB	12-24X3/4	4,000	9.20
0814MSWB	8-32X7/8	6,000	5.60	1216MSWB	12-24X1	3,000	11.00
0816MSWB	8-32X1	5,000	6.24	1220MSWB	12-24X1 1/4	3,000	12.80
0820MSWB	8-32X1 1/4	4,000	7.29	1224MSWB	12-24X1 1/2	2,000	14.70
0824MSWB	8-32X1 1/2	3,000	8.17	1232MSWB	12-24X2	1,000	18.30
0828MSWB	8-32X1 3/4	2,500	9.40	1405MSWB	1/4-20X5/16	4,000	9.30
0832MSWB	8-32X2	1,800	10.70	1406MSWB	1/4-20X3/8	4,000	9.80
0840MSWB	8-32X2 1/2	1,500	12.55	1408MSWB	1/4-20X1/2	4,000	11.43
0848MSWB	8-32X3	1,500	15.00	1410MSWB	1/4-20X5/8	3,000	13.31
1004MSWB	10-24X1/4	8,000	4.13	1412MSWB	1/4-20X3/4	3,000	14.31
1005MSWB	10-24X5/16	8,000	4.67	1414MSWB	1/4-20X7/8	3,000	15.67
1006MSWB	10-24X3/8	10,000	5.02	1416MSWB	1/4-20X1	2,000	17.11
1008MSWB	10-24X1/2	8,000	5.72	1420MSWB	1/4-20X1 1/4	1,500	19.25
1010MSWB	10-24X5/8	6,000	6.47	1424MSWB	1/4-20X1 1/2	1,500	21.73
1012MSWB	10-24X3/4	5,000	6.97	1428MSWB	1/4-20X1 3/4	1,500	23.70
1014MSWB	10-24X7/8	5,000	7.60	1432MSWB	1/4-20X2	1,000	27.05

Steel Black Oxide




**HEX WASHER UNSLOTTED
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0408MWB	4-40X1/2	10,000	1.49	1104MWB	10-32X1/4	9,000	4.36
0604MWB	6-32X1/4	10,000	2.14	1106MWB	10-32X3/8	7,000	5.13
0605MWB	6-32X5/16	10,000	2.36	1108MWB	10-32X1/2	7,000	5.85
0606MWB	6-32X3/8	10,000	2.58	1112MWB	10-32X3/4	5,000	7.35
0608MWB	6-32X1/2	10,000	2.96	1406MWB	1/4-20X3/8	4,000	9.80
0804MWB	8-32X1/4	10,000	2.91	1408MWB	1/4-20X1/2	3,000	12.46
0806MWB	8-32X3/8	10,000	3.63	1410MWB	1/4-20X5/8	2,500	13.76
0808MWB	8-32X1/2	9,000	4.03	1412MWB	1/4-20X3/4	2,500	14.56
0810MWB	8-32X5/8	8,000	4.58	1414MWB	1/4-20X7/8	2,500	14.80
0812MWB	8-32X3/4	7,000	5.14	1416MWB	1/4-20X1	2,000	17.77
0814MWB	8-32X7/8	6,000	5.60	1420MWB	1/4-20X1 1/4	1,500	19.51
1006MWB	10-24X3/8	8,000	5.11	1448MWB	1/4-20X3	600	38.00
1008MWB	10-24X1/2	7,000	5.66	3108MWB	5/16-18X1/2	1,500	24.00
1010MWB	10-24X5/8	7,000	6.30	3112MWB	5/16-18X3/4	1,250	28.00
1020MWB	10-24X1 1/4	3,000	10.04	3116MWB	5/16-18X1	1,250	31.00
				3124MWB	5/16-18X1 1/2	1,000	39.00

**Kanebridge has Black Oxide &
Black Zinc-finished fasteners for
Same-Day Shipping.**


Steel Black Oxide


**OVAL SLOTTED
MACHINE SCREWS**

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604MSOB	6-32X1/4	10,000	1.45	0806MSOB	8-32X3/8	10,000	2.48
0606MSOB	6-32X3/8	10,000	1.63	0808MSOB	8-32X1/2	10,000	2.98
0608MSOB	6-32X1/2	10,000	1.99	0810MSOB	8-32X5/8	10,000	3.61
0610MSOB	6-32X5/8	10,000	2.56	0812MSOB	8-32X3/4	9,000	4.59
0612MSOB	6-32X3/4	10,000	2.71				
0616MSOB	6-32X1	9,000	3.46				
0620MSOB	6-32X1 1/4	8,000	4.22				
0624MSOB	6-32X1 1/2	6,000	5.30				


Steel Black Oxide


**PAN SLOTTED
MACHINE SCREWS**

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MSPB	2-56X1/8	10,000	0.34	0803MSPB	8-32X3/16	10,000	2.25
0204MSPB	2-56X1/4	10,000	0.53	0804MSPB	8-32X1/4	10,000	2.53
0205MSPB	2-56X5/16	10,000	0.60	0806MSPB	8-32X3/8	10,000	3.13
0206MSPB	2-56X3/8	10,000	0.62	0807MSPB	8-32X7/16	10,000	3.31
0207MSPB	2-56X7/16	10,000	0.70	0808MSPB	8-32X1/2	10,000	3.56
0208MSPB	2-56X1/2	10,000	0.76	0810MSPB	8-32X5/8	9,000	4.33
				0812MSPB	8-32X3/4	8,000	4.79
0303MSPB	3-48X3/16	10,000	0.70	0814MSPB	8-32X7/8	6,000	5.34
0304MSPB	3-48X1/4	10,000	0.80	0816MSPB	8-32X1	5,000	5.78
0306MSPB	3-48X3/8	10,000	1.00	0818MSPB	8-32X1 1/8	5,000	6.45
				0824MSPB	8-32X1 1/2	3,000	7.92
0403MSPB	4-40X3/16	10,000	0.84	0828MSPB	8-32X1 3/4	2,500	9.00
0404MSPB	4-40X1/4	10,000	0.91	0848MSPB	8-32X3	1,000	14.50
0405MSPB	4-40X5/16	10,000	1.05				
0406MSPB	4-40X3/8	10,000	1.16	1006MSPB	10-24X3/8	8,000	4.55
0407MSPB	4-40X7/16	10,000	1.27	1007MSPB	10-24X7/16	8,000	4.70
0408MSPB	4-40X1/2	10,000	1.38	1008MSPB	10-24X1/2	8,000	5.02
0410MSPB	4-40X5/8	10,000	1.61	1010MSPB	10-24X5/8	7,000	5.79
0412MSPB	4-40X3/4	10,000	1.90				
0414MSPB	4-40X7/8	10,000	2.18	1104MSPB	10-32X1/4	9,000	3.93
0416MSPB	4-40X1	10,000	2.33	1106MSPB	10-32X3/8	8,000	4.55
0420MSPB	4-40X1 1/4	8,000	2.92	1108MSPB	10-32X1/2	7,000	5.34
0424MSPB	4-40X1 1/2	7,000	3.43	1110MSPB	10-32X5/8	6,000	6.43
				1112MSPB	10-32X3/4	5,000	7.04
0504MSPB	5-40X1/4	10,000	1.28				
0505MSPB	5-40X5/16	10,000	1.56	1204MSPB	12-24X1/4	8,000	5.00
0506MSPB	5-40X3/8	10,000	1.70	1206MSPB	12-24X3/8	6,000	6.00
0602MSPB	6-32X1/8	10,000	1.14	1408MSPB	1/4-20X1/2	3,500	10.57
0603MSPB	6-32X3/16	10,000	1.44	1410MSPB	1/4-20X5/8	3,000	12.25
0604MSPB	6-32X1/4	10,000	1.55	1412MSPB	1/4-20X3/4	3,000	12.75
0605MSPB	6-32X5/16	10,000	1.76				
0606MSPB	6-32X3/8	10,000	2.00				
0607MSPB	6-32X7/16	10,000	2.25				
0608MSPB	6-32X1/2	10,000	2.33				
0610MSPB	6-32X5/8	10,000	2.55				
0612MSPB	6-32X3/4	10,000	3.07				
0614MSPB	6-32X7/8	9,000	3.48				
0616MSPB	6-32X1	9,000	3.79				
0632MSPB	6-32X2	3,000	6.60				


Steel Black Oxide


**ROUND SLOTTED
MACHINE SCREWS**

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MSRB	2-56X1/8	10,000	0.34	0803MSRB	8-32X3/16	10,000	2.09
0203MSRB	2-56X3/16	10,000	0.39	0804MSRB	8-32X1/4	10,000	2.40
0204MSRB	2-56X1/4	10,000	0.49	0806MSRB	8-32X3/8	10,000	2.97
0205MSRB	2-56X5/16	10,000	0.56	0808MSRB	8-32X1/2	10,000	3.50
0206MSRB	2-56X3/8	10,000	0.66				
				1006MSRB	10-24X3/8	8,000	4.27
0402MSRB	4-40X1/8	10,000	0.70	1008MSRB	10-24X1/2	8,000	4.97
0403MSRB	4-40X3/16	10,000	0.79	1012MSRB	10-24X3/4	6,000	6.20
0404MSRB	4-40X1/4	10,000	0.95	1016MSRB	10-24X1	4,500	8.30
0405MSRB	4-40X5/16	10,000	1.00				
0406MSRB	4-40X3/8	10,000	1.15	1104MSRB	10-32X1/4	9,000	3.77
0408MSRB	4-40X1/2	5,000	1.40	1105MSRB	10-32X5/16	9,000	4.08
0410MSRB	4-40X5/8	10,000	1.67	1106MSRB	10-32X3/8	8,000	4.36
0412MSRB	4-40X3/4	10,000	1.91	1108MSRB	10-32X1/2	7,000	5.18
				1110MSRB	10-32X5/8	6,000	5.93
0603MSRB	6-32X3/16	10,000	1.37	1112MSRB	10-32X3/4	6,000	6.44
0604MSRB	6-32X1/4	10,000	1.53				
0605MSRB	6-32X5/16	10,000	1.68	1406MSRB	1/4-20X3/8	4,000	8.15
0606MSRB	6-32X3/8	10,000	1.85	1408MSRB	1/4-20X1/2	4,000	9.71
0608MSRB	6-32X1/2	10,000	2.18	1412MSRB	1/4-20X3/4	3,000	12.61
0610MSRB	6-32X5/8	10,000	2.47	1416MSRB	1/4-20X1	2,500	16.56
0612MSRB	6-32X3/4	10,000	2.83	1420MSRB	1/4-20X1 1/4	2,000	16.97
0614MSRB	6-32X7/8	9,000	3.40	1424MSRB	1/4-20X1 1/2	1,250	19.92
0616MSRB	6-32X1	9,000	3.69	1428MSRB	1/4-20X1 3/4	1,250	22.40
				1432MSRB	1/4-20X2	1,000	26.87

Steel Black Oxide



**TRUSS SLOTTED
MACHINE SCREWS**

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408MSTB	1/4-20X1/2	3,000	10.60	1416MSTB	1/4-20X1	2,500	15.94
1410MSTB	1/4-20X5/8	2,000	12.00	1420MSTB	1/4-20X1 1/4	2,000	18.00
1412MSTB	1/4-20X3/4	3,000	13.30	1424MSTB	1/4-20X1 1/2	1,250	20.50

**Machine Screws with
Black Zinc finish—
See pages 40-43.**

Steel Black Oxide




**FLAT 82° SIX LOBE
MACHINE SCREWS**

Manufactured to SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404MTFB	4-40X1/4	10,000	0.71	0808MTFB	8-32X1/2	10,000	2.90
0405MTFB	4-40X5/16	10,000	0.85	0812MTFB	8-32X3/4	8,000	4.00
0606MTFB	6-32X3/8	10,000	1.43	1008MTFB	10-24X1/2	10,000	3.80
0608MTFB	6-32X1/2	10,000	1.91	1412MTFB	1/4-20X3/4	4,000	9.90
				1416MTFB	1/4-20X1	3,000	12.50

Steel Black Oxide




**PAN PHILLIPS EXTERNAL SEMS
MACHINE SCREWS**

Manufactured to ASME B18.13a & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403EPPB	4-40X3/16	10,000	0.90	1006EPPB	10-24X3/8	5,000	4.91
0404EPPB	4-40X1/4	10,000	1.08	1008EPPB	10-24X1/2	5,000	5.50
0405EPPB	4-40X5/16	10,000	1.18	1104EPPB	10-32X1/4	9,000	4.30
0406EPPB	4-40X3/8	10,000	1.31	1106EPPB	10-32X3/8	7,000	5.19
0408EPPB	4-40X1/2	10,000	1.50	1108EPPB	10-32X1/2	7,000	5.77
0603EPPB	6-32X3/16	10,000	1.50	1112EPPB	10-32X3/4	4,000	7.57
0604EPPB	6-32X1/4	10,000	1.83	1116EPPB	10-32X1	3,000	8.90
0605EPPB	6-32X5/16	10,000	2.05	1206EPPB	12-24X3/8	8,000	8.00
0606EPPB	6-32X3/8	10,000	2.26	1208EPPB	12-24X1/2	2,500	8.63
0608EPPB	6-32X1/2	10,000	2.65	1406EPPB	1/4-20X3/8	3,000	10.50
0610EPPB	6-32X5/8	9,000	2.80	1408EPPB	1/4-20X1/2	3,000	11.50
0612EPPB	6-32X3/4	7,000	3.20	1412EPPB	1/4-20X3/4	1,000	13.50
0803EPPB	8-32X3/16	10,000	2.50				
0804EPPB	8-32X1/4	10,000	2.80				
0805EPPB	8-32X5/16	10,000	3.11				
0806EPPB	8-32X3/8	10,000	3.54				
0808EPPB	8-32X1/2	10,000	3.89				
0810EPPB	8-32X5/8	6,000	4.50				
0812EPPB	8-32X3/4	6,000	5.00				
0816EPPB	8-32X1	4,000	6.20				

Steel Black Oxide




**PAN SIX LOBE
MACHINE SCREWS**

Manufactured to SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203MTPB	2-56X3/16	10,000	0.40	1006MTPB	10-24X3/8	8,000	4.80
0206MTPB	2-56X3/8	10,000	0.70	1008MTPB	10-24X1/2	7,000	5.40
0403MTPB	4-40X3/16	10,000	0.77	1012MTPB	10-24X3/4	5,000	7.00
0404MTPB	4-40X1/4	10,000	1.03	1016MTPB	10-24X1	5,000	8.30
0405MTPB	4-40X5/16	10,000	1.20	1020MTPB	10-24X1 1/4	3,000	9.60
0406MTPB	4-40X3/8	10,000	1.26	1024MTPB	10-24X1 1/2	3,000	11.20
0408MTPB	4-40X1/2	10,000	1.60	1104MTPB	10-32X1/4	9,000	4.01
0410MTPB	4-40X5/8	10,000	1.67	1106MTPB	10-32X3/8	8,000	5.00
0603MTPB	6-32X3/16	10,000	1.52	1108MTPB	10-32X1/2	8,000	5.80
0604MTPB	6-32X1/4	10,000	1.59	1110MTPB	10-32X5/8	6,000	6.27
0605MTPB	6-32X5/16	10,000	1.75	1112MTPB	10-32X3/4	6,000	7.30
0606MTPB	6-32X3/8	10,000	2.10	1406MTPB	1/4-20X3/8	4,000	9.55
0608MTPB	6-32X1/2	10,000	2.40	1408MTPB	1/4-20X1/2	3,000	11.50
0610MTPB	6-32X5/8	10,000	2.80	1410MTPB	1/4-20X5/8	3,000	11.99
0612MTPB	6-32X3/4	10,000	3.20	1412MTPB	1/4-20X3/4	3,000	13.58
0616MTPB	6-32X1	9,000	3.90	1416MTPB	1/4-20X1	2,500	16.10
0620MTPB	6-32X1 1/4	7,000	4.42	1420MTPB	1/4-20X1 1/4	1,500	18.24
0804MTPB	8-32X1/4	10,000	2.80				
0806MTPB	8-32X3/8	10,000	3.21				
0808MTPB	8-32X1/2	10,000	3.90				
0810MTPB	8-32X5/8	9,000	4.50				
0812MTPB	8-32X3/4	8,000	5.00				
0816MTPB	8-32X1	5,000	5.95				
0824MTPB	8-32X1 1/2	3,000	8.21				

Steel Black Oxide




**PAN PHILLIPS INTERNAL SEMS
MACHINE SCREWS**

Manufactured to ASME B18.13a & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202IPPB	2-56X1/8	10,000	0.42	0804IPPB	8-32X1/4	10,000	2.80
0203IPPB	2-56X3/16	10,000	0.53	0805IPPB	8-32X5/16	10,000	3.25
0204IPPB	2-56X1/4	10,000	0.58	0806IPPB	8-32X3/8	10,000	3.49
0205IPPB	2-56X5/16	10,000	0.61	0808IPPB	8-32X1/2	7,000	4.20
0403IPPB	4-40X3/16	10,000	0.90	1104IPPB	10-32X1/4	6,000	4.30
0404IPPB	4-40X1/4	10,000	1.13	1106IPPB	10-32X3/8	6,000	5.22
0406IPPB	4-40X3/8	10,000	1.40	1108IPPB	10-32X1/2	5,000	5.98
0408IPPB	4-40X1/2	10,000	1.60	1110IPPB	10-32X5/8	4,000	6.78
0412IPPB	4-40X3/4	10,000	2.10	1408IPPB	1/4-20X1/2	1,000	11.50
0603IPPB	6-32X3/16	10,000	1.50				
0604IPPB	6-32X1/4	10,000	1.83				
0605IPPB	6-32X5/16	10,000	2.04				
0606IPPB	6-32X3/8	10,000	2.30				
0608IPPB	6-32X1/2	10,000	2.58				
0610IPPB	6-32X5/8	9,000	2.80				

18-8 Stainless Steel
with Black Oxide




FLAT PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606APF188B	6-18X3/8	5,000	1.34	1012APF188B	10-12X3/4	2,000	4.50
0608APF188B	6-18X1/2	5,000	1.58	1016APF188B	10-12X1	2,000	5.40
0610APF188B	6-18X5/8	5,000	1.69	1020APF188B	10-12X1 1/4	2,000	7.00
0612APF188B	6-18X3/4	5,000	2.14	1024APF188B	10-12X1 1/2	2,000	7.67
0616APF188B	6-18X1	5,000	2.83	1032APF188B	10-12X2	1,000	10.94
0620APF188B	6-18X1 1/4	4,000	3.68	1040APF188B	10-12X2 1/2	1,000	12.80
0624APF188B	6-18X1 1/2	3,000	4.43	1048APF188B	10-12X3	1,000	15.00
0808APF188B	8-15X1/2	5,000	2.29	1212APF188B	12-11X3/4	2,000	5.80
0812APF188B	8-15X3/4	4,000	3.16	1216APF188B	12-11X1	2,000	7.50
0816APF188B	8-15X1	4,000	4.00	1220APF188B	12-11X1 1/4	1,000	9.60
0820APF188B	8-15X1 1/4	2,000	5.14	1224APF188B	12-11X1 1/2	1,000	11.40
0824APF188B	8-15X1 1/2	2,000	6.10	1240APF188B	12-11X2 1/2	1,000	17.50
0832APF188B	8-15X2	2,000	8.00	1248APF188B	12-11X3	1,000	20.60
0840APF188B	8-15X2 1/2	1,000	9.91	0612APP188B	6-18X3/4	5,000	2.79

18-8 Stainless Steel
with Black Oxide




Additional sizes are
available as a Type-AB

PAN PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606APP188B	6-18X3/8	5,000	1.80	1008APP188B	10-12X1/2	3,000	4.56
0608APP188B	6-18X1/2	5,000	2.17	1012APP188B	10-12X3/4	2,000	5.57
0610APP188B	6-18X5/8	5,000	2.46	1016APP188B	10-12X1	2,000	6.88
0616APP188B	6-18X1	5,000	3.50	1020APP188B	10-12X1 1/4	2,000	8.20
0808APP188B	8-15X1/2	5,000	3.19	1024APP188B	10-12X1 1/2	2,000	11.20
0810APP188B	8-15X5/8	4,000	3.67	1032APP188B	10-12X2	1,000	11.58
0812APP188B	8-15X3/4	4,000	4.17	1412APP188B	14-10X3/4	1,000	10.90
0816APP188B	8-15X1	4,000	5.08	1416APP188B	14-10X1	1,000	13.00
0824APP188B	8-15X1 1/2	2,000	7.10				

18-8 Stainless Steel
with Black Oxide




PAN PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604ABPP188B	6-20X1/4	5,000	1.43	1008ABPP188B	10-16X1/2	3,000	4.53
0606ABPP188B	6-20X3/8	5,000	1.78	1010ABPP188B	10-16X5/8	3,000	5.15
0608ABPP188B	6-20X1/2	5,000	2.07	1012ABPP188B	10-16X3/4	2,000	5.65
0610ABPP188B	6-20X5/8	5,000	2.50	1016ABPP188B	10-16X1	2,000	7.00
0612ABPP188B	6-20X3/4	5,000	2.70	1020ABPP188B	10-16X1 1/4	2,000	8.30
0616ABPP188B	6-20X1	5,000	3.32	1024ABPP188B	10-16X1 1/2	2,000	9.74
0620ABPP188B	6-20X1 1/4	4,000	4.27	1032ABPP188B	10-16X2	1,000	12.33
0624ABPP188B	6-20X1 1/2	3,000	5.60	1212ABPP188B	12-14X3/4	2,000	7.93
0808ABPP188B	8-18X1/2	5,000	3.10	1216ABPP188B	12-14X1	2,000	9.70
0810ABPP188B	8-18X5/8	4,000	3.65	1220ABPP188B	12-14X1 1/4	1,000	10.94
0812ABPP188B	8-18X3/4	4,000	4.00	1224ABPP188B	12-14X1 1/2	1,000	12.80
0816ABPP188B	8-18X1	4,000	5.26				
0820ABPP188B	8-18X1 1/4	2,000	6.06	1412ABPP188B	1/4-14X3/4	1,000	11.65
0824ABPP188B	8-18X1 1/2	2,000	6.87	1416ABPP188B	1/4-14X1	1,000	12.86

18-8 Stainless Steel
with Black Oxide



HEX WASHER UNSLOTTED AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0806ABW188B	8-18X3/8	5,000	2.80	1208ABW188B	12-14X1/2	2,000	6.83
0808ABW188B	8-18X1/2	5,000	3.50	1212ABW188B	12-14X3/4	2,000	8.15
				1216ABW188B	12-14X1	2,000	10.20
1006ABW188B	10-16X3/8	4,000	4.16				
1008ABW188B	10-16X1/2	3,000	5.25	1412ABW188B	1/4-14X3/4	1,000	12.80
1012ABW188B	10-16X3/4	3,000	6.69				

18-8 Stainless Steel
with Black Oxide




PAN SIX LOBE AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1010ABTP188B	10-16X5/8	3,000	5.50	1012ABTP188B	10-16X3/4	2,000	6.07

Steel Black Oxide



FLAT PHILLIPS A
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APFB	6-18X1/2	10,000	1.60	0916APFB	9X1	7,000	4.70
0610APFB	6-18X5/8	10,000	1.91	1012APFB	10-12X3/4	8,000	4.30
0612APFB	6-18X3/4	10,000	2.41	1016APFB	10-12X1	6,000	5.70
0614APFB	6-18X7/8	10,000	2.59	1020APFB	10-12X1 1/4	4,000	6.95
0616APFB	6-18X1	10,000	3.11	1024APFB	10-12X1 1/2	4,000	8.42
0628APFB	6-18X1 3/4	4,500	4.80	1212APFB	12-11X3/4	6,000	5.53
0632APFB	6-18X2	4,000	5.55	1216APFB	12-11X1	5,000	7.30
0640APFB	6-18X2 1/2	3,000	7.10	1220APFB	12-11X1 1/4	4,000	8.83
0648APFB	6-18X3	1,500	8.40	1224APFB	12-11X1 1/2	2,500	10.80
0708APFB	7-16X1/2	10,000	1.97	1232APFB	12-11X2	2,000	13.30
0710APFB	7-16X5/8	10,000	2.40	1240APFB	12-11X2 1/2	1,500	16.75
0712APFB	7-16X3/4	10,000	2.75	1440APFB	14-10X2 1/2	1,000	23.25
0808APFB	8-15X1/2	10,000	2.44				
0810APFB	8-15X5/8	10,000	2.75				
0812APFB	8-15X3/4	10,000	3.00				
0816APFB	8-15X1	7,000	4.11				
0820APFB	8-15X1 1/4	5,000	5.20				
0824APFB	8-15X1 1/2	4,000	5.91				
0828APFB	8-15X1 3/4	3,000	7.12				
0832APFB	8-15X2	2,500	8.00				

Steel Black Oxide




FLAT PHILLIPS UNDERCUT A
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APUB	6-18X1/2	10,000	1.58	1010APUB	10-12X5/8	8,000	3.43
0708APUB	7-16X1/2	10,000	2.00	1012APUB	10-12X3/4	8,000	4.07
0808APUB	8-15X1/2	10,000	2.34	1020APUB	10-12X1 1/4	4,000	6.95
0810APUB	8-15X5/8	10,000	3.80	1212APUB	12-11X3/4	6,000	6.00
0812APUB	8-15X3/4	10,000	4.20	1220APUB	12-11X1 1/4	4,000	11.50

Steel Black Oxide




FLAT PHILLIPS AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204ABPFB	2-32X1/4	10,000	0.50	0808ABPFB	8-18X1/2	10,000	2.38
0205ABPFB	2-32X5/16	10,000	0.60	0810ABPFB	8-18X5/8	10,000	3.15
0206ABPFB	2-32X3/8	10,000	0.70	0812ABPFB	8-18X3/4	10,000	3.47
0208ABPFB	2-32X1/2	10,000	0.80	0816ABPFB	8-18X1	7,000	4.24
0405ABPFB	4-24X5/16	10,000	0.72	0820ABPFB	8-18X1 1/4	5,000	5.07
0406ABPFB	4-24X3/8	10,000	0.87	0824ABPFB	8-18X1 1/2	4,000	6.07
0407ABPFB	4-24X7/16	10,000	0.95	0828ABPFB	8-18X1 3/4	3,000	7.19
0408ABPFB	4-24X1/2	10,000	1.03	0832ABPFB	8-18X2	2,500	8.23
0410ABPFB	4-24X5/8	10,000	1.20	0840ABPFB	8-18X2 1/2	1,500	9.87
0412ABPFB	4-24X3/4	10,000	1.48	1010ABPFB	10-16X5/8	8,000	3.97
0416ABPFB	4-24X1	10,000	1.92	1012ABPFB	10-16X3/4	7,000	4.29
0420ABPFB	4-24X1 1/4	8,000	2.42	1014ABPFB	10-16X7/8	6,000	5.08
0424ABPFB	4-24X1 1/2	8,000	3.50	1016ABPFB	10-16X1	6,000	5.86
0505ABPFB	5-20X5/16	10,000	0.96	1020ABPFB	10-16X1 1/4	4,000	7.12
0506ABPFB	5-20X3/8	10,000	0.98	1024ABPFB	10-16X1 1/2	3,500	8.42
0508ABPFB	5-20X1/2	10,000	1.27	1028ABPFB	10-16X1 3/4	2,500	9.49
0510ABPFB	5-20X5/8	10,000	1.61	1032ABPFB	10-16X2	2,000	10.75
0512ABPFB	5-20X3/4	10,000	2.09	1040ABPFB	10-16X2 1/2	1,500	13.18
0606ABPFB	6-20X3/8	10,000	1.25	1048ABPFB	10-16X3	900	15.94
0607ABPFB	6-20X7/16	10,000	1.42	1212ABPFB	12-14X3/4	5,000	5.65
0608ABPFB	6-20X1/2	10,000	1.58	1216ABPFB	12-14X1	5,000	7.48
0610ABPFB	6-20X5/8	10,000	1.93	1220ABPFB	12-14X1 1/4	4,000	9.39
0612ABPFB	6-20X3/4	10,000	2.30	1224ABPFB	12-14X1 1/2	3,000	11.10
0616ABPFB	6-20X1	10,000	2.95	1228ABPFB	12-14X1 3/4	2,500	14.80
0620ABPFB	6-20X1 1/4	8,000	3.58	1240ABPFB	12-14X2 1/2	1,000	17.60
0624ABPFB	6-20X1 1/2	6,000	4.36	1248ABPFB	12-14X3	1,000	21.16
0632ABPFB	6-20X2	4,000	6.40	1412ABPFB	1/4-14X3/4	3,500	8.34
0712ABPFB	7-19X3/4	10,000	3.00	1416ABPFB	1/4-14X1	3,000	10.72
				1420ABPFB	1/4-14X1 1/4	2,000	13.55
				1424ABPFB	1/4-14X1 1/2	2,000	15.06
				1428ABPFB	1/4-14X1 3/4	1,500	18.78
				1432ABPFB	1/4-14X2	1,250	22.50
				1440ABPFB	1/4-14X2 1/2	1,000	24.05

Steel Black Oxide



FLAT PHILLIPS UNDERCUT AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403ABPUB	4-24X3/16	10,000	0.45	1005ABPUB	10-16X5/16	10,000	1.96
0404ABPUB	4-24X1/4	10,000	0.57	1006ABPUB	10-16X3/8	10,000	2.51
0406ABPUB	4-24X3/8	10,000	1.20	1008ABPUB	10-16X1/2	10,000	3.22
0604ABPUB	6-20X1/4	10,000	1.01	1010ABPUB	10-16X5/8	9,000	3.40
0605ABPUB	6-20X5/16	10,000	1.13	1012ABPUB	10-16X3/4	8,000	4.10
0606ABPUB	6-20X3/8	10,000	1.90	1016ABPUB	10-16X1	6,000	5.32
0608ABPUB	6-20X1/2	10,000	2.20	1208ABPUB	12-14X1/2	8,000	4.30
0804ABPUB	8-18X1/4	10,000	1.56	1408ABPUB	1/4-14X1/2	5,000	6.30
0806ABPUB	8-18X3/8	10,000	1.81	1410ABPUB	1/4-14X5/8	4,000	7.00
0807ABPUB	8-18X7/16	10,000	2.10				
0808ABPUB	8-18X1/2	10,000	2.38				
0812ABPUB	8-18X3/4	10,000	4.20				
0816ABPUB	8-18X1	7,000	4.48				

**Tapping Screws with
Black Zinc finish—
See pages 44-47.**

Steel Black Oxide




PAN PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APPB	6-18X1/2	10,000	2.17	1008APPB	10-12X1/2	8,000	4.61
0610APPB	6-18X5/8	10,000	2.35	1012APPB	10-12X3/4	6,000	5.73
0612APPB	6-18X3/4	10,000	2.62	1016APPB	10-12X1	5,000	7.05
0614APPB	6-18X7/8	9,000	3.08	1020APPB	10-12X1 1/4	3,000	8.30
0616APPB	6-18X1	9,000	3.36	1024APPB	10-12X1 1/2	3,000	9.48
0620APPB	6-18X1 1/4	8,000	4.00	1032APPB	10-12X2	1,500	12.19
0624APPB	6-18X1 1/2	4,500	4.89	1040APPB	10-12X2 1/2	1,250	14.25
0628APPB	6-18X1 3/4	3,000	5.29	1048APPB	10-12X3	750	16.86
0632APPB	6-18X2	3,000	5.98				
				1208APPB	12-11X1/2	5,000	6.10
0808APPB	8-15X1/2	10,000	3.27	1210APPB	12-11X5/8	5,000	6.91
0810APPB	8-15X5/8	9,000	3.51	1212APPB	12-11X3/4	5,000	7.74
0812APPB	8-15X3/4	8,000	4.20	1216APPB	12-11X1	4,000	9.53
0814APPB	8-15X7/8	6,000	4.54	1220APPB	12-11X1 1/4	3,000	11.27
0816APPB	8-15X1	5,000	5.12	1224APPB	12-11X1 1/2	2,000	12.41
0818APPB	8-15X1 1/8	5,000	5.37	1232APPB	12-11X2	1,500	15.90
0820APPB	8-15X1 1/4	4,000	6.25	1240APPB	12-11X2 1/2	1,000	19.33
0824APPB	8-15X1 1/2	3,000	6.85	1248APPB	12-11X3	750	22.80
0832APPB	8-15X2	2,000	8.83				
0840APPB	8-15X2 1/2	1,500	10.50	1412APPB	14-10X3/4	3,000	10.81
0848APPB	8-15X3	1,000	12.67	1414APPB	14-10X7/8	3,000	12.60
				1424APPB	14-10X1 1/2	2,000	18.44

Steel Black Oxide



HEX WASHER PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APWB	6-18X1/2	10,000	2.20	1008APWB	10-12X1/2	8,000	4.50
0612APWB	6-18X3/4	10,000	3.22	1010APWB	10-12X5/8	7,000	5.10
0616APWB	6-18X1	10,000	3.65	1012APWB	10-12X3/4	6,000	5.90
0624APWB	6-18X1 1/2	4,500	5.30	1016APWB	10-12X1	5,000	7.00
				1020APWB	10-12X1 1/4	3,000	8.20
0806APWB	8-15X3/8	10,000	2.89	1024APWB	10-12X1 1/2	3,000	9.40
0808APWB	8-15X1/2	10,000	3.40				
0812APWB	8-15X3/4	8,000	4.20				
0816APWB	8-15X1	5,000	5.20				
0824APWB	8-15X1 1/2	3,000	7.10				

Steel Black Oxide




HEX WASHER PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808ABPWB	8-18X1/2	10,000	3.13	1008ABPWB	10-16X1/2	8,000	4.92

Steel Black Oxide




PAN PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203ABPPB	2-32X3/16	10,000	0.38	0820ABPPB	8-18X1 1/4	4,000	6.06
0204ABPPB	2-32X1/4	10,000	0.47	0824ABPPB	8-18X1 1/2	3,000	6.87
0205ABPPB	2-32X5/16	10,000	0.52	0828ABPPB	8-18X1 3/4	2,500	8.00
0206ABPPB	2-32X3/8	10,000	0.58	0832ABPPB	8-18X2	2,000	9.08
0207ABPPB	2-32X7/16	10,000	0.70	0840ABPPB	8-18X2 1/2	1,250	10.50
0208ABPPB	2-32X1/2	10,000	0.75	0848ABPPB	8-18X3	1,000	13.20
0212ABPPB	2-32X3/4	10,000	1.00				
				1004ABPPB	10-16X1/4	9,000	3.12
0403ABPPB	4-24X3/16	10,000	1.13	1005ABPPB	10-16X5/16	9,000	3.53
0404ABPPB	4-24X1/4	10,000	0.85	1006ABPPB	10-16X3/8	8,000	4.00
0405ABPPB	4-24X5/16	10,000	1.10	1008ABPPB	10-16X1/2	8,000	4.53
0406ABPPB	4-24X3/8	10,000	1.13	1010ABPPB	10-16X5/8	7,000	5.15
0407ABPPB	4-24X7/16	10,000	1.22	1012ABPPB	10-16X3/4	6,000	5.65
0408ABPPB	4-24X1/2	10,000	1.30	1014ABPPB	10-16X7/8	6,000	6.42
0410ABPPB	4-24X5/8	10,000	1.50	1016ABPPB	10-16X1	5,000	7.00
0412ABPPB	4-24X3/4	10,000	1.75	1020ABPPB	10-16X1 1/4	3,000	8.30
0416ABPPB	4-24X1	10,000	2.30	1022ABPPB	10-16X1 3/8	3,000	9.00
0424ABPPB	4-24X1 1/2	7,000	3.10	1024ABPPB	10-16X1 1/2	3,000	9.74
				1028ABPPB	10-16X1 3/4	2,500	11.00
0604ABPPB	6-20X1/4	10,000	1.43	1032ABPPB	10-16X2	1,500	12.33
0605ABPPB	6-20X5/16	10,000	1.70	1040ABPPB	10-16X2 1/2	1,250	14.40
0606ABPPB	6-20X3/8	10,000	1.78				
0607ABPPB	6-20X7/16	10,000	1.93	1206ABPPB	12-14X3/8	7,000	5.70
0608ABPPB	6-20X1/2	10,000	2.07	1208ABPPB	12-14X1/2	5,000	6.05
0610ABPPB	6-20X5/8	10,000	2.54	1210ABPPB	12-14X5/8	5,000	7.09
0612ABPPB	6-20X3/4	10,000	2.74	1212ABPPB	12-14X3/4	5,000	7.93
0616ABPPB	6-20X1	9,000	3.32	1216ABPPB	12-14X1	4,000	9.70
0620ABPPB	6-20X1 1/4	7,000	4.26	1220ABPPB	12-14X1 1/4	3,000	10.94
0624ABPPB	6-20X1 1/2	4,500	4.77	1224ABPPB	12-14X1 1/2	2,000	12.83
0628ABPPB	6-20X1 3/4	3,000	5.60	1232ABPPB	12-14X2	1,500	16.43
0632ABPPB	6-20X2	3,000	6.30				
				1406ABPPB	1/4-14X3/8	4,000	8.18
0708ABPPB	7-19X1/2	10,000	2.75	1408ABPPB	1/4-14X1/2	4,000	9.12
0712ABPPB	7-19X3/4	9,000	3.55	1410ABPPB	1/4-14X5/8	4,000	10.17
				1412ABPPB	1/4-14X3/4	3,000	11.65
0804ABPPB	8-18X1/4	10,000	2.47	1414ABPPB	1/4-14X7/8	3,000	12.74
0806ABPPB	8-18X3/8	10,000	2.65	1416ABPPB	1/4-14X1	2,500	12.86
0807ABPPB	8-18X7/16	10,000	2.89	1420ABPPB	1/4-14X1 1/4	2,000	15.32
0808ABPPB	8-18X1/2	10,000	3.12	1424ABPPB	1/4-14X1 1/2	1,250	18.05
0810ABPPB	8-18X5/8	9,000	3.64	1428ABPPB	1/4-14X1 3/4	1,250	20.66
0812ABPPB	8-18X3/4	8,000	4.00	1432ABPPB	1/4-14X2	1,000	23.73
0814ABPPB	8-18X7/8	6,000	4.50				
0816ABPPB	8-18X1	5,000	5.26				

**Stainless Tapping
Screws with Black
Oxide finish—
See page 14.**

Steel Black Oxide




OVAL PHILLIPS AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406ABPOB	4-24X3/8	10,000	1.20	0820ABPOB	8-18X1 1/4	5,000	5.70
0408ABPOB	4-24X1/2	10,000	1.40	0824ABPOB	8-18X1 1/2	4,000	7.20
0410ABPOB	4-24X5/8	10,000	1.60	0828ABPOB	8-18X1 3/4	3,000	7.33
0412ABPOB	4-24X3/4	10,000	1.53	0832ABPOB	8-18X2	2,500	8.84
0416ABPOB	4-24X1	10,000	2.30	0840ABPOB	8-18X2 1/2	1,500	9.81
0606ABPOB	6-20X3/8	10,000	1.62	1008ABPOB	10-16X1/2	9,000	4.26
0608ABPOB	6-20X1/2	10,000	1.94	1010ABPOB	10-16X5/8	7,000	4.50
0610ABPOB	6-20X5/8	10,000	2.17	1012ABPOB	10-16X3/4	6,000	5.02
0612ABPOB	6-20X3/4	10,000	2.63	1016ABPOB	10-16X1	6,000	6.42
0616ABPOB	6-20X1	9,000	3.08	1020ABPOB	10-16X1 1/4	4,000	8.30
0620ABPOB	6-20X1 1/4	8,000	3.92	1024ABPOB	10-16X1 1/2	4,000	8.58
0624ABPOB	6-20X1 1/2	6,000	4.45	1216ABPOB	12-14X1	4,000	8.80
0712ABPOB	7-19X3/4	10,000	3.78	1220ABPOB	12-14X1 1/4	3,000	10.40
0808ABPOB	8-18X1/2	10,000	2.85	1224ABPOB	12-14X1 1/2	3,000	12.06
0810ABPOB	8-18X5/8	10,000	3.33	1416ABPOB	1/4-14X1	2,500	12.10
0812ABPOB	8-18X3/4	10,000	3.78	1424ABPOB	1/4-14X1 1/2	1,250	16.00
0816ABPOB	8-18X1	7,000	4.88				

NEW!

Steel Black Oxide




Also referred to as
"Oval Trim Head Screws"

#8 OVAL PHILLIPS WITH #6 HEAD A
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0824APO6B	8-15X1 1/2	4,000	5.80				

Steel Black Oxide




Also referred to as
"Oval Trim Head Screws"

#8 OVAL PHILLIPS WITH #6 HEAD AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808ABPO6B	8-18X1/2	10,000	2.11	0816ABPO6B	8-18X1	7,000	3.90
0810ABPO6B	8-18X5/8	10,000	3.79				

Steel Black Oxide




ROUND WASHER PHILLIPS A
SELF TAPPING SCREWS

Manufactured to SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808APRWB	8-15X1/2	10,000	3.21	1008APRWB	10-12X1/2	8,000	4.70
0812APRWB	8-15X3/4	6,000	4.08	1012APRWB	10-12X3/4	4,000	5.75
0816APRWB	8-15X1	4,000	5.04	1016APRWB	10-12X1	5,000	6.80
				1208APRWB	12-11X1/2	5,000	6.30

Steel Black Oxide



TRUSS PHILLIPS A
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APT	6-18X1/2	10,000	2.16	1020APT	10-12X1 1/4	4,000	8.75
0610APT	6-18X5/8	10,000	2.52	1024APT	10-12X1 1/2	3,000	9.50
0612APT	6-18X3/4	10,000	3.13	1032APT	10-12X2	2,000	11.90
0616APT	6-18X1	9,000	3.39	1040APT	10-12X2 1/2	900	14.30
0620APT	6-18X1 1/4	7,000	4.30	1048APT	10-12X3	700	15.90
0808APT	8-15X1/2	10,000	3.32	1208APT	12-11X1/2	5,000	7.00
0810APT	8-15X5/8	9,000	3.73	1210APT	12-11X5/8	5,000	7.63
0812APT	8-15X3/4	8,000	4.34	1212APT	12-11X3/4	4,500	8.67
0814APT	8-15X7/8	6,000	4.90	1216APT	12-11X1	4,000	10.03
0816APT	8-15X1	5,000	5.22	1228APT	12-11X1 3/4	1,000	15.00
0820APT	8-15X1 1/4	4,000	6.13	1412APT	14-10X3/4	2,000	11.92
0824APT	8-15X1 1/2	3,000	7.20	1416APT	14-10X1	2,000	13.00
0832APT	8-15X2	1,500	9.80	1420APT	14-10X1 1/4	2,000	15.70
0840APT	8-15X2 1/2	1,250	12.20	1424APT	14-10X1 1/2	900	17.80
0848APT	8-15X3	1,000	15.30				
1008APT	10-12X1/2	8,000	4.79				
1010APT	10-12X5/8	7,000	5.30				
1012APT	10-12X3/4	6,000	5.88				
1014APT	10-12X7/8	6,000	6.97				
1016APT	10-12X1	5,000	7.39				

Steel Black Oxide




TRUSS PHILLIPS AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406ABPTB	4-24X3/8	10,000	1.08	0804ABPTB	8-18X1/4	10,000	2.53
0408ABPTB	4-24X1/2	10,000	1.33	0806ABPTB	8-18X3/8	10,000	2.87
0410ABPTB	4-24X5/8	10,000	1.82	0808ABPTB	8-18X1/2	10,000	3.44
				0810ABPTB	8-18X5/8	9,000	3.90
0510ABPTB	5-20X5/8	10,000	2.13	0812ABPTB	8-18X3/4	8,000	4.35
0604ABPTB	6-20X1/4	10,000	1.55	0816ABPTB	8-18X1	5,000	5.20
0606ABPTB	6-20X3/8	10,000	1.88	0820ABPTB	8-18X1 1/4	4,000	6.18
0608ABPTB	6-20X1/2	10,000	2.13	0824ABPTB	8-18X1 1/2	3,000	7.68
0610ABPTB	6-20X5/8	10,000	2.61				
0612ABPTB	6-20X3/4	10,000	2.80				

Steel Black Oxide




TRUSS PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1006ABPTB	10-16X3/8	8,000	4.30	1408ABPTB	1/4-14X1/2	4,000	9.04
1008ABPTB	10-16X1/2	8,000	4.75	1412ABPTB	1/4-14X3/4	2,000	11.34
1010ABPTB	10-16X5/8	6,000	5.58	1416ABPTB	1/4-14X1	2,000	13.19
1012ABPTB	10-16X3/4	6,000	5.91	1420ABPTB	1/4-14X1 1/4	2,000	16.10
1024ABPTB	10-16X1 1/2	2,000	9.60	1424ABPTB	1/4-14X1 1/2	1,000	18.00

Steel Black Oxide




SERRATED HEX WASHER SLOTTED AB SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604ABSWSB	6-20X1/4	10,000	1.82	1006ABSWSB	10-16X3/8	8,000	4.30
0606ABSWSB	6-20X3/8	10,000	2.16	1008ABSWSB	10-16X1/2	8,000	4.80
0608ABSWSB	6-20X1/2	10,000	2.20	1010ABSWSB	10-16X5/8	7,000	5.57
				1012ABSWSB	10-16X3/4	6,000	5.84
0806ABSWSB	8-18X3/8	10,000	2.81				
0808ABSWSB	8-18X1/2	10,000	3.31				
0810ABSWSB	8-18X5/8	9,000	3.60				

Steel Black Oxide




HEX WASHER SLOTTED A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808ASWB	8-15X1/2	10,000	3.43	1012ASWB	10-12X3/4	6,000	5.96
0812ASWB	8-15X3/4	8,000	4.24				

Steel Black Oxide




HEX WASHER UNSLOTTED A SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.4)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808AWB	8-15X1/2	10,000	3.51	0812AWB	8-15X3/4	8,000	4.19

Steel Black Oxide



HEX WASHER SLOTTED AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404ABSWB	4-24X1/4	10,000	1.00	1008ABSWB	10-16X1/2	8,000	4.92
0406ABSWB	4-24X3/8	10,000	1.07	1012ABSWB	10-16X3/4	6,000	5.74
				1040ABSWB	10-16X2 1/2	1,250	14.30
0606ABSWB	6-20X3/8	10,000	2.08	1408ABSWB	1/4-14X1/2	4,000	9.95
0608ABSWB	6-20X1/2	10,000	2.35	1412ABSWB	1/4-14X3/4	3,000	12.12
0804ABSWB	8-18X1/4	10,000	2.29				
0805ABSWB	8-18X5/16	10,000	2.58				
0806ABSWB	8-18X3/8	10,000	2.64				
0808ABSWB	8-18X1/2	10,000	3.30				
0812ABSWB	8-18X3/4	8,000	4.07				

Steel Black Oxide




HEX WASHER UNSLOTTED AB SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0610ABWB	6-20X5/8	10,000	2.90	1208ABWB	12-14X1/2	4,000	6.30
0806ABWB	8-18X3/8	10,000	2.87	1408ABWB	1/4-14X1/2	4,000	10.73
0808ABWB	8-18X1/2	10,000	3.30	1410ABWB	1/4-14X5/8	3,000	10.58
0812ABWB	8-18X3/4	8,000	4.30	1412ABWB	1/4-14X3/4	3,000	12.14
0816ABWB	8-18X1	5,000	5.23	1416ABWB	1/4-14X1	2,000	14.80
				1420ABWB	1/4-14X1 1/4	2,000	17.07
1006ABWB	10-16X3/8	8,000	4.25	1424ABWB	1/4-14X1 1/2	1,250	19.08
1008ABWB	10-16X1/2	8,000	4.80				
1010ABWB	10-16X5/8	6,000	5.38	3112ABWB	5/16-12X3/4	1,500	24.40
1012ABWB	10-16X3/4	6,000	5.94	3116ABWB	5/16-12X1	1,250	27.80
1016ABWB	10-16X1	4,000	7.06	3120ABWB	5/16-12X1 1/4	1,000	32.30
1040ABWB	10-16X2 1/2	1,250	14.30				
				3716ABWB	3/8-12X1	750	43.88

Steel Black Oxide



SERRATED HEX WASHER UNSLOTTED AB
SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808ABWSB	8-18X1/2	10,000	3.40	1010ABWSB	10-16X5/8	6,000	5.42
0812ABWSB	8-18X3/4	8,000	4.28	1012ABWSB	10-16X3/4	6,000	6.10
0816ABWSB	8-18X1	5,000	5.31	1016ABWSB	10-16X1	4,000	7.29
1006ABWSB	10-16X3/8	8,000	4.13	1416ABWSB	1/4-14X1	2,000	15.00
1008ABWSB	10-16X1/2	8,000	4.86				

NEW!

Steel Black Oxide



FLAT SIX-LOBE AB
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1020ABTFB	10-16X1 1/4	4,000	7.00				

Steel Black Oxide




PAN SIX-LOBE AB
SELF TAPPING SCREWS

Manufactured to SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404ABTPB	4-24X1/4	10,000	1.00	0810ABTPB	8-18X5/8	9,000	3.80
0406ABTPB	4-24X3/8	10,000	1.20	0812ABTPB	8-18X3/4	8,000	4.20
0408ABTPB	4-24X1/2	10,000	1.38	0816ABTPB	8-18X1	5,000	5.43
0410ABTPB	4-24X5/8	10,000	1.57	0820ABTPB	8-18X1 1/4	4,000	6.20
0604ABTPB	6-20X1/4	10,000	1.40	1008ABTPB	10-16X1/2	8,000	5.08
0608ABTPB	6-20X1/2	10,000	2.20	1010ABTPB	10-16X5/8	7,000	5.55
0806ABTPB	8-18X3/8	10,000	2.80	1012ABTPB	10-16X3/4	6,000	5.90
0808ABTPB	8-18X1/2	10,000	3.30	1016ABTPB	10-16X1	4,000	7.15
				1020ABTPB	10-16X1 1/4	3,000	8.30
				1024ABTPB	10-16X1 1/2	3,000	9.83
				1032ABTPB	10-16X2	1,500	11.90

Steel Black Oxide




PAN SQUARE RECESS A
SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608AQP	6-18X1/2	10,000	2.10	1008AQP	10-12X1/2	7,000	4.40
0610AQP	6-18X5/8	10,000	2.55	1010AQP	10-12X5/8	7,000	5.35
0612AQP	6-18X3/4	10,000	2.94	1012AQP	10-12X3/4	6,000	6.04
0616AQP	6-18X1	9,000	3.60	1016AQP	10-12X1	5,000	7.20
0806AQP	8-15X3/8	10,000	3.08	1020AQP	10-12X1 1/4	3,000	8.40
0808AQP	8-15X1/2	10,000	3.50	1024AQP	10-12X1 1/2	3,000	9.80
0810AQP	8-15X5/8	9,000	3.94	1208AQP	12-11X1/2	5,000	6.67
0812AQP	8-15X3/4	8,000	4.31	1212AQP	12-11X3/4	5,000	8.07
0814AQP	8-15X7/8	6,000	4.83	1216AQP	12-11X1	4,000	9.60
0816AQP	8-15X1	5,000	5.38	1410AQP	14-10X5/8	4,000	10.75
0820AQP	8-15X1 1/4	4,000	6.20	1412AQP	14-10X3/4	3,000	11.70
0824AQP	8-15X1 1/2	3,000	7.19	1416AQP	14-10X7/8	3,000	13.00
0832AQP	8-15X2	1,500	9.00	1420AQP	14-10X1 1/4	2,000	16.55
				1424AQP	14-10X1 1/2	2,000	18.75
				1432AQP	14-10X1 1/2	1,000	22.83

Steel Black Oxide




PAN SQUARE RECESS AB
SELF TAPPING SCREWS

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606ABQP	6-20X3/8	10,000	1.90	0806ABQP	8-18X3/8	10,000	2.80
0608ABQP	6-20X1/2	10,000	2.17	0808ABQP	8-18X1/2	10,000	3.10
				0812ABQP	8-18X3/4	8,000	4.25
				1008ABQP	10-16X1/2	8,000	4.78

Steel Black Oxide



FLAT PHILLIPS B
SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0208BPFB	2-32X1/2	10,000	0.65	0812BPFB	8-18X3/4	10,000	3.49
0406BPFB	4-24X3/8	10,000	0.88	1010BPFB	10-16X5/8	9,000	4.27
0408BPFB	4-24X1/2	10,000	1.00	1012BPFB	10-16X3/4	8,000	4.87
				1016BPFB	10-16X1	6,000	6.02
0606BPFB	6-20X3/8	10,000	1.35				
0608BPFB	6-20X1/2	10,000	1.64				

Steel Black Oxide



FLAT PHILLIPS UNDERCUT B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & J933 specifications (heads to ASME B18.6.3)
Case Hardened to Rockwell C45 min. (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404BPUB	4-24X1/4	10,000	0.61	1006BPUB	10-16X3/8	10,000	2.80
0604BPUB	6-20X1/4	10,000	0.93	1008BPUB	10-16X1/2	10,000	3.56
				1010BPUB	10-16X5/8	7,000	3.88

Steel Black Oxide




PAN PHILLIPS B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203BPPB	2-32X3/16	10,000	0.43	0804BPPB	8-18X1/4	10,000	2.47
0204BPPB	2-32X1/4	10,000	0.50	0805BPPB	8-18X5/16	10,000	2.81
0205BPPB	2-32X5/16	10,000	0.60	0806BPPB	8-18X3/8	10,000	3.00
0206BPPB	2-32X3/8	10,000	0.70	0808BPPB	8-18X1/2	10,000	3.37
				0810BPPB	8-18X5/8	9,000	3.84
0403BPPB	4-24X3/16	10,000	0.78	0812BPPB	8-18X3/4	8,000	4.37
0404BPPB	4-24X1/4	10,000	0.92	0816BPPB	8-18X1	5,000	5.45
0405BPPB	4-24X5/16	10,000	1.06	0820BPPB	8-18X1 1/4	4,000	6.00
0406BPPB	4-24X3/8	10,000	1.20	0824BPPB	8-18X1 1/2	3,000	7.21
0407BPPB	4-24X7/16	10,000	1.30	0828BPPB	8-18X1 3/4	2,500	8.29
0408BPPB	4-24X1/2	10,000	1.37	0832BPPB	8-18X2	2,000	9.25
0410BPPB	4-24X5/8	10,000	1.64				
0412BPPB	4-24X3/4	10,000	1.87	1004BPPB	10-16X1/4	9,000	3.87
0416BPPB	4-24X1	10,000	2.32	1005BPPB	10-16X5/16	10,000	3.99
0420BPPB	4-24X1 1/4	8,000	2.83	1006BPPB	10-16X3/8	8,000	4.26
0424BPPB	4-24X1 1/2	7,000	3.30	1008BPPB	10-16X1/2	8,000	4.89
0428BPPB	4-24X1 3/4	6,000	3.90	1010BPPB	10-16X5/8	7,000	5.56
				1012BPPB	10-16X3/4	6,000	6.23
0603BPPB	6-20X3/16	10,000	1.45	1016BPPB	10-16X1	5,000	7.15
0604BPPB	6-20X1/4	10,000	1.64	1020BPPB	10-16X1 1/4	3,000	8.82
0605BPPB	6-20X5/16	10,000	1.70				
0606BPPB	6-20X3/8	10,000	1.88	1206BPPB	12-14X3/8	8,000	5.70
0607BPPB	6-20X7/16	10,000	2.08	1208BPPB	12-14X1/2	5,000	6.36
0608BPPB	6-20X1/2	10,000	2.24	1210BPPB	12-14X5/8	5,000	7.25
0610BPPB	6-20X5/8	10,000	2.64	1212BPPB	12-14X3/4	5,000	8.10
0612BPPB	6-20X3/4	10,000	2.88	1216BPPB	12-14X1	4,000	10.17
0616BPPB	6-20X1	9,000	3.67				
0620BPPB	6-20X1 1/4	7,000	4.09	1408BPPB	1/4-14X1/2	3,000	10.04
0624BPPB	6-20X1 1/2	4,500	4.90	1410BPPB	1/4-14X5/8	4,000	10.50
0628BPPB	6-20X1 3/4	2,500	5.75	1412BPPB	1/4-14X3/4	3,000	12.25
0632BPPB	6-20X2	2,500	6.37	1416BPPB	1/4-14X1	2,500	14.71
				1420BPPB	1/4-14X1 1/4	2,000	18.70

Steel Black Oxide



TRUSS PHILLIPS B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606BPTB	6-20X3/8	10,000	2.16	1406BPTB	1/4-14X3/8	4,000	9.07
				1408BPTB	1/4-14X1/2	4,000	10.00
0806BPTB	8-18X3/8	10,000	3.20	1410BPTB	1/4-14X5/8	3,000	10.94
0808BPTB	8-18X1/2	10,000	3.44	1412BPTB	1/4-14X3/4	3,000	12.50
				1416BPTB	1/4-14X1	2,500	14.83
1006BPTB	10-16X3/8	8,000	4.30	1420BPTB	1/4-14X1 1/4	2,000	16.67
1008BPTB	10-16X1/2	8,000	4.80	1424BPTB	1/4-14X1 1/2	1,250	18.50
1010BPTB	10-16X5/8	7,000	5.40	1428BPTB	1/4-14X1 3/4	1,250	21.75
1012BPTB	10-16X3/4	6,000	6.40	1432BPTB	1/4-14X2	1,000	23.50
1016BPTB	10-16X1	4,000	7.00				

Steel Black Oxide




HEX WASHER SLOTTED B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404BSWB	4-24X1/4	10,000	1.00	1006BSWB	10-16X3/8	8,000	4.66
				1008BSWB	10-16X1/2	7,000	5.35
0604BSWB	6-20X1/4	10,000	1.85	1012BSWB	10-16X3/4	5,000	6.70
0606BSWB	6-20X3/8	10,000	2.43				
				1206BSWB	12-14X3/8	7,000	5.70
0806BSWB	8-18X3/8	10,000	2.90				
0808BSWB	8-18X1/2	10,000	3.59				

Steel Black Oxide



HEX WASHER UNSLOTTED B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604BWB	6-20X1/4	10,000	1.40	1408BWB	1/4-14X1/2	3,000	11.00
0606BWB	6-20X3/8	10,000	2.50	1410BWB	1/4-14X5/8	3,000	12.46
0608BWB	6-20X1/2	10,000	2.80	1412BWB	1/4-14X3/4	3,000	13.74
				1416BWB	1/4-14X1	2,500	16.53
0804BWB	8-18X1/4	10,000	2.40	1420BWB	1/4-14X1 1/4	1,000	17.70
0805BWB	8-18X5/16	10,000	2.60				
0806BWB	8-18X3/8	10,000	2.80	3108BWB	5/16-12X1/2	2,000	19.70
0808BWB	8-18X1/2	10,000	3.30	3110BWB	5/16-12X5/8	1,750	22.00
0812BWB	8-18X3/4	8,000	4.80	3112BWB	5/16-12X3/4	1,500	23.40
0816BWB	8-18X1	5,000	5.20	3116BWB	5/16-12X1	1,250	27.80
				3120BWB	5/16-12X1 1/4	1,000	32.30
1005BWB	10-16X5/16	9,000	4.64				
1006BWB	10-16X3/8	8,000	4.30	3708BWB	3/8-12X1/2	1,000	35.05
1008BWB	10-16X1/2	8,000	5.32	3712BWB	3/8-12X3/4	750	41.53
1010BWB	10-16X5/8	7,000	5.40	3716BWB	3/8-12X1	500	46.90
1012BWB	10-16X3/4	6,000	6.77				
1016BWB	10-16X1	5,000	7.87				

Steel Black Oxide




**FLAT PHILLIPS HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406HPFB	4-24X3/8	10,000	0.75	0808HPFB	8-18X1/2	10,000	2.09
0408HPFB	4-24X1/2	10,000	0.82	0812HPFB	8-18X3/4	10,000	2.75
0412HPFB	4-24X3/4	10,000	1.00	0816HPFB	8-18X1	7,000	3.55
0606HPFB	6-19X3/8	10,000	1.26	1008HPFB	10-16X1/2	10,000	2.88
0608HPFB	6-19X1/2	10,000	1.43	1012HPFB	10-16X3/4	7,000	3.96
0610HPFB	6-19X5/8	10,000	1.60	1016HPFB	10-16X1	6,000	5.40
0612HPFB	6-19X3/4	10,000	1.91	1416HPFB	1/4-15X1	3,000	10.58
				1420HPFB	1/4-15X1 1/4	2,000	12.80

Steel Black Oxide



**HEX WASHER UNSLOTTED HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606HWPB	6-19X3/8 #5HD	10,000	1.34	1006HWPB	10-16X3/8 #8HD	8,000	3.18
0608HWPB	6-19X1/2 #5HD	10,000	1.65	1008HWPB	10-16X1/2 #8HD	8,000	3.58
				1012HWPB	10-16X3/4 #8HD	6,000	4.62
0806HWPB	8-18X3/8 #6HD	10,000	2.49	1412HWPB	1/4-15X3/4	3,000	13.60
0808HWPB	8-18X1/2 #6HD	10,000	2.83	1416HWPB	1/4-15X1	2,500	16.10
0812HWPB	8-18X3/4 #6HD	8,000	3.60				

Steel Black Oxide




**PAN PHILLIPS HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0206HPPB	2-32X3/8	10,000	0.56	0806HPPB	8-18X3/8 #6HD	10,000	1.94
0208HPPB	2-32X1/2	10,000	0.75	0808HPPB	8-18X1/2 #6HD	10,000	2.35
				0810HPPB	8-18X5/8 #6HD	10,000	2.73
0403HPPB	4-24X3/16#3HD	10,000	0.60	0812HPPB	8-18X3/4 #6HD	10,000	2.85
0404HPPB	4-24X1/4#3HD	10,000	0.67	0816HPPB	8-18X1 #6HD	5,000	3.75
0405HPPB	4-24X5/16#3HD	10,000	0.78				
0406HPPB	4-24X3/8#3HD	10,000	0.83	1006HPPB	10-16X3/8 #8HD	10,000	2.80
0408HPPB	4-24X1/2 #3HD	10,000	1.06	1008HPPB	10-16X1/2 #8HD	10,000	3.32
0410HPPB	4-24X5/8 #3HD	10,000	1.20	1010HPPB	10-16X5/8 #8HD	6,000	3.79
0412HPPB	4-24X3/4 #3HD	10,000	1.20	1012HPPB	10-16X3/4 #8HD	8,000	4.12
0416HPPB	4-24X1 #3HD	10,000	1.54	1016HPPB	10-16X1 #8HD	4,000	5.13
				1020HPPB	10-16X1 1/4#8H	5,000	6.25
0604HPPB	6-19X1/4#5HD	10,000	1.34	1024HPPB	10-16X1 1/2#8H	4,000	7.14
0605HPPB	6-19X5/16 #5HD	10,000	1.37				
0606HPPB	6-19X3/8 #5HD	10,000	1.49	1212HPPB	12-16X3/4#10HD	5,000	7.88
0608HPPB	6-16X1/2 #5HD	10,000	1.79				
0610HPPB	6-19X5/8 #5HD	10,000	2.11	1408HPPB	1/4-15X1/2	3,000	9.55
0612HPPB	6-16X3/4 #5HD	10,000	2.24	1412HPPB	1/4-15X3/4	3,000	11.64
0616HPPB	6-19X1 #5HD	9,000	3.00				

Steel Black Oxide




**FLAT SIX-LOBE HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406HTFB	4-24X3/8	10,000	0.79	0808HTFB	8-18X1/2	10,000	2.25
0408HTFB	4-24X1/2	10,000	0.96	0812HTFB	8-18X3/4	10,000	2.97
0412HTFB	4-24X3/4	10,000	1.34	0816HTFB	8-18X1	7,000	3.71
0606HTFB	6-19X3/8	10,000	1.27	1008HTFB	10-16X1/2	10,000	3.10
0608HTFB	6-19X1/2	10,000	1.55	1012HTFB	10-16X3/4	7,000	3.93
0610HTFB	6-19X5/8	10,000	1.86	1016HTFB	10-16X1	6,000	5.08
0612HTFB	6-19X3/4	10,000	2.18	1416HTFB	1/4-15X1	3,000	10.23
				1420HTFB	1/4-15X1 1/4	2,000	12.40

Steel Black Oxide



**PAN SIX-LOBE HIGH-LOW
SELF TAPPING SCREWS**


Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0408HTPB	4-24X1/2 #3HD	10,000	1.00	1008HTPB	10-16X1/2 #8HD	8,000	3.25
				1010HTPB	10-16X5/8 #8HD	6,000	3.80
0606HTPB	6-19X3/8 #5HD	10,000	1.50	1016HTPB	10-16X1 #8HD	4,000	5.42
0608HTPB	6-19X1/2 #5HD	10,000	1.80	1012HTPB	10-16X3/4 #8HD	5,000	4.10
0808HTPB	8-18X1/2 #6HD	10,000	2.33	1412HTPB	1/4-15X3/4	3,000	10.70
0812HTPB	8-18X3/4 #6HD	8,000	3.04				
0816HTPB	8-18X1 #6HD	5,000	3.72				

**High-Low Screws with
Black Zinc finish—**

See pages 46-47.

Steel Black Oxide




ROUND HEAD TYPE U DRIVE SCREWS

Manufactured to ASME B18.6.3 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-002UB	0X1/8	10,000	0.21	0603UB	6X3/16	10,000	1.47
-003UB	0X3/16	10,000	0.26	0604UB	6X1/4	10,000	1.64
-004UB	0X1/4	10,000	0.32	0605UB	6X5/16	10,000	1.77
-006UB	0X3/8	10,000	0.40	0606UB	6X3/8	10,000	1.99
				0608UB	6X1/2	10,000	2.34
0002UB	00X1/8	10,000	0.11	0612UB	6X3/4	10,000	3.14
0003UB	00X3/16	10,000	0.14				
0004UB	00X1/4	10,000	0.17	0704UB	7X1/4	10,000	1.98
				0705UB	7X5/16	10,000	2.31
0006UB	00X3/8	10,000	0.24	0706UB	7X3/8	10,000	2.65
				0708UB	7X1/2	10,000	2.97
0202UB	2X1/8	10,000	0.37				
0203UB	2X3/16	10,000	0.59	0803UB	8X3/16	10,000	2.36
0204UB	2X1/4	10,000	0.61	0804UB	8X1/4	10,000	2.56
0205UB	2X5/16	10,000	0.78	0806UB	8X3/8	10,000	3.20
0206UB	2X3/8	10,000	0.80	0808UB	8X1/2	10,000	3.57
0208UB	2X1/2	10,000	0.96	0810UB	8X5/8	9,000	3.97
0402UB	4X1/8	10,000	0.73	1006UB	10X3/8	9,000	4.18
0403UB	4X3/16	10,000	0.81	1008UB	10X1/2	8,000	4.61
0404UB	4X1/4	10,000	0.93	1010UB	10X5/8	6,000	5.22
0405UB	4X5/16	10,000	1.11				
0406UB	4X3/8	10,000	1.24	1208UB	12X1/2	5,000	6.86
				1212UB	12X3/4	3,000	8.40
				1408UB	14X1/2	3,000	9.60
				1410UB	14X5/8	3,000	10.80
				1412UB	14X3/4	3,000	12.23

Steel Black Oxide




FLAT PHILLIPS TYPE F THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204FPFB	2-56X1/4	10,000	0.38	1110FPFB	10-32X5/8	8,000	4.67
				1112FPFB	10-32X3/4	7,000	5.30
0406FPFB	4-40X3/8	10,000	0.85	1116FPFB	10-32X1	6,000	7.07
				1120FPFB	10-32X1 1/4	5,000	8.59
0606FPFB	6-32X3/8	10,000	1.32	1124FPFB	10-32X1 1/2	4,000	10.04
0608FPFB	6-32X1/2	10,000	1.63				
0610FPFB	6-32X5/8	10,000	2.04	1208FPFB	12-24X1/2	8,000	5.27
0612FPFB	6-32X3/4	10,000	2.58				
0806FPFB	8-32X3/8	10,000	2.06	1412FPFB	1/4-20X3/4	6,000	9.64
0808FPFB	8-32X1/2	10,000	2.70	1414FPFB	1/4-20X7/8	4,000	11.00
0810FPFB	8-32X5/8	10,000	3.13	1416FPFB	1/4-20X1	3,000	11.50
0812FPFB	8-32X3/4	8,000	3.73	1420FPFB	1/4-20X1 1/4	2,000	13.92
0816FPFB	8-32X1	7,000	5.06	1424FPFB	1/4-20X1 1/2	2,000	17.71
0820FPFB	8-32X1 1/4	6,000	6.16	1432FPFB	1/4-20X2	1,000	22.67
0824FPFB	8-32X1 1/2	5,000	7.43	1436FPFB	1/4-20X2 1/4	900	25.37
				1440FPFB	1/4-20X2 1/2	800	26.67
				1448FPFB	1/4-20X3	700	32.50
1012FPFB	10-24X3/4	7,000	5.08				
1016FPFB	10-24X1	6,000	6.57	3116FPFB	5/16-18X1	1,800	20.00
1020FPFB	10-24X1 1/4	5,000	7.99				

18-8 Stainless Steel with
Black Oxide Finish



FLAT PHILLIPS UNDERCUT TYPE F THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 dimensions
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404FPU188B	4-40X1/4	5,000	0.63	0806FPU188B	8-32X3/8	5,000	2.06
0405FPU188B	4-40X5/16	5,000	1.20				
				1208FPU188B	12-24X1/2	2,000	5.04
0604FPU188B	6-32X1/4	5,000	0.96				

Steel Black Oxide




FLAT PHILLIPS UNDERCUT TYPE F THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203FPUB	2-56X3/16	10,000	0.26	1006FPUB	10-24X3/8	10,000	2.76
				1008FPUB	10-24X1/2	10,000	3.45
0403FPUB	4-40X3/16	10,000	0.47	1012FPUB	10-24X3/4	7,000	5.01
0404FPUB	4-40X1/4	10,000	0.60				
0405FPUB	4-40X5/16	10,000	1.20	1106FPUB	10-32X3/8	10,000	2.88
0408FPUB	4-40X1/2	10,000	1.08	1108FPUB	10-32X1/2	10,000	3.75
				1110FPUB	10-32X5/8	8,000	4.42
0604FPUB	6-32X1/4	10,000	0.96	1112FPUB	10-32X3/4	7,000	5.51
0605FPUB	6-32X5/16	10,000	1.15				
0606FPUB	6-32X3/8	10,000	2.10	1208FPUB	12-24X1/2	8,000	4.67
0608FPUB	6-32X1/2	10,000	1.71	1212FPUB	12-24X3/4	4,000	6.60
0804FPUB	8-32X1/4	10,000	1.65	1406FPUB	1/4-20X3/8	6,000	6.00
0805FPUB	8-32X5/16	10,000	1.86	1408FPUB	1/4-20X1/2	8,000	6.86
0806FPUB	8-32X3/8	10,000	2.06	1412FPUB	1/4-20X3/4	4,000	13.60
0808FPUB	8-32X1/2	10,000	2.57	1416FPUB	1/4-20X1	3,000	16.10
				3108FPUB	5/16-18X1/2	3,000	10.68

Steel Black Oxide




PAN PHILLIPS TYPE F
THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202FPPB	2-56X1/8	10,000	0.33	1004FPPB	10-24X1/4	10,000	3.74
0203FPPB	2-56X3/16	10,000	0.42	1005FPPB	10-24X5/16	10,000	4.40
0204FPPB	2-56X1/4	10,000	0.51	1006FPPB	10-24X3/8	10,000	4.65
0205FPPB	2-56X5/16	10,000	0.57	1008FPPB	10-24X1/2	10,000	5.49
0206FPPB	2-56X3/8	10,000	0.64	1010FPPB	10-24X5/8	7,000	5.93
0207FPPB	2-56X7/16	10,000	0.72	1012FPPB	10-24X3/4	7,000	6.63
0208FPPB	2-56X1/2	10,000	0.80	1016FPPB	10-24X1	6,000	8.16
				1020FPPB	10-24X1 1/4	4,000	9.44
0403FPPB	4-40X3/16	10,000	0.84	1024FPPB	10-24X1 1/2	3,000	10.70
0404FPPB	4-40X1/4	10,000	0.96	1028FPPB	10-24X1 3/4	2,500	12.50
0405FPPB	4-40X5/16	10,000	1.04	1032FPPB	10-24X2	2,000	13.80
0406FPPB	4-40X3/8	10,000	1.16				
0407FPPB	4-40X7/16	10,000	1.29	1104FPPB	10-32X1/4	10,000	4.02
0408FPPB	4-40X1/2	10,000	1.49	1105FPPB	10-32X5/16	10,000	4.44
0410FPPB	4-40X5/8	10,000	1.67	1106FPPB	10-32X3/8	10,000	4.71
0412FPPB	4-40X3/4	10,000	1.92	1108FPPB	10-32X1/2	10,000	5.49
0416FPPB	4-40X1	10,000	2.50	1110FPPB	10-32X5/8	7,000	6.32
				1112FPPB	10-32X3/4	7,000	6.99
0603FPPB	6-32X3/16	10,000	1.43	1114FPPB	10-32X7/8	6,000	7.71
0604FPPB	6-32X1/4	10,000	1.57	1116FPPB	10-32X1	6,000	8.57
0605FPPB	6-32X5/16	10,000	1.77	1120FPPB	10-32X1 1/4	4,000	10.07
0606FPPB	6-32X3/8	10,000	1.89	1124FPPB	10-32X1 1/2	3,000	11.90
0608FPPB	6-32X1/2	10,000	2.32	1128FPPB	10-32X1 3/4	2,500	13.50
0610FPPB	6-32X5/8	10,000	2.68	1132FPPB	10-32X2	2,000	14.42
0612FPPB	6-32X3/4	10,000	3.04				
0614FPPB	6-32X7/8	10,000	3.50	1206FPPB	12-24X3/8	8,000	6.24
0616FPPB	6-32X1	10,000	3.79	1208FPPB	12-24X1/2	7,000	7.10
0620FPPB	6-32X1 1/4	8,000	4.60	1210FPPB	12-24X5/8	6,000	8.30
0624FPPB	6-32X1 1/2	5,000	5.30	1212FPPB	12-24X3/4	5,000	8.92
				1216FPPB	12-24X1	4,000	11.00
0803FPPB	8-32X3/16	10,000	2.50	1224FPPB	12-24X1 1/2	2,000	18.00
0804FPPB	8-32X1/4	10,000	2.69				
0805FPPB	8-32X5/16	10,000	2.91	1406FPPB	1/4-20X3/8	6,000	9.10
0806FPPB	8-32X3/8	10,000	3.20	1408FPPB	1/4-20X1/2	5,000	10.24
0807FPPB	8-32X7/16	10,000	3.60	1410FPPB	1/4-20X5/8	4,000	11.65
0808FPPB	8-32X1/2	10,000	3.65	1412FPPB	1/4-20X3/4	4,000	12.84
0810FPPB	8-32X5/8	10,000	4.50	1416FPPB	1/4-20X1	3,000	15.44
0812FPPB	8-32X3/4	8,000	4.81	1420FPPB	1/4-20X1 1/4	2,500	18.27
0814FPPB	8-32X7/8	8,000	5.60	1424FPPB	1/4-20X1 1/2	2,000	20.62
0816FPPB	8-32X1	6,000	5.91	1428FPPB	1/4-20X1 3/4	1,500	23.70
0820FPPB	8-32X1 1/4	5,000	7.00	1432FPPB	1/4-20X2	1,000	25.60
0824FPPB	8-32X1 1/2	4,000	8.22				
0828FPPB	8-32X1 3/4	3,000	9.40				
0832FPPB	8-32X2	3,000	10.60				

Steel Black Oxide




TRUSS PHILLIPS TYPE F
THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0605FPTB	6-32X5/16	10,000	1.70	1006FPTB	10-24X3/8	10,000	5.00
0606FPTB	6-32X3/8	10,000	1.90	1008FPTB	10-24X1/2	10,000	5.40
				1016FPTB	10-24X1	6,000	8.10
0805FPTB	8-32X5/16	10,000	2.90				
0806FPTB	8-32X3/8	10,000	3.13	1108FPTB	10-32X1/2	10,000	5.40
0808FPTB	8-32X1/2	10,000	3.60	1110FPTB	10-32X5/8	7,000	6.40
0810FPTB	8-32X5/8	10,000	4.50				
0812FPTB	8-32X3/4	8,000	5.00	1408FPTB	1/4-20X1/2	5,000	10.20
				1416FPTB	1/4-20X1	3,000	15.15

Steel Black Oxide




HEX WASHER SLOTTED TYPE F
THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604FSWB	6-32X1/4	10,000	2.09	1406FSWB	1/4-20X3/8	5,000	10.29
0606FSWB	6-32X3/8	10,000	2.50	1408FSWB	1/4-20X1/2	4,000	11.20
				1410FSWB	1/4-20X5/8	3,000	12.47
0804FSWB	8-32X1/4	10,000	2.73	1412FSWB	1/4-20X3/4	3,000	13.67
0805FSWB	8-32X5/16	10,000	2.95	1416FSWB	1/4-20X1	2,500	16.32
0806FSWB	8-32X3/8	10,000	3.29	1428FSWB	1/4-20X1 3/4	1,500	24.11
0808FSWB	8-32X1/2	10,000	3.89				
0816FSWB	8-32X1	6,000	5.94	3108FSWB	5/16-18X1/2	2,000	19.80
				3112FSWB	5/16-18X3/4	1,500	24.00
1006FSWB	10-24X3/8	10,000	4.65	3116FSWB	5/16-18X1	1,500	28.20
1008FSWB	10-24X1/2	10,000	5.43	3132FSWB	5/16-18X2	600	47.00
1012FSWB	10-24X3/4	6,000	6.80				
				3712FSWB	3/8-16X3/4	1,000	38.00
1106FSWB	10-32X3/8	10,000	4.76	3716FSWB	3/8-16X1	800	44.00
1108FSWB	10-32X1/2	10,000	5.62	3724FSWB	3/8-16X1 1/2	700	55.80
1110FSWB	10-32X5/8	8,000	6.64	3732FSWB	3/8-16X2	500	70.00
1112FSWB	10-32X3/4	6,000	7.43				
1132FSWB	10-32X2	1,500	14.87				

Steel Black Oxide




HEX WASHER UNSLOTTED TYPE F
THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408FWB	1/4-20X1/2	4,000	11.92	3120FWB	5/16-18X1 1/4	1,000	35.42
1412FWB	1/4-20X3/4	3,000	14.33	3124FWB	5/16-18X1 1/2	1,000	38.98
1416FWB	1/4-20X1	2,500	16.20	3132FWB	5/16-18X2	600	47.24
1420FWB	1/4-20X1 1/4	2,000	18.70				
1424FWB	1/4-20X1 1/2	1,500	21.20	3712FWB	3/8-16X3/4	1,000	41.20
				3716FWB	3/8-16X1	800	46.80
3108FWB	5/16-18X1/2	2,500	22.14	3720FWB	3/8-16X1 1/4	700	53.07
3112FWB	5/16-18X3/4	1,500	26.39	3724FWB	3/8-16X1 1/2	700	58.70
3116FWB	5/16-18X1	1,500	30.75	3732FWB	3/8-16X2	500	71.83

Steel Black Oxide




PAN PHILLIPS TYPE 1
THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06041PPB	6-32X1/4	10,000	1.53	10081PPB	10-24X1/2	8,000	5.14
06061PPB	6-32X3/8	10,000	1.87	10101PPB	10-24X5/8	7,000	5.85
				10121PPB	10-24X3/4	6,000	6.75
08041PPB	8-32X1/4	10,000	2.71	10161PPB	10-24X1	5,000	8.30
08051PPB	8-32X5/16	10,000	2.89				
08061PPB	8-32X3/8	10,000	3.06	11061PPB	10-32X3/8	8,000	4.63
08081PPB	8-32X1/2	10,000	3.67	11081PPB	10-32X1/2	8,000	5.64
08101PPB	8-32X5/8	9,000	4.24				
				14081PPB	1/4-20X1/2	4,000	10.56
				14121PPB	1/4-20X3/4	3,000	13.02

Steel Black Oxide




HEX WASHER UNSLOTTED TYPE 1 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06061WB	6-32X3/8	10,000	2.50	14061WB	1/4-20X3/8	3,000	11.22

Steel Black Oxide




PAN PHILLIPS TYPE 23 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04033PPB	4-40X3/16	10,000	0.83	10063PPB	10-24X3/8	9,000	4.43
04043PPB	4-40X1/4	10,000	0.95	10083PPB	10-24X1/2	8,000	5.11
04063PPB	4-40X3/8	10,000	1.17	10103PPB	10-24X5/8	6,000	5.93
04083PPB	4-40X1/2	10,000	1.38	10123PPB	10-24X3/4	5,000	6.39
06043PPB	6-32X1/4	10,000	1.63	11063PPB	10-32X3/8	8,000	4.60
06053PPB	6-32X5/16	10,000	1.78	11083PPB	10-32X1/2	7,000	5.36
06063PPB	6-32X3/8	10,000	1.89	11103PPB	10-32X5/8	6,000	6.10
06083PPB	6-32X1/2	10,000	2.27	11123PPB	10-32X3/4	6,000	6.95
06103PPB	6-32X5/8	10,000	2.70	12083PPB	12-24X1/2	5,000	7.44
06123PPB	6-32X3/4	10,000	3.05	12123PPB	12-24X3/4	3,000	9.20
06163PPB	6-32X1	9,000	3.81	12163PPB	12-24X1	2,000	10.90
08043PPB	8-32X1/4	10,000	2.57	14083PPB	1/4-20X1/2	3,000	10.46
08053PPB	8-32X5/16	10,000	2.74	14103PPB	1/4-20X5/8	3,000	12.10
08063PPB	8-32X3/8	10,000	3.09	14123PPB	1/4-20X3/4	3,000	13.15
08083PPB	8-32X1/2	10,000	3.58	14163PPB	1/4-20X1	2,500	15.40
08103PPB	8-32X5/8	9,000	4.24				
08123PPB	8-32X3/4	8,000	4.77				
08163PPB	8-32X1	5,000	5.94				

Steel Black Oxide




HEX WASHER SLOTTED TYPE 23 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06043SWB	6-32X1/4	10,000	2.02	11063SWB	10-32X3/8	8,000	4.84
06063SWB	6-32X3/8	10,000	2.36	11083SWB	10-32X1/2	7,000	5.31
06163SWB	6-32X1	9,000	4.22	11103SWB	10-32X5/8	6,000	6.41
08053SWB	8-32X5/16	10,000	2.85	14083SWB	1/4-20X1/2	3,000	11.16
08063SWB	8-32X3/8	10,000	3.17	14103SWB	1/4-20X1	2,000	16.01
08083SWB	8-32X1/2	10,000	3.74	14243SWB	1/4-20X1 1/2	1,250	21.20
10063SWB	10-24X3/8	8,000	4.56				
10083SWB	10-24X1/2	7,000	5.13				
10123SWB	10-24X3/4	6,000	6.64				
10163SWB	10-24X1	5,000	7.84				

Steel Black Oxide




HEX WASHER UNSLOTTED TYPE 23 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06063WB	6-32X3/8	10,000	2.50	11063WB	10-32X3/8	8,000	5.00
06143WB	6-32X7/8	6,000	3.85	11083WB	10-32X1/2	7,000	5.61
08063WB	8-32X3/8	10,000	3.40	14083WB	1/4-20X1/2	3,000	11.57
08083WB	8-32X1/2	10,000	3.90	14123WB	1/4-20X3/4	2,500	14.33
				14163WB	1/4-20X1	2,000	16.10
10063WB	10-24X3/8	8,000	4.80				
10083WB	10-24X1/2	7,000	5.40				

Steel Black Oxide




FLAT PHILLIPS TYPE 25 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06085PFB	6-20X1/2	10,000	1.59	08085PFB	8-18X1/2	10,000	2.46
06105PFB	6-20X5/8	10,000	1.96	08105PFB	8-18X5/8	10,000	2.87

Steel Black Oxide




PAN PHILLIPS TYPE 25 THREAD CUTTING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04055PPB	4-24X5/16	10,000	1.08	08065PPB	8-18X3/8	10,000	2.91
04065PPB	4-24X3/8	10,000	1.11	08085PPB	8-18X1/2	10,000	3.37
04085PPB	4-24X1/2	10,000	1.46	08105PPB	8-18X5/8	9,000	3.75
06045PPB	6-20X1/4	10,000	1.51	10085PPB	10-16X1/2	8,000	4.88
06055PPB	6-20X5/16	10,000	1.68	10105PPB	10-16X5/8	7,000	5.31
06065PPB	6-20X3/8	10,000	1.81				
06085PPB	6-20X1/2	10,000	2.09				

Steel Black Oxide
and Waxed




**FLAT PHILLIPS
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0405RPFB	4-40X5/16	10,000	0.79	0606RPFB	6-32X3/8	10,000	1.33
0406RPFB	4-40X3/8	10,000	0.86	0808RPFB	8-32X1/2	10,000	2.64

Steel Black Oxide
and Waxed




**FLAT PHILLIPS UNDERCUT
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403RPUB	4-40X3/16	10,000	0.61	0806RPUB	8-32X3/8	10,000	2.06
0404RPUB	4-40X1/4	10,000	0.68	1008RPUB	10-24X1/2	10,000	3.90
0405RPUB	4-40X5/16	10,000	0.75	1012RPUB	10-24X3/4	7,000	6.69
0406RPUB	4-40X3/8	10,000	0.09	1106RPUB	10-32X3/8	10,000	3.06
0604RPUB	6-32X1/4	10,000	1.00				
0606RPUB	6-32X3/8	10,000	1.47				
0608RPUB	6-32X1/2	10,000	2.27				

Steel Black Oxide
and Waxed




**PAN PHILLIPS
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403RPPB	4-40X3/16	10,000	0.87	0804RPPB	8-32X1/4	10,000	2.80
0404RPPB	4-40X1/4	10,000	0.97	0805RPPB	8-32X5/16	10,000	2.93
0405RPPB	4-40X5/16	10,000	1.08	0806RPPB	8-32X3/8	10,000	3.15
0406RPPB	4-40X3/8	10,000	1.16	0808RPPB	8-32X1/2	10,000	3.68
0408RPPB	4-40X1/2	10,000	1.49	1006RPPB	10-24X3/8	8,000	4.80
0604RPPB	6-32X1/4	10,000	1.61	1008RPPB	10-24X1/2	7,000	5.43
0605RPPB	6-32X5/16	10,000	1.79	1012RPPB	10-24X3/4	7,000	6.56
0606RPPB	6-32X3/8	10,000	2.10	1104RPPB	10-32X1/4	10,000	3.87
0608RPPB	6-32X1/2	10,000	2.27	1106RPPB	10-32X3/8	8,000	4.77
0616RPPB	6-32X1	10,000	3.70	1108RPPB	10-32X1/2	10,000	5.51
				1408RPPB	1/4-20X1/2	5,000	10.48
				1412RPPB	1/4-20X3/4	4,000	12.69

Steel Black Oxide
and Waxed




**HEX WASHER SLOTTED
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604RSWB	6-32X1/4	10,000	2.15	1106RSWB	10-32X3/8	10,000	4.91
0606RSWB	6-32X3/8	10,000	2.46	1108RSWB	10-32X1/2	8,000	5.80
0608RSWB	6-32X1/2	10,000	2.84	1408RSWB	1/4-20X1/2	4,000	11.10
0804RSWB	8-32X1/4	10,000	2.64	1412RSWB	1/4-20X3/4	2,000	13.60
0806RSWB	8-32X3/8	10,000	3.40	3110RSWB	5/16-18X5/8	1,750	23.00
0808RSWB	8-32X1/2	10,000	3.73				
1006RSWB	10-24X3/8	10,000	4.80				

Steel Black Oxide
and Waxed




**HEX WASHER UNSLOTTED
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606RWB	6-32X3/8	10,000	2.54	1108RWB	10-32X1/2	7,000	5.97
0806RWB	8-32X3/8	10,000	3.40	1406RWB	1/4-20X3/8	5,000	10.35
0808RWB	8-32X1/2	9,000	4.00	1408RWB	1/4-20X1/2	3,000	12.20
1006RWB	10-24X3/8	8,000	4.82	1410RWB	1/4-20X5/8	2,000	13.02
1008RWB	10-24X1/2	8,000	5.81	1412RWB	1/4-20X3/4	2,000	14.39
1106RWB	10-32X3/8	8,000	5.09				

Steel Black Oxide
and Waxed



**FLAT SIX-LOBE
THREAD ROLLING SCREWS**

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design


Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0405RTFB	4-40X5/16	10,000	0.80				

Thread-Rolling Screws with

Black Zinc finish—

See page 48.

Steel Black Oxide
and Waxed




PAN SIX-LOBE THREAD ROLLING SCREWS

Generic Alternatives to Taptite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404RTPB	4-40X1/4	10,000	0.97	1006RTPB	10-24X3/8	10,000	4.38
0405RTPB	4-40X5/16	10,000	1.08	1008RTPB	10-24X1/2	10,000	4.93
0406RTPB	4-40X3/8	10,000	1.15	1012RTPB	10-24X3/4	7,000	6.69
0604RTPB	6-32X1/4	10,000	1.61	1106RTPB	10-32X3/8	10,000	4.75
0606RTPB	6-32X3/8	10,000	1.98	1108RTPB	10-32X1/2	10,000	5.73
0608RTPB	6-32X1/2	10,000	2.36	1408RTPB	1/4-20X1/2	4,000	10.65
0612RTPB	6-32X3/4	10,000	3.02	1412RTPB	1/4-20X3/4	4,000	12.99
0804RTPB	8-32X1/4	10,000	2.77	1416RTPB	1/4-20X1	2,500	12.50
0806RTPB	8-32X3/8	10,000	3.10				
0808RTPB	8-32X1/2	10,000	3.68				
0810RTPB	8-32X5/8	10,000	4.22				
0812RTPB	8-32X3/4	8,000	4.58				

Black Oxide and Waxed
over 18-8 Stainless Steel



PAN PHILLIPS THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
48° Thread Profile & 2 Lead Threads
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0810LPP188B	8-16X5/8	4,000	4.30	0824LPP188B	8-16X1 1/2	2,000	8.25

NEW!

Black Oxide and Waxed over
18-8 Stainless Steel




PAN SIX-LOBE THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
48° Thread Profile & 2 Lead Threads
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0206LTP188B	2-28X3/8	5,000	0.58	0606LTP188B	6-19X3/8	5,000	1.99
0404LTP188B	4-20X1/4	5,000	0.95	0608LTP188B	6-19X1/2	5,000	2.34
0405LTP188B	4-20X5/16	5,000	1.09	0806LTP188B	8-16X3/8	5,000	3.32
0406LTP188B	4-20X3/8	5,000	1.20	0808LTP188B	8-16X1/2	5,000	3.83
0408LTP188B	4-20X1/2	5,000	1.42				

*Taptite® and Plastite® is a registered trademark of REMINC. Our screws are not authorized or made by licensed REMINC manufacturers.

Steel Black Oxide
and Waxed




FLAT PHILLIPS THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design (heads to ASME B18.6.3 dimensions)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0405LPFB	4-20X5/16	10,000	0.75	0808LPFB	8-16X1/2	10,000	2.64
0406LPFB	4-20X3/8	10,000	0.91	0810LPFB	8-16X5/8	10,000	3.07
0408LPFB	4-20X1/2	10,000	1.12	0812LPFB	8-16X3/4	10,000	3.79
0412LPFB	4-20X3/4	10,000	1.50	0824LPFB	8-16X1 1/2	4,000	5.21
0606LPFB	6-19X3/8	10,000	1.41	1008LPFB	10-14X1/2	10,000	3.63
0608LPFB	6-19X1/2	10,000	1.67	1016LPFB	10-14X1	5,000	6.83
0610LPFB	6-19X5/8	10,000	1.86				
0612LPFB	6-19X3/4	10,000	2.33				
0616LPFB	6-19X1	10,000	3.74				

NEW!

Steel Black Oxide
and Waxed




FLAT PHILLIPS UNDERCUT THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design (heads to ASME B18.6.3 dimensions)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1006LPUB	10-14X3/8	10,000	2.89				

Steel Black Oxide
and Waxed




PAN PHILLIPS THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design (heads to ASME B18.6.3 dimensions)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0206LPPB	2-28X3/8	10,000	0.58	0805LPPB	8-16X5/16	10,000	2.90
0208LPPB	2-28X1/2	10,000	0.73	0806LPPB	8-16X3/8	10,000	3.29
0210LPPB	2-28X5/8	10,000	0.88	0808LPPB	8-16X1/2	10,000	3.74
0212LPPB	2-28X3/4	10,000	0.88	0810LPPB	8-16X5/8	10,000	4.25
0306LPPB	3-24X3/8	10,000	0.90	0812LPPB	8-16X3/4	8,000	4.57
0308LPPB	3-24X1/2	10,000	1.04	0814LPPB	8-16X7/8	8,000	5.51
0312LPPB	3-24X3/4	10,000	1.36	0816LPPB	8-16X1	5,000	5.96
0316LPPB	3-24X1	10,000	1.72	0820LPPB	8-16X1 1/4	5,000	7.13
0404LPPB	4-20X1/4	10,000	1.00	1006LPPB	10-14X3/8	10,000	4.56
0405LPPB	4-20X5/16	10,000	1.05	1008LPPB	10-14X1/2	7,000	5.24
0406LPPB	4-20X3/8	10,000	1.23	1010LPPB	10-14X5/8	7,000	6.20
0408LPPB	4-20X1/2	10,000	1.50	1012LPPB	10-14X3/4	6,000	6.90
0410LPPB	4-20X5/8	10,000	1.60	1016LPPB	10-14X1	6,000	8.61
0412LPPB	4-20X3/4	10,000	1.88	1020LPPB	10-14X1 1/4	4,000	10.00
0416LPPB	4-20X1	10,000	2.30	1208LPPB	12-11X1/2	7,000	7.10
0420LPPB	4-20X1 1/4	10,000	2.83	1408LPPB	1/4-10X1/2	5,000	10.43
0603LPPB	6-19X3/16	10,000	1.38	1412LPPB	1/4-10X3/4	3,000	12.88
0604LPPB	6-19X1/4	10,000	1.55	1416LPPB	1/4-10X1	3,000	15.41
0605LPPB	6-19X5/16	10,000	1.85				
0606LPPB	6-19X3/8	10,000	2.00				
0608LPPB	6-19X1/2	10,000	2.42				
0610LPPB	6-19X5/8	10,000	2.64				
0612LPPB	6-19X3/4	10,000	3.20				
0618LPPB	6-19X1 1/8	6,000	3.99				

Steel Black Oxide
and Waxed




**HEX WASHER UNSLOTTED
THREAD ROLLING SCREWS**

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design (heads to ASME B18.6.3 dimensions)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606LWB	6-19X3/8	10,000	2.54	1006LWB	10-14X3/8	10,000	5.35
0806LWB	8-16X3/8	10,000	3.46	1008LWB	10-14X1/2	8,000	6.06
0810LWB	8-16X5/8	10,000	4.63	1408LWB	1/4-10X1/2	4,000	12.50
0812LWB	8-16X3/4	8,000	5.27	1416LWB	1/4-10X1	2,500	16.94

NEW!

Steel Black Oxide
and Waxed




**FLAT SIX-LOBE
THREAD ROLLING SCREWS**

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204LTFB	2-28X1/4	10,000	0.30	0808LTFB	8-16X1/2	10,000	2.63
0206LTFB	2-28X3/8	10,000	0.40	0812LTFB	8-16X3/4	10,000	3.70
0406LTFB	4-20X3/8	10,000	0.87	1010LTFB	10-14X5/8	8,000	4.40
0408LTFB	4-20X1/2	10,000	1.10	1012LTFB	10-14X3/4	7,000	5.18
0606LTFB	6-19X3/8	10,000	2.00	1016LTFB	10-14X1	5,000	7.00
0608LTFB	6-19X1/2	10,000	1.71				

NEW!

Steel Black Oxide
and Waxed



**FLAT SIX-LOBE UNDERCUT
THREAD ROLLING SCREWS**

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404LTUB	4-20X1/4	10,000	0.60	1008LTUB	10-14X1/2	10,000	3.90

Steel Black Oxide
and Waxed




**PAN SIX-LOBE
THREAD ROLLING SCREWS**

Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204LTPB	2-28X1/4	10,000	0.43	0604LTPB	6-19X1/4	10,000	1.55
0205LTPB	2-28X5/16	10,000	0.55	0606LTPB	6-19X3/8	10,000	2.00
0206LTPB	2-28X3/8	10,000	0.58	0608LTPB	6-19X1/2	10,000	2.42
0208LTPB	2-28X1/2	10,000	0.70	0612LTPB	6-19X3/4	10,000	3.20
				0616LTPB	6-19X1	10,000	3.61
0404LTPB	4-20X1/4	10,000	1.00	0804LTPB	8-16X1/4	10,000	2.70
0405LTPB	4-20X5/16	10,000	1.08	0806LTPB	8-16X3/8	10,000	3.29
0406LTPB	4-20X3/8	10,000	1.23	0808LTPB	8-16X1/2	10,000	3.74
0408LTPB	4-20X1/2	10,000	1.40	0810LTPB	8-16X5/8	9,000	4.25
0410LTPB	4-20X5/8	10,000	1.67	0812LTPB	8-16X3/4	8,000	5.02
0412LTPB	4-20X3/4	10,000	1.90	0816LTPB	8-16X1	5,000	5.80
0414LTPB	4-20X7/8	10,000	2.04				
0416LTPB	4-20X1	10,000	2.40	1008LTPB	10-14X1/2	7,000	5.50
0420LTPB	4-20X1 1/4	10,000	2.90	1012LTPB	10-14X3/4	6,000	6.75
				1016LTPB	10-14X1	6,000	8.06
				1408LTPB	1/4-10X1/2	4,000	10.43
				1412LTPB	1/4-10X3/4	3,000	13.38

Steel Black Oxide




**GRADE 2
HEX CAP SCREWS (COARSE & FINE THREAD)**

Manufactured to ASME B18.2.1 & SAE J429 specifications
Tensile Strength: 74,000 psi (1/4 thru 3/4 diam, <= 6")
Tensile Strength: 60,000 psi (1/4 thru 3/4 diam, > 6" & 7/8-1.5" diam)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1406CH2B	1/4-20X3/8	3,300	10.50	3708CH2B	3/8-16X1/2	1,300	28.00
1408CH2B	1/4-20X1/2	3,300	17.00	3712CH2B	3/8-16X3/4	1,200	34.40
1412CH2B	1/4-20X3/4	2,700	13.83	3716CH2B	3/8-16X1	900	40.25
1416CH2B	1/4-20X1	2,200	17.00	3720CH2B	3/8-16X1 1/4	800	46.00
1420CH2B	1/4-20X1 1/4	1,900	20.25	3724CH2B	3/8-16X1 1/2	675	55.00
1424CH2B	1/4-20X1 1/2	1,600	23.90	3728CH2B	3/8-16X1 3/4	600	62.00
				3732CH2B	3/8-16X2	550	69.50
3108CH2B	5/16-18X1/2	1,950	19.13	3736CH2B	3/8-16X2 1/4	450	77.00
3110CH2B	5/16-18X5/8	1,800	21.10	3740CH2B	3/8-16X2 1/2	400	85.00
3112CH2B	5/16-18X3/4	1,650	23.00				
3116CH2B	5/16-18X1	1,400	27.50	5008CH2B	1/2-13X1/2	500	60.75
3120CH2B	5/16-18X1 1/4	1,100	31.25	5012CH2B	1/2-13X3/4	475	71.50
3124CH2B	5/16-18X1 1/2	850	37.50	5016CH2B	1/2-13X1	400	82.50
3132CH2B	5/16-18X2	800	47.75	5020CH2B	1/2-13X1 1/4	375	92.50
3136CH2B	5/16-18X2 1/4	600	53.50	5028CH2B	1/2-13X1 3/4	275	114.50
3140CH2B	5/16-18X2 1/2	600	58.75	5032CH2B	1/2-13X2	250	131.00
				5036CH2B	1/2-13X2 1/4	225	144.50
				5040CH2B	1/2-13X2 1/2	225	158.50
				5048CH2B	1/2-13X3	200	186.50
				5056CH2B	1/2-13X3 1/2	150	213.40
				5064CH2B	1/2-13X4	150	239.50

*Tapite® and Plastite® is a registered trademark of REMINC. Our screws are not authorized or made by licensed REMINC manufacturers.

Steel Black Oxide




ROUND HEAD / SQUARE NECK

CARRIAGE BOLTS - LOW CARBON
 Manufactured to ASME B18.5 specifications
 Tensile Strength: 60,000 psi
 Coarse and Fine Thread / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0806CB	8-32X3/8	10,000	3.28	3116CB	5/16-18X1	800	32.00
0808CB	8-32X1/2	5,000	3.64	3120CB	5/16-18X1 1/4	700	34.50
0810CB	8-32X5/8	9,000	4.40	3124CB	5/16-18X1 1/2	600	38.50
0812CB	8-32X3/4	8,000	4.94	3132CB	5/16-18X2	500	48.00
0816CB	8-32X1	5,000	5.94	3136CB	5/16-18X2 1/4	500	50.00
0820CB	8-32X1 1/4	4,000	6.95	3140CB	5/16-18X2 1/2	400	56.25
0824CB	8-32X1 1/2	3,000	8.21	3148CB	5/16-18X3	400	64.75
				3156CB	5/16-18X3 1/2	300	70.50
1006CB	10-24X3/8	8,000	5.86	3164CB	5/16-18X4	300	79.00
1008CB	10-24X1/2	3,000	6.33	3172CB	5/16-18X4 1/2	300	88.00
1010CB	10-24X5/8	3,000	7.13	3180CB	5/16-18X5	200	95.00
1012CB	10-24X3/4	3,000	7.75	3196CB	5/16-18X6	200	112.00
1014CB	10-24X7/8	2,000	8.25				
1016CB	10-24X1	2,000	9.00	3716CB	3/8-16X1	500	46.83
1020CB	10-24X1 1/4	2,000	10.38	3720CB	3/8-16X1 1/4	500	54.45
1024CB	10-24X1 1/2	2,000	12.00	3724CB	3/8-16X1 1/2	400	59.00
1028CB	10-24X1 3/4	1,500	13.80	3728CB	3/8-16X1 3/4	400	65.25
				3732CB	3/8-16X2	400	70.50
1412CB	1/4-20X3/4	2,000	15.67	3740CB	3/8-16X2 1/2	300	83.00
1416CB	1/4-20X1	1,500	17.40	3748CB	3/8-16X3	300	97.00
1420CB	1/4-20X1 1/4	1,000	20.75	3756CB	3/8-16X3 1/2	200	107.50
1424CB	1/4-20X1 1/2	1,000	23.33	3764CB	3/8-16X4	200	118.00
1428CB	1/4-20X1 3/4	1,000	25.75	3772CB	3/8-16X4 1/2	200	126.00
1432CB	1/4-20X2	800	28.33	3780CB	3/8-16X5	200	142.00
1440CB	1/4-20X2 1/2	700	33.25	3796CB	3/8-16X6	150	167.00
1448CB	1/4-20X3	600	42.75				
1456CB	1/4-20X3 1/2	500	43.25	5024CB	1/2-13X1 1/2	200	121.00
1464CB	1/4-20X4	400	47.00	5032CB	1/2-13X2	200	137.50
1472CB	1/4-20X4 1/2	400	54.25	5040CB	1/2-13X2 1/2	200	158.50
1480CB	1/4-20X5	400	59.00	5048CB	1/2-13X3	100	188.00
1496CB	1/4-20X6	300	68.50				

Carbon Steel
 Black Oxide Finish



SERRATED HEX WASHER


CASE HARDENED FLANGE SCREWS

Surface Hardness: Rockwell C 40 min. (Core: Rockwell C 25-38)
 Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604MWWB	6-32X1/4	10,000	2.12	1406MWWB	1/4-20X3/8	3,000	11.10
0606MWWB	6-32X3/8	10,000	2.49	1408MWWB	1/4-20X1/2	3,000	12.14
0608MWWB	6-32X1/2	10,000	2.82	1410MWWB	1/4-20X5/8	2,500	13.63
				1412MWWB	1/4-20X3/4	2,500	14.88
0804MWWB	8-32X1/4	10,000	3.60	1416MWWB	1/4-20X1	2,000	17.80
0806MWWB	8-32X3/8	9,000	4.13	1420MWWB	1/4-20X1 1/4	1,500	21.00
0808MWWB	8-32X1/2	8,000	4.80	1424MWWB	1/4-20X1 1/2	1,250	22.00
0812MWWB	8-32X3/4	6,000	5.90	1432MWWB	1/4-20X2	1,000	28.00
1006MWWB	10-24X3/8	6,000	6.50	3108MWWB	5/16-18X1/2	1,500	24.50
1008MWWB	10-24X1/2	5,000	7.20	3110MWWB	5/16-18X5/8	1,500	26.00
1012MWWB	10-24X3/4	4,000	8.70	3112MWWB	5/16-18X3/4	1,250	31.50
				3116MWWB	5/16-18X1	1,000	32.75
1106MWWB	10-32X3/8	6,000	6.50	3120MWWB	5/16-18X1 1/4	1,000	36.00
1108MWWB	10-32X1/2	5,000	7.30	3124MWWB	5/16-18X1 1/2	1,000	40.00
1110MWWB	10-32X5/8	5,000	8.20				
1116MWWB	10-32X1	3,000	10.80	3712MWWB	3/8-16X3/4	750	40.75
1120MWWB	10-32X1 1/4	3,000	12.30	3716MWWB	3/8-16X1	750	51.75
				3720MWWB	3/8-16X1 1/4	600	53.50
				5024MWWB	1/2-13X1 1/2	300	135.88

NEW!

Black Oxide over
 410 Stainless Steel



Items marked with "*" have #2 point; all others have #3 point


HEX WASHER UNSLOTTED

SELF DRILLING SCREWS

Manufactured to B18.6.3 & SAE J78 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808KW410B	8-18X1/2	5,000	3.20	1412KW410B	1/4-14X3/4	2,000	11.60
0812KW410B	8-18X3/4	5,000	4.10	1416KW410B	1/4-14X1	2,000	13.60
1008KW410B	10-16X1/2	4,000	4.70				
1012KW410B	10-16X3/4	4,000	5.80				

Steel Black Oxide



Items marked with "*" have #2 point; all others have #3 point

FLAT PHILLIPS

SELF DRILLING SCREWS

Combination Phillips and Slotted Recess
 Manufactured to ASME B18.6.3 & SAE J78 specifications
 Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606KPFB	6-20X3/8	10,000	1.46	1016KPFB	10-16X1	6,000	5.96
0608KPFB	6-20X1/2	10,000	1.77	1020KPFB	10-16X1 1/4	5,000	6.85
				1024KPFB	10-16X1 1/2	4,000	8.10
0808KPFB	8-18X1/2	10,000	2.67				
0812KPFB	8-18X3/4	10,000	3.50	1216KPFB	12-14X1	4,000	9.70
0816KPFB	8-18X1	8,000	3.79				
				1412KPFB	1/4-14X3/4	3,000	9.78
1008KPFB	10-16X1/2	10,000	3.66	1416KPFB	1/4-14X1	3,000	11.68
1012KPFB	10-16X3/4	8,000	4.13	1420KPFB	1/4-14X1 1/4	2,000	13.47
				1424KPFB	1/4-14X1 1/2	2,000	15.47
				1432KPFB	1/4-14X2	1,000	18.50
				1440KPFB	1/4-14X2 1/2	1,000	25.00

NEW!

Steel Black Oxide



Items marked with "*" have #2 point; all others have #3 point


HEX WASHER PHILLIPS

SELF DRILLING SCREWS

Manufactured to SAE J78 specifications
 Case Hardened to Rockwell C52 - 58 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0810KPWB	8-18X5/8	10,000	3.40	1016KPWB	10-16X1	4,000	6.60

Steel Black Oxide



Items marked with "*" have #2 point; all others have #3 point


OVAL PHILLIPS

SELF DRILLING SCREWS

Manufactured to ASME B18.6.3 & SAE J78 specifications
 Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0812KPOB	8-18X3/4	10,000	3.61	1012KPOB	10-16X3/4	7,000	5.19
0816KPOB	8-18X1	7,000	4.73	1016KPOB	10-16X1	5,000	6.13
0820KPOB	8-18X1 1/4	5,000	5.72	1020KPOB	10-16X1 1/4	4,000	8.00
0824KPOB	8-18X1 1/2	4,000	6.60				

Steel Black Oxide




Items marked with “*” have #2 point; all others have #3 point

**PAN PHILLIPS
SELF DRILLING SCREWS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0408KPPB	4-24X1/2	10,000	1.14	0832KPPB	8-18X2	2,000	9.22
0606KPPB	6-20X3/8	10,000	1.69	0840KPPB	8-18X2 1/2	2,000	11.26
0608KPPB	6-20X1/2	10,000	2.06	0848KPPB	8-18X3	2,000	11.97
0610KPPB	6-20X5/8	10,000	2.28	1008KPPB	10-16X1/2	8,000	4.40
0612KPPB	6-20X3/4	10,000	2.77	1010KPPB	10-16X5/8	8,000	4.96
0616KPPB	6-20X1	10,000	3.19	1012KPPB	10-16X3/4	7,000	5.51
0620KPPB	6-20X1 1/4	9,000	3.66	1016KPPB	10-16X1	5,000	6.93
0624KPPB	6-20X1 1/2	8,000	4.54	1020KPPB	10-16X1 1/4	4,000	7.96
0707KPPB	7-19X7/16	10,000	2.27	1032KPPB	10-16X2	2,000	12.56
0806KPPB	8-18X3/8	10,000	2.96	1064KPPB	10-16X4	1,000	22.30
0808KPPB	8-18X1/2	10,000	3.10	1212KPPB	12-14X3/4	5,000	8.10
0810KPPB	8-18X5/8	10,000	3.50	1408KPPB	1/4-14X1/2	3,000	9.12
0812KPPB	8-18X3/4	8,000	4.05	1412KPPB	1/4-14X3/4	3,000	11.50
0816KPPB	8-18X1	6,000	5.05	1420KPPB	1/4-14X1 1/4	1,000	15.50
0820KPPB	8-18X1 1/4	5,000	5.90				
0824KPPB	8-18X1 1/2	4,000	7.29				

Steel Black Oxide



Items marked with “*” have #2 point; all others have #3 point

**HEX WASHER UNSLOTTED
SELF DRILLING SCREWS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608KWB	6-20X1/2	10,000	2.63	1210KWB	12-14X5/8	5,000	7.30
0808KWB	8-18X1/2	10,000	3.32	1212KWB	12-14X3/4	5,000	8.06
0810KWB	8-18X5/8	9,000	3.79	1216KWB	12-14X1	4,000	9.75
0812KWB	8-18X3/4	8,000	4.16	1220KWB	12-14X1 1/4	3,000	11.35
0816KWB	8-18X1	6,000	5.01	1224KWB	12-14X1 1/2	2,000	6.60
0820KWB	8-18X1 1/4	2,000	6.21	1228KWB	12-14X1 3/4	2,000	14.20
0824KWB	8-18X1 1/2	2,000	7.26	1232KWB	12-14X2	2,000	16.00
0828KWB	8-18X1 3/4	2,000	8.63	1408KWB	1/4-14X1/2	3,000	10.20
1006KWB	10-16X3/8	8,000	4.80	1410KWB	1/4-14X5/8	3,000	11.20
1008KWB	10-16X1/2	8,000	4.78	1412KWB	1/4-14X3/4	3,000	12.23
1010KWB	10-16X5/8	7,000	5.03	1416KWB	1/4-14X1	2,000	14.60
1012KWB	10-16X3/4	6,000	5.85	1420KWB	1/4-14X1 1/4	1,500	16.84
1016KWB	10-16X1	5,000	8.05	1424KWB	1/4-14X1 1/2	1,250	19.34
1020KWB	10-16X1 1/4	1,000	8.37	1428KWB	1/4-14X1 3/4	1,000	21.34
1024KWB	10-16X1 1/2	1,000	10.12	1432KWB	1/4-14X2	900	24.18
1028KWB	10-16X1 3/4	1,000	10.70				
1032KWB	10-16X2	1,000	12.72				

Steel Black Phosphate




All Items have #2 point

**MODIFIED TRUSS PHILLIPS
SELF DRILLING SCREWS**

Manufactured to SAE J78 specifications
For attaching metal lath to metal studs between 12-20 gauge thick
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606KPMB	6-20X3/8	8,000	2.54	0840KPMB	8-18X2 1/2	2,000	11.50
0608KPMB	6-20X1/2	8,000	2.88	0848KPMB	8-18X3	1,500	13.50
0808KPMB	8-18X1/2	5,000	3.80	1008KPMB	10-16X1/2	6,000	4.10
0809KPMB	8-18X9/16	5,000	3.90	1012KPMB	10-16X3/4	6,000	5.25
0812KPMB	8-18X3/4	5,000	4.75	1016KPMB	10-16X1	5,000	6.67
0816KPMB	8-18X1	4,000	5.60	1020KPMB	10-16X1 1/4	4,000	9.10
0820KPMB	8-18X1 1/4	3,000	6.80	1024KPMB	10-16X1 1/2	3,000	10.40
0824KPMB	8-18X1 1/2	2,000	7.50	1032KPMB	10-16X2	2,000	15.00
0826KPMB	8-18X1 5/8	3,000	7.40				
0828KPMB	8-18X1 3/4	3,000	8.17				
0830KPMB	8-18X1 7/8	2,000	9.00				
0832KPMB	8-18X2	2,000	9.00				

Steel Black Oxide



Items marked with “*” have #2 point; all others have #3 point

**PAN SQUARE RECESS
SELF DRILLING SCREWS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C52 - 58 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608KQPB	6-20X1/2	10,000	2.08	1008KQPB	10-16X1/2	8,000	4.64
0810KQPB	8-18X5/8	3,000	3.46	1016KQPB	10-16X1	2,000	6.86
0812KQPB	8-18X3/4	3,000	4.00	1020KQPB	10-16X1 1/4	1,000	7.73
0816KQPB	8-18X1	2,000	4.85	1024KQPB	10-16X1 1/2	1,000	9.25
0824KQPB	8-18X1 1/2	4,000	6.60	1224KQPB	12-14X1 1/2	2,000	12.20

Steel Black Oxide



Items marked with “*” have #2 point; all others have #3 point

**HEX WASHER SLOTTED
SELF DRILLING SCREWS**


Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808KSWB	8-18X1/2	10,000	3.30	1008KSWB	10-16X1/2	8,000	4.50
0816KSWB	8-18X1	8,000	4.65	1012KSWB	10-16X3/4	6,000	5.69

*Self-Drilling Screws with
Black Zinc finish—*

See pages 48-49.

Black Oxide over
18-8 Stainless Steel



FINISHED HEX NUTS

Double Chamfered
Manufactured to ASME B18.2.2 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NF188B	1/4-20	5,000	7.20	37NF188B	3/8-16	2,000	15.13
31NF188B	5/16-18	3,000	10.00	50NF188B	1/2-13	500	36.24

Black Oxide over
18-8 Stainless Steel



HEX MACHINE SCREW NUTS

Manufactured to ASME B18.6.3 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NH188B	4-40X1/4X3/32	5,000	1.06	10NH188B	10-24X3/8X1/8	5,000	3.10
06NH188B	6-32X5/16X7/64	5,000	2.08	11NH188B	10-32X3/8X1/8	5,000	2.88
08NH188B	8-32X11/32X1/8	5,000	2.50	14NH188B	1/4-20X7/16X3/4	2,000	6.01

Black Oxide over
18-8 Stainless Steel



EXTERNAL LOCKWASHER "K"-LOCK NUTS

Pre-Assembled Nut and Free Spinning External Tooth Washer

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NK188B	4-40	2,000	1.24	10NK188B	10-24	2,000	3.44
06NK188B	6-32	2,000	2.25	11NK188B	10-32	1,500	3.40
08NK188B	8-32	2,000	2.88	14NK188B	1/4-20	1,000	6.83

Black Oxide over
18-8 Stainless Steel




NYLON INSERT STOP NUTS

Light Hex, Standard Height (NM & NE Series)
Manufactured to dimensions originally written by ESNA®

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NS188B	4-40 NE	3,000	1.21	14NS188B	1/4-20 NE	1,500	7.75
06NS188B	6-32 NM	3,000	2.40	31NS188B	5/16-18 NE	1,000	10.67
08NS188B	8-32 NM	3,000	4.08	32NS188B	5/16-24 NE	1,000	10.50
10NS188B	10-24 NE	2,000	4.75	37NS188B	3/8-16 NE	500	17.42
11NS188B	10-32 NE	2,000	4.80				

Steel Black Oxide




ACORN HEX CAP NUTS

Low Crown
Two Piece Construction

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NCB	4-40	2,000	1.31	31NCB	5/16-18	1,000	11.80
06NCB	6-32	2,000	2.30	37NCB	3/8-16	1,000	17.71
08NCB	8-32	2,000	3.10	50NCB	1/2-13	250	30.00
10NCB	10-24	2,000	3.80	62NCB	5/8-11	200	56.50
11NCB	10-32	2,000	3.90	75NCB	3/4-10	100	120.50
14NCB	1/4-20	2,000	8.40				

Steel Black Oxide



HEX MACHINE SCREW NUTS

Manufactured to ASME B18.6.3 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
-0NHB	0-80X5/32X3/64	10,000	0.10	10NHB	10-24X3/8X1/8	8,000	3.20
02NHB	2-56X3/16X1/16	10,000	0.40	11NHB	10-32X3/8X1/8	8,000	3.40
04NHB	4-40X1/4X3/32	10,000	0.91	14NHB	1/4-20X7/16X3/16	5,000	5.75
06NHB	6-32X5/16X7/64	10,000	2.18	31NHB	5/16-18X9/16X7/32	3,000	11.00
08NHB	8-32X11/32X1/8	10,000	2.75	37NHB	3/8-16X5/8X1/4	2,000	15.88

Steel Black Oxide




HEX MACHINE SCREW NUTS

Small Pattern
Dimensions derived from ASME B18.6.3 dimensions

Part #	Thread Size x A.F. Dimensions	Ctn Qty	Wght Lbs/M	Part #	Thread Size x A.F. Dimensions	Ctn Qty	Wght Lbs/M
0804NHB	8-32X1/4X3/32	10,000	0.80	0805NHB	8-32X5/16X7/64	10,000	1.80
0403NHB	4-40X3/16X1/16	10,000	1.06	1005NHB	10-24X5/16X7/64	8,000	2.90
0604NHB	6-32X1/4X3/32	10,000	1.85	1105NHB	10-32X5/16X7/64	8,000	2.91

Steel Black Oxide



SQUARE MACHINE SCREW NUTS

Manufactured to ASME B18.6.3 specifications
Top and bottom of nuts are flat, not chamfered

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NQB	1/4-20	3,000	7.21				

Steel Black Oxide



FINISHED HEX NUTS (COARSE & FINE THREAD)

Double Chamfered
Manufactured to ASME B18.2.2 & SAE J995 specifications
Proof Load: 90,000 psi (Coarse Thread); 80,000 psi (Fine Thread)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NFB	1/4-20	3,000	7.14	50NFB	1/2-13	500	35.00
31NFB	5/16-18	2,000	10.70	62NFB	5/8-11	300	72.00
32NFB	5/16-24	2,000	10.00	75NFB	3/4-10	200	111.20
37NFB	3/8-16	1,500	15.05	87NFB	7/8-9	100	175.70
				100NFB	1-8	60	262.00

Steel Black Oxide



Drawing depicts Style A grade marking per 7/99 rev. of SAE-J995

Free Manufacturer's Certifications Available

FINISHED HEX GRADE 5 NUTS (COARSE & FINE THREAD)

Manufactured to ASME B18.2.2 & SAE J995 specifications
Proof Load (1/4 thru 1" diam): 120,000 psi (Coarse); 109,000 psi (Fine)
Proof Load (1-1/8 thru 1-1/2" diam): 105,000 psi (Coarse); 94,000 psi (Fine)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NFSB	1/4-20	9,000	7.13	37NFSB	3/8-16	4,000	15.16
31NFSB	5/16-18	6,000	10.30	50NFSB	1/2-13	1,800	36.50

Steel Black Oxide

NEW!



HEAVY HEX NUTS (COARSE & FINE THREAD)

Manufactured to ASME B18.2.2 & SAE J995 specifications
Proof Load: 100,000 psi (Coarse Thread); 90,000 psi (Fine Thread)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NHBB	1/4-20	4,000	10.40	44NHBB	7/16-20	1,000	37.10
15NHBB	1/4-28	4,000	10.10	50NHBB	1/2-13	800	58.50
31NHBB	5/16-18	2,000	15.40	51NHBB	1/2-20	400	59.83
32NHBB	5/16-24	2,000	15.83	62NHBB	5/8-11	400	108.00
37NHBB	3/8-16	1,600	29.10	63NHBB	5/8-18	400	108.70
38NHBB	3/8-24	800	27.40	75NHBB	3/4-10	200	176.00
43NHBB	7/16-14	800	38.25	76NHBB	3/4-16	100	174.00

Steel Black Oxide




FINISHED PATTERN HEX JAM NUTS (COARSE & FINE THREAD)

Manufactured to ASME B18.2.2 & SAE J995 specifications
Proof Load: 54,000 psi (Coarse Thread); 48,000 psi (Fine Thread)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NJB	1/4-20	4,000	4.95	62NJB	5/8-11	600	46.50
15NJB	1/4-28	4,000	4.92	63NJB	5/8-18	600	47.00
31NJB	5/16-18	4,000	7.00	75NJB	3/4-10	400	71.00
32NJB	5/16-24	4,000	7.00	76NJB	3/4-16	400	72.00
37NJB	3/8-16	3,000	9.63	87NJB	7/8-9	200	113.00
38NJB	3/8-24	3,000	9.57	88NJB	7/8-14	200	112.75
50NJB	1/2-13	1,200	25.50	100NJB	1-8	140	169.50
51NJB	1/2-20	1,200	24.67	101NJB	1-14	140	165.50
56NJB	9/16-12	800	35.75				
57NJB	9/16-18	800	35.33				

Steel Black Oxide



SERRATED HEX FLANGE LOCK NUTS

Case Hardened to Rockwell HR15N 78 - 90

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06NRB	6-32	5,000	3.65	31NRB	5/16-18	1,500	13.20
08NRB	8-32	5,000	5.00	32NRB	5/16-24	1,500	12.30
10NRB	10-24	4,000	6.09	37NRB	3/8-16	1,000	18.71
11NRB	10-32	4,000	6.23	38NRB	3/8-24	1,000	18.01
12NRB	12-24	4,000	7.48	50NRB	1/2-13	250	46.32
14NRB	1/4-20	2,000	8.72	56NRB	9/16-12	150	66.20
15NRB	1/4-28	2,000	8.79	62NRB	5/8-11	150	89.20

Steel Black Oxide



Items marked with "*" indicates small pattern

EXTERNAL LOCKWASHER "K"-LOCK NUTS

Pre-Assembled Nut and Free Spinning External Tooth Washer

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NKB	4-40	5,000	1.20	12NKB	12-24	3,000	5.81
05NKB	5-40	5,000	2.20	14NKB	1/4-20	2,000	6.40
*0604NKB	6-32X1/4	5,000	1.08	15NKB	1/4-28	2,000	6.30
06NKB	6-32	5,000	2.25	31NKB	5/16-18	1,500	11.40
08NKB	8-32	5,000	2.90	32NKB	5/16-24	1,500	11.40
10NKB	10-24	4,000	3.30	37NKB	3/8-16	1,000	16.50
11NKB	10-32	4,000	3.38	38NKB	3/8-24	1,000	16.30

Steel Black Oxide



NYLON INSERT STOP NUTS

Light Hex, Standard Height (NM & NE Series)
Proof Load: 90,000 psi minimum

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02NSB	2-56 NM	10,000	1.30	31NSB	5/16-18 NE	1,000	11.69
04NSB	4-40 NM	2,000	1.28	32NSB	5/16-24 NE	1,000	12.00
06NSB	6-32 NM	2,000	2.54	37NSB	3/8-16 NE	1,000	17.46
08NSB	8-32 NM	2,000	4.00	38NSB	3/8-24 NE	1,000	18.00
10NSB	10-24 NM	2,000	4.70	43NSB	7/16-14 NE	600	20.02
11NSB	10-32 NM	2,000	4.69	44NSB	7/16-20 NE	600	20.10
14NSB	1/4-20 NE	2,000	7.81	50NSB	1/2-13 NE	300	42.12
15NSB	1/4-28 NE	2,000	7.77	51NSB	1/2-20 NE	300	40.76

NEW!



Steel Black Oxide

NYLON INSERT THIN PATTERN STOP NUTS

Light Hex, Thin Height (NTM & NTE Series)
For use in limited clearance applications & not for load bearing purposes

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02NSTB	2-56 NTM	4,000	0.90	11NSTB	10-32 NTM	4,000	3.25
04NSTB	4-40 NTM	4,000	0.91	12NSTB	12-24 NTE	4,000	5.10
06NSTB	6-32	4,000	1.60	14NSTB	1/4-20 NTE	4,000	4.67
08NSTB	8-32 NTM	4,000	2.78	31NSTB	5/16-18 NTE	2,000	7.63
10NSTB	10-24 NTM	4,000	3.19	37NSTB	3/8-16 NTE	1,000	8.80

Steel Black Oxide
and Waxed



TWO WAY REVERSIBLE LOCK NUTS (COARSE & FINE THREAD)

Finished Pattern
Can have 2 or 3 indentations on the flat sides of the nut equidistant from each other
Proof Load: 90,000 psi

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
08NYB	8-32	5,000	3.87	14NYB	1/4-20	2,000	7.00
10NYB	10-24	4,000	4.56	31NYB	5/16-18	1,500	10.40
11NYB	10-32	4,000	4.90	37NYB	3/8-16	1,000	15.00
				50NYB	1/2-13	400	35.50

Steel Black Oxide



COLD FORGED WING NUTS

Manufactured to ASME B18.17 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06NWCB	6-32	2,000	4.75	14NWCB	1/4-20	2,000	12.67
08NWCB	8-32	2,000	7.60	31NWCB	5/16-18	1,000	18.50
10NWCB	10-24	2,000	7.33	37NWCB	3/8-16	1,000	32.00
11NWCB	10-32	2,000	7.00	50NWCB	1/2-13	500	76.00

Steel Black Oxide



STAMPED WING NUTS

Manufactured to ASME B18.17 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06NWSB	6-32	2,000	3.85	11NWSB	10-32	2,000	4.00
08NWSB	8-32	2,000	3.50	14NWSB	1/4-20	2,000	8.24
10NWSB	10-24	2,000	4.80	31NWSB	5/16-18	1,000	14.65

18-8 Stainless Steel with
Black Oxide Finish



EXTERNAL TOOTH LOCKWASHERS

Hardness: Annealed 88 minimum Rockwell B,
1/4 hard through full hard Rockwell C20 - 45.
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04WE188B	#4	10,000	0.09	14WE188B	1/4	5,000	0.66
06WE188B	#6	10,000	0.20	31WE188B	5/16	5,000	1.30
08WE188B	#8	10,000	0.30	37WE188B	3/8	2,000	1.37
10WE188B	#10	10,000	0.37				

18-8 Stainless Steel
with Black Oxide Finish




REGULAR SPLIT LOCKWASHERS

Made from SAE J405 302-305 Stainless Steel
Manufactured to ASME B18.21.1 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WS188B	#2	10,000	0.10	10WS188B	10	10,000	0.60
04WS188B	4	10,000	0.16	14WS188B	1/4	5,000	2.15
06WS188B	6	10,000	0.26	31WS188B	5/16	3,000	3.58
08WS188B	8	10,000	0.39	37WS188B	3/8	3,000	5.79

18-8 Stainless Steel with
Black Oxide Finish



MACHINE SCREW WASHERS

18-8 Stainless Steel With Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04WM188B	4	5,000	0.36	10WM188B	10	5,000	0.90
06WM188B	6	5,000	0.67	14WM188B	1/4	1,000	2.96
08WM188B	8	5,000	0.63				

Spring Steel
Black Oxide



**EXTERNAL TOOTH
LOCKWASHERS**

Hardness: Rockwell C40 - 50
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WEB	2	10,000	0.06	10WEB	10	10,000	0.45
04WEB	4	10,000	0.10	12WEB	12	10,000	0.58
06WEB	6	10,000	0.22	14WEB	1/4	10,000	0.78
08WEB	8	10,000	0.35	37WEB	3/8	6,000	1.38
				50WEB	1/2	4,000	3.58

Spring Steel
Black Oxide



**INTERNAL TOOTH
LOCKWASHERS**

Hardness: Rockwell C40 - 50
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WIB	2	10,000	0.06	14WIB	1/4	10,000	0.61
04WIB	4	10,000	0.14	31WIB	5/16	9,000	1.17
06WIB	6	10,000	0.18	37WIB	3/8	6,000	1.91
08WIB	8	10,000	0.26	50WIB	1/2	4,000	3.20
10WIB	10	10,000	0.39	62WIB	5/8	2,000	4.58
12WIB	12	10,000	0.43	75WIB	3/4	2,000	7.48
				100WIB	1 INCH	1,000	15.40

Spring Steel
Black Oxide



**COMBINATION TOOTH
LOCKWASHERS**

Hardness: Rockwell C40 - 50
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04WEIB	#4	10,000	0.70	12WEIB	#12	10,000	1.80
06WEIB	#6	10,000	0.78	14WEIB	1/4	10,000	2.23
08WEIB	#8	10,000	0.80	37WEIB	3/8	6,000	4.20
10WEIB	10	10,000	1.20				

Spring Steel
Black Oxide




**REGULAR SPLIT
LOCKWASHERS**

Hardness: Rockwell C38 - 46
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WSB	2	30,000	0.08	31WSB	5/16	4,500	3.88
04WSB	4	30,000	0.15	37WSB	3/8	4,500	3.88
06WSB	6	30,000	0.25	50WSB	1/2	3,000	13.50
08WSB	8	20,000	0.50	56WSB	9/16	1,500	16.90
10WSB	10	15,000	0.82	62WSB	5/8	1,000	22.00
12WSB	12	10,000	1.10	75WSB	3/4	500	38.55
14WSB	1/4	10,000	2.57	87WSB	7/8	350	54.75
				100WSB	1 INCH	250	79.83

Steel Black Oxide




**MACHINE SCREW
WASHERS**

Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WMB	2	10,000	0.16	08WMB	8	10,000	0.80
03WMB	3	10,000	0.25	10WMB	10	10,000	1.53
04WMB	4	10,000	0.36	12WMB	12	10,000	2.04
05WMB	5	10,000	0.30	14WMB	1/4	10,000	2.28
06WMB	6	10,000	0.75	31WMB	5/16	10,000	3.10
				37WMB	3/8	10,000	3.38

Steel Black Oxide




**FLAT SAE
WASHERS**

Manufactured to ASME B18.22.1 specifications

Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn	Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn
04WSAEB	#4	10	16,000	14WSAEB	1/4	50	11,111
06WSAEB	#6	50	39,680	31WSAEB	5/16	50	9,615
08WSAEB	#8	50	29,411	37WSAEB	3/8	50	6,944
10WSAEB	#10	50	21,739	50WSAEB	1/2	50	2,732
12WSAEB	#12	50	14,705	62WSAEB	5/8	50	1,805
				75WSAEB	3/4	50	843

Steel Black Oxide




**FLAT USS
WASHERS**

Manufactured to ASME B18.22.1 specifications

Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn	Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn
10WUSSB	#10	50	17,187	43WUSSB	7/16	50	2,049
14WUSSB	1/4 INCH	50	7,462	50WUSSB	1/2	50	1,298
31WUSSB	5/16	50	4,347	62WUSSB	5/8	50	649
37WUSSB	3/8	50	2,940	75WUSSB	3/4	50	454
				87WUSSB	7/8	50	326

Steel Black Oxide




**FENDER
WASHERS**

Used when an extra large bearing surface is required
Steel Black Oxide

Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn	Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn
1012WFB	10X3/4	50	8,000	3720WFB	3/8X1 1/4	50	2,358
1014WFB	10X7/8	50	5,000	3724WFB	3/8X1 1/2	50	1,650
1016WFB	10X1	50	3,251	3728WFB	3/8X1 3/4	50	1,130
1020WFB	10X1 1/4	50	2,145	3732WFB	3/8X2	50	994
1416WFB	1/4X1	50	3,751	3740WFB	3/8X2 1/2	50	5,123
1420WFB	1/4X1 1/4	50	2,304	5020WFB	1/2X1 1/4	50	3,000
1424WFB	1/4X1 1/2	50	1,550	5024WFB	1/2X1 1/2	50	1,984
3120WFB	5/16X1 1/4	50	2,400	5032WFB	1/2X2	50	950
3124WFB	5/16X1 1/2	50	1,600	5048WFB	1/2X3	50	355

Steel Black Oxide



COUNTERSUNK FINISHING WASHERS

For use with 82° countersunk screws

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04WCB	4	10,000	0.49	10WCB	10	8,000	1.50
06WCB	6	10,000	0.70	14WCB	1/4	2,500	2.30
08WCB	8	10,000	1.00	31WCB	5/16	1,500	3.90

Steel Black Oxide



FLUSH HEAD SELF CLINCHING STUDS

Improved Design with Annular Groove & 12 Ribs
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C29-38)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606SCNB	6-32X3/8	10,000	1.30	1106SCNB	10-32X3/8	10,000	2.52
0608SCNB	6-32X1/2	10,000	1.65	1108SCNB	10-32X1/2	10,000	3.27
0806SCNB	8-32X3/8	10,000	1.91	1110SCNB	10-32X5/8	8,000	4.04
0808SCNB	8-32X1/2	10,000	2.49	1112SCNB	10-32X3/4	8,000	4.88
1008SCNB	10-24X1/2	10,000	3.13	1410SCNB	1/4-20X5/8	6,000	6.94
				1412SCNB	1/4-20X3/4	4,000	8.28
				1416SCNB	1/4-20X1	4,000	10.77

NEW!

Steel Black Oxide Finish



#8 FLAT SQUARE RECESS WITH NIBS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min
Partially Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0940DQF17DB8	9-10X2 1/2	3,000	9.60	0948DQF17DB8	9-10X3	3,000	11.50

NEW!

Steel Black Oxide Finish



Items marked with "•" are Fully Threaded

#8 FLAT SQUARE-PHILLIPS WITH NIBS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0940DXF17DB8	9-10X2 1/2	3,000	9.60	0948DXF17DB8	9-10X3	3,000	11.50

Steel Black Oxide Finish



Items marked with "•" are Fully Threaded

FLAT PHILLIPS, NO NIBS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min.
Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0608DPFDB	6-13X1/2	10,000	1.50	0820DPFDB	8X1 1/4	7,300	3.88
•0610DPFDB	6-13X5/8	10,000	1.80	0824DPFDB	8X1 1/2	5,500	4.60
•0612DPFDB	6-13X3/4	10,000	1.90	0828DPFDB	8-11X1 5/8	5,000	5.80
				0828DPFDB	8-11X1 3/4	5,000	6.00
•0810DPFDB	8-11X5/8	11,000	2.80	0832DPFDB	8-11X2	3,500	6.80
•0812DPFDB	8-11X3/4	10,500	3.00	0840DPFDB	8-11X2 1/2	2,200	9.60
•0814DPFDB	8-11X7/8	10,000	3.30	0848DPFDB	8-11X3	1,600	11.50

NEW!

Steel Black Oxide Finish



Items marked with "•" are Fully Threaded

FLAT PHILLIPS WITH NIBS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min.
Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0812DPFNDB	8-11X3/4	10,500	2.60	0940DPFNDB	9-10X2 1/2	2,000	9.20
0816DPFNDB	8-11X1	10,500	3.70	0948DPFNDB	9-10X3	2,000	10.60
0818DPFNDB	8-11X1 1/8	10,000	5.60				
0820DPFNDB	8-11X1 1/4	10,000	4.50				
0824DPFNDB	8-11X1 1/2	8,000	5.25				
0826DPFNDB	8-11X1 5/8	5,000	5.30				
0828DPFNDB	8-11X1 3/4	5,000	5.88				

Steel Black Oxide




Items marked with "•" are Fully Threaded

FLAT SQUARE-PHILLIPS COMBO RECESS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0612DXFDB	6X3/4	12,000	1.76	•0812DXFDB	8X3/4	11,000	2.34
•0616DXFDB	6X1	11,000	2.30	•0816DXFDB	8X1	10,500	3.14
0620DXFDB	6-13X1 1/4	9,000	2.88	0820DXFDB	8X1 1/4	7,300	3.75
0624DXFDB	6-13X1 1/2	8,000	3.50	0824DXFDB	8X1 1/2	5,500	4.60
				0832DXFDB	8X2	3,500	5.88
				0840DXFDB	8X2 1/2	2,200	7.33
				0848DXFDB	8X3	1,600	8.83

Steel Black Oxide



Items marked with "•" are Fully Threaded

FLAT SQUARE RECESS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0810DQFDB	8X5/8	12,000	2.43	0836DQFDB	8X2 1/4	2,800	7.38
•0812DQFDB	8X3/4	11,000	2.79	0840DQFDB	8X2 1/2	2,200	8.38
•0816DQFDB	8X1	10,500	3.50	0844DQFDB	8X2 3/4	1,900	8.63
0818DQFDB	8X1 1/8	8,500	3.96	0848DQFDB	8X3	1,600	9.67
0820DQFDB	8X1 1/4	7,300	4.19	0856DQFDB	8X3 1/2	1,300	10.73
0824DQFDB	8X1 1/2	5,500	5.10	0864DQFDB	8X4	1,000	12.30
0828DQFDB	8X1 3/4	4,000	5.75				
0832DQFDB	8X2	3,500	6.50				

NEW!

Steel Black Oxide



Items marked with "•" are Fully Threaded

FLAT PHILLIPS WITH NIBS, # 17 POINT WOOD SCREWS

End of threaded section includes cutting edge and chip cavity

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0612DPF17B	6-13X3/4	10,000	1.81	0818DPF17B	8X1 1/8	8,500	3.63
•0616DPF17B	6-13X1	9,000	2.33	0820DPF17B	8X1 1/4	7,300	4.07
0618DPF17B	6-13X1 1/8	9,000	2.86	0824DPF17B	8X1 1/2	5,500	4.71
0620DPF17B	6-13X1 1/4	8,000	3.00	0826DPF17B	8X1 5/8	4,900	5.19
0624DPF17B	6-13X1 1/2	7,000	3.50	0828DPF17B	8X1 3/4	4,000	5.66
0628DPF17B	6-13X1 3/4	6,000	4.20	0832DPF17B	8X2	3,500	6.36
0632DPF17B	6-13X2	5,000	4.63	0836DPF17B	8X2 1/4	2,800	6.88
				0840DPF17B	8X2 1/2	2,200	7.74
•0808DPF17B	8-11X1/2	11,000	1.93	0848DPF17B	8X3	1,600	9.16
•0812DPF17B	8X3/4	11,000	2.60				
•0816DPF17B	8X1	10,500	3.38	0840DPF17B	9X2 1/2	1,000	9.00
				1056DPF17B	10X3 1/2	500	14.15
				1064DPF17B	10X4	500	15.95

Carbon Steel Black Oxide Finish




Items marked with "•" are Fully Threaded

FLAT PHILLIPS, NO NIBS, # 17 POINT DEEP THREAD WOOD SCREWS

End of threaded section includes cutting edge and chip cavity

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0510DPF17NNB	5-14X5/8	9,000	1.13	•0810DPF17NNB	8-11X5/8	6,000	2.31
				•0812DPF17NNB	8-11X3/4	6,000	2.67
•0608DPF17NNB	6-13X1/2	10,000	1.30				
•0610DPF17NNB	6-13X5/8	9,000	1.53	•0812DPF17NNB	9-10X3/4	4,000	3.08
•0612DPF17NNB	6-13X3/4	7,000	1.73	•0916DPF17NNB	9-10X1	3,000	3.83
•0614DPF17NNB	6-13X7/8	7,000	2.06				
•0616DPF17NNB	6-13X1	9,000	2.28				
0618DPF17NNB	6-13X1 1/8	7,000	2.61				
0620DPF17NNB	6-13X1 1/4	8,000	2.88				
0624DPF17NNB	6-13X1 1/2	7,000	3.50				

Steel Black Oxide Finish



Items marked with "•" are Fully Threaded


FLAT SQUARE-PHILLIPS WITH NIBS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0816DXF17DB	8-11X1	11,000	3.50	0836DXF17DB	8-11X2 1/4	4,500	6.80
0818DXF17DB	8-11X1 1/8	8,000	3.57	0840DXF17DB	8-11X2 1/2	3,000	7.50
0820DXF17DB	8-11X1 1/4	7,500	3.75	0856DXF17DB	8-11X3 1/2	1,000	11.73
0824DXF17DB	8-11X1 1/2	6,000	4.70				
0826DXF17DB	8-11X1 5/8	5,000	5.08	0940DXF17DB	9-10X2 1/2	1,500	9.25
0828DXF17DB	8-11X1 3/4	4,800	5.57	1056DXF17DB	10-9X3 1/2	1,000	15.00
0832DXF17DB	8-11X2	4,500	6.17				

NEW!

Steel Black Oxide Finish




Items marked with "•" are Fully Threaded

FLAT SQUARE RECESS WITH NIBS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0612DQF17DB	6-13X3/4	10,000	1.83	0836DQF17DB	8X2 1/4	2,800	6.93
•0616DQF17DB	6-13X1	9,000	2.36	0840DQF17DB	8X2 1/2	2,200	7.50
0620DQF17DB	6-13X1 1/4	7,000	2.85	0848DQF17DB	8X3	1,600	8.83
0624DQF17DB	6-13X1 1/2	6,000	3.42	0856DQF17DB	8-11X3 1/2	1,500	10.60
0628DQF17DB	6-13X1 3/4	6,000	3.98	0864DQF17DB	8-11X4	1,500	13.20
0632DQF17DB	6-13X2	5,000	4.60				
				0940DQF17DB	9X2 1/2	1,000	8.90
•0816DQF17DB	8X1	10,500	3.20	1048DQF17DB	10-9X3	1,500	16.00
0818DQF17DB	8X1 1/8	8,500	3.50	1056DQF17DB	10X3 1/2	500	14.10
0820DQF17DB	8X1 1/4	7,300	3.80	1064DQF17DB	10X4	500	16.00
0824DQF17DB	8X1 1/2	5,500	4.50				
0826DQF17DB	8X1 5/8	4,800	4.85				
0828DQF17DB	8X1 3/4	4,000	5.00				
0832DQF17DB	8X2	3,500	6.00				

Steel Black Oxide Finish



FLAT SQUARE RECESS, NO NIBS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608DQF17NNB	6-13X1/2	10,000	1.29	0810DQF17NNB	8-11X5/8	8,000	2.25
0610DQF17NNB	6-13X5/8	9,000	1.47	0812DQF17NNB	8-11X3/4	7,000	2.63
0612DQF17NNB	6-13X3/4	7,000	1.75				
0614DQF17NNB	6-13X7/8	6,000	2.02	0912DQF17NNB	9-10X3/4	6,000	2.86
				0916DQF17NNB	9-11X1	5,000	3.60



FLAT SQUARE-PHILLIPS W/NIBS & DOUBLE TY-17 PT. DEEP THREAD WOOD SCREWS W/ COARSE THREAD
 Case Hardened to Rockwell C45 min
 Partially Threaded / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0820DXF217DB	8-9X1 1/4	5,000	4.40	0832DXF217DB	8-9X2	4,000	6.80
0824DXF217DB	8-9X1 1/2	5,000	5.10				



PAN SQUARE RECESS DEEP THREAD WOOD SCREWS
 Case Hardened to Rockwell C45 min
 Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606DQPDB	6-13X3/8	10,000	1.63	0806DQPDB	8-11X3/8	10,000	2.50
0607DQPDB	6-13X7/16	10,000	1.73	0807DQPDB	8-11X7/16	10,000	3.07
0608DQPDB	6-13X1/2	10,000	1.85	0808DQPDB	8-11X1/2	10,000	2.86
0610DQPDB	6-13X5/8	10,000	2.20	0810DQPDB	8-11X5/8	10,000	3.21
0612DQPDB	6-13X3/4	10,000	2.75	0812DQPDB	8-11X3/4	10,000	3.50
				0816DQPDB	8-11X1	10,000	4.25
0706DQPDB	7-12X3/8	10,000	2.05	1008DQPDB	10-9X1/2	9,000	4.22
0708DQPDB	7-12X1/2	10,000	2.36	1012DQPDB	10-9X3/4	7,000	5.20
0712DQPDB	7-12X3/4	10,000	2.93	1016DQPDB	10-9X1	6,000	6.14




LARGE ROUND WASHER PHILLIPS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT
 Case Hardened to Rockwell C45 min.
 Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
08167DPRWD1B	8-11X1	7,000	5.40				




PAN PHILLIPS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT
 Case Hardened to Rockwell C45 min.
 Steel Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
*0608DPP17B	6-13X1/2	10,000	1.75	0820DPP17B	8-11X1 1/4	3,000	4.77
*0610DPP17B	6-13X5/8	9,000	2.00	0824DPP17B	8-11X1 1/2	2,500	5.50
*0612DPP17B	6-13X3/4	7,000	2.33	*1010DPP17B	10-9X5/8	4,000	4.50
*0616DPP17B	6-13X1	6,000	2.75	*1012DPP17B	10-9X3/4	3,000	4.93
*0710DPP17B	7-12X5/8	8,000	2.35	*1016DPP17B	10-9X1	3,000	5.88
*0712DPP17B	7-12X3/4	6,000	2.72	1020DPP17B	10-9X1 1/4	2,000	7.17
				1024DPP17B	10-9X1 1/2	2,000	8.00
*0808DPP17B	8-11X1/2	7,000	2.63	*1210DPP17B	12-8X5/8	4,000	5.50
*0810DPP17B	8-11X5/8	6,000	3.00	*1212DPP17B	12-8X3/4	3,000	6.33
*0812DPP17B	8-11X3/4	6,000	3.30	*1216DPP17B	12-8X1	3,000	8.83
*0814DPP17B	8-11X7/8	5,000	3.70				
*0816DPP17B	8-11X1	4,000	4.00				




PAN PHILLIPS DEEP THREAD WOOD SCREWS
 Case Hardened to Rockwell C45 min.
 Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
*0606DPPDB	6-13X3/8	10,000	1.61	*0812DPPDB	8-11X3/4	8,000	3.38
*0607DPPDB	6-13X7/16	10,000	1.69	*0816DPPDB	8-11X1	7,000	4.00
*0608DPPDB	6-13X1/2	10,000	1.83	0818DPPDB	8-11X1 1/8	6,000	4.38
*0610DPPDB	6-13X5/8	10,000	2.10	0820DPPDB	8-11X1 1/4	5,500	4.93
*0612DPPDB	6-13X3/4	9,000	2.43	0824DPPDB	8-11X1 1/2	5,500	5.46
*0616DPPDB	6-13X1	9,000	2.75				
				*1008DPPDB	10-9X1/2	7,000	3.98
*0712DPPDB	7-12X3/4	9,000	3.06	*1010DPPDB	10-9X5/8	6,000	4.42
				*1012DPPDB	10-9X3/4	5,000	4.79
*0806DPPDB	8-11X3/8	10,000	2.42	*1016DPPDB	10-9X1	4,500	5.91
*0807DPPDB	8-11X7/16	10,000	2.58	1020DPPDB	10-9X1 1/4	5,000	7.20
*0808DPPDB	8-11X1/2	10,000	2.63	1024DPPDB	10-9X1 1/2	4,000	8.33
*0810DPPDB	8-11X5/8	9,000	2.94				



ROUND WASHER SQUARE RECESS DEEP THREAD WOOD SCREWS
 Case Hardened to Rockwell C45 min
 Steel Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
*0808DQRWDB	8X1/2	8,000	3.13	*1010DQRWDB	10-9X5/8	5,000	4.63
*0810DQRWDB	8X5/8	6,000	3.47	*1012DQRWDB	10-9X3/4	5,000	5.13
0824DQRWDB	8X1 1/2	2,500	6.10	*1016DQRWDB	10-9X1	4,000	6.10
0856DQRWDB	8X3 1/2	1,300	13.00	1020DQRWDB	10-9X1 1/4	3,500	7.75
0864DQRWDB	8X4	1,000	14.50	1028DQRWDB	10-9X1 3/4	3,500	9.88
				1032DQRWDB	10-9X2	2,000	10.88
				1040DQRWDB	10-9X2 1/2	1,750	13.25
				1048DQRWDB	10-9X3	1,500	15.50
				1064DQRWDB	10-9X4	1,000	19.50



Items marked with "•" are Fully Threaded

ROUND WASHER SQUARE-PHILLIPS COMBO RECESS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min
Steel Black Oxide & Baked

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0812DXRW17B	8-11X3/4	6,000	3.67	1020DXRW17B	10-9X1 1/4	3,300	8.00
•0816DXRW17B	8-11X1	4,000	4.59	1024DXRW17B	10-9X1 1/2	2,800	9.13
0818DXRW17B	8-11X1 1/8	4,000	4.70	1028DXRW17B	10-9X1 3/4	2,300	10.50
0820DXRW17B	8-11X1 1/4	3,000	5.10	1032DXRW17B	10-9X2	2,000	11.38
0824DXRW17B	8-11X1 1/2	4,000	5.90	1036DXRW17B	10-9X2 1/4	2,400	12.63
0828DXRW17B	8-11X1 3/4	2,000	6.50	1040DXRW17B	10-9X2 1/2	2,000	13.83
0832DXRW17B	8-11X2	2,000	7.40	1048DXRW17B	10-9X3	1,450	16.55
0836DXRW17B	8-11X2 1/4	1,500	8.20				
0840DXRW17B	8-11X2 1/2	1,500	8.80				
0848DXRW17B	8-11X3	1,000	10.20				
0856DXRW17B	8-11X3 1/2	1,000	12.00				
0864DXRW17B	8-11X4	1,000	13.33				




Items marked with "•" are Fully Threaded

ROUND WASHER SQUARE RECESS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min
Steel Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0812DQRW17DB	8X3/4	6,000	3.75	•1010DQRW17DB	10-9X5/8	5,000	4.70
•0814DQRW17DB	8X7/8	5,000	4.13	•1012DQRW17DB	10-9X3/4	5,000	5.10
•0816DQRW17DB	8X1	4,000	4.63	•1016DQRW17DB	10-9X1	4,000	6.10
0820DQRW17DB	8X1 1/4	3,000	5.20	1020DQRW17DB	10-9X1 1/4	3,500	7.30
0824DQRW17DB	8X1 1/2	2,500	6.00	1028DQRW17DB	10-9X1 3/4	3,000	9.63
0828DQRW17DB	8X1 3/4	2,000	6.50	1032DQRW17DB	10-9X2	2,000	10.50
0832DQRW17DB	8X2	1,800	7.33	1040DQRW17DB	10-9X2 1/2	1,750	12.50
0836DQRW17DB	8X2 1/4	1,000	8.13	1048DQRW17DB	10-9X3	1,500	14.67
0840DQRW17DB	8X2 1/2	1,000	8.73	1056DQRW17DB	10-9X3 1/2	1,000	19.00
0848DQRW17DB	8X3	800	10.00	1064DQRW17DB	10-9X4	1,000	19.33



Items marked with "•" are Fully Threaded

TRUSS PHILLIPS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min.
Steel Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0608DPTDB	6-13X1/2	10,000	1.78	•0808DPTDB	8-11X1/2	7,000	2.88
•0610DPTDB	6-13X5/8	9,000	2.06	•0816DPTDB	8-11X1	6,000	4.50
				0818DPTDB	8-11X1 1/8	5,500	5.50
				0820DPTDB	8-11X1 1/4	5,000	5.20
				0824DPTDB	8-11X1 1/2	5,500	5.83



Steel Black Oxide Finish

#8 TRUSS PHILLIPS W/ #6 HEAD DEEP THREAD WOOD SCREWS W/ COARSE THREAD

Case Hardened to Rockwell C45 min.
Fully Threaded / Steel Black Oxide Finish

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0807DPT6DB	8-11X7/16	10,000	2.20				




Steel Black Oxide

Also referred to as "Drawer Slide" Screws

#8 TRUSS W/ #6 HD, SQUARE-PHILLIPS DEEP THREAD WOOD SCREWS

Case Hardened to Rockwell C45 min
Fully Threaded / Steel Black Oxide & Baked

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0807DXT6B	8-11X7/16	10,000	2.00				




Steel Black Oxide

TRUSS PHILLIPS DEEP THREAD WOOD SCREWS WITH TYPE-17 POINT

Case Hardened to Rockwell C45 min.
Fully Threaded / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608DPT17DB	6-13X1/2	10,000	1.86				



Steel Black Oxide

PAN PHILLIPS W/ #7 HEAD & #17 POINT FACE FRAMING SCREWS, FINE THREAD

Case Hardened to Rockwell C45 min.
End of threaded section includes cutting edge and chip cavity
Partially Threaded, / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06F20DFPP17B	6-20X1 1/4	7,000	4.17	06F24DFPP17B	6-20X1 1/2	6,000	4.86

Steel Black Oxide

NEW!



**PAN SQUARE RECESS W/#7 HEAD & #17 POINT
FACE FRAMING SCREWS, COARSE THREAD**

Case Hardened to Rockwell C45 min.
End of threaded section includes cutting edge and chip cavity
Partially Threaded, / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0620DFQP17B	6-9X1 1/4	7,000	4.14	0624DFQP17B	6-9X1 1/2	6,000	4.40

Steel Black Oxide

NEW!



**PAN SQUARE RECESS W/#7 HEAD & #17 POINT
FACE FRAMING SCREWS, FINE THREAD**

Case Hardened to Rockwell C45 min.
End of threaded section includes cutting edge and chip cavity
Partially Threaded, / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06F20DFQP17B	6-20X1 1/4	7,000	4.50	06F24DFQP17B	6-20X1 1/2	6,000	5.25

Steel Black Oxide Finish



**FLAT PHILLIPS
HINGE SCREWS—COARSE THREAD**

Case Hardened to Rockwell C45 min.
Fully Threaded / Steel Black Oxide

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608DPFDB	6-13X1/2	10,000	1.50	0810DPFDB	8-11X5/8	11,000	2.80
0610DPFDB	6-13X5/8	10,000	1.80	0812DPFDB	8-11X3/4	10,500	3.00
0612DPFDB	6-13X3/4	10,000	1.90	0814DPFDB	8-11X7/8	10,000	3.30

Woodworking Screws are
also available with **Zinc &**
Assorted Brass finishes—
See pages 46-47.

Steel Black Oxide




**FLAT PHILLIPS
WOOD SCREWS**

Manufactured to ASME B18.6.1 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608DPFB	6-18X1/2	10,000	1.61	1010DPFB	10-13X5/8	4,000	4.06
0610DPFB	6-18X5/8	9,000	2.08	1012DPFB	10-13X3/4	4,000	4.97
0612DPFB	6-18X3/4	7,000	2.60	1016DPFB	10-13X1	3,000	6.55
0616DPFB	6-18X1	6,000	3.25	1020DPFB	10-13X1 1/4	2,000	7.91
0620DPFB	6-18X1 1/4	5,000	4.17	1024DPFB	10-13X1 1/2	2,000	9.41
0640DPFB	6-18X2 1/2	2,000	7.26	1028DPFB	10-13X1 3/4	2,000	10.92
				1032DPFB	10-13X2	1,000	12.13
0710DPFB	7-16X5/8	6,000	2.64	1036DPFB	10-13X2 1/4	1,000	14.00
0716DPFB	7-16X1	4,000	4.11	1040DPFB	10-13X2 1/2	800	15.51
				1048DPFB	10-13X3	700	17.90
0808DPFB	8-15X1/2	7,000	2.06				
0812DPFB	8-15X3/4	6,000	3.81	1216DPFB	12-11X1	3,000	8.69
0816DPFB	8-15X1	4,000	4.87	1220DPFB	12-11X1 1/4	2,000	9.68
0820DPFB	8-15X1 1/4	3,000	6.25	1224DPFB	12-11X1 1/2	1,800	11.60
0824DPFB	8-15X1 1/2	3,000	6.77	1232DPFB	12-11X2	1,000	16.73
0832DPFB	8-15X2	1,800	9.32	1240DPFB	12-11X2 1/2	800	20.50
0836DPFB	8-15X2 1/4	1,500	11.00	1248DPFB	12-11X3	600	23.66
0844DPFB	8-15X2 3/4	1,000	12.73	1264DPFB	12-11X4	400	33.33
0848DPFB	8-15X3	800	12.71				
				1416DPFB	14-10X1	1,500	10.78
0912DPFB	9-14X3/4	4,000	4.54	1424DPFB	14-10X1 1/2	1,000	16.00
0924DPFB	9-14X1 1/2	2,000	7.96	1432DPFB	14-10X2	900	20.90
0948DPFB	9-14X3	800	16.00	1440DPFB	14-10X2 1/2	700	24.75
				1444DPFB	14-10X2 3/4	700	24.75
				1448DPFB	14-10X3	500	31.54
				1456DPFB	14-10X3 1/2	500	35.98
				1464DPFB	14-10X4	300	38.50

Steel Black Oxide




**NO SHOULDER
THUMB SCREWS**

Tensile Strength: 48,000 psi

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408TB	1/4-20X1/2	800	12.50	1432TB	1/4-20X2	600	27.10
1412TB	1/4-20X3/4	800	14.00	1440TB	1/4-20X2 1/2	400	33.70
1416TB	1/4-20X1	600	16.75				
1420TB	1/4-20X1 1/4	600	19.17	3148TB	5/16-18X3	200	65.70
1424TB	1/4-20X1 1/2	600	21.50				

Steel Black Oxide



**WITH SHOULDER
THUMB SCREWS**

Tensile Strength: 48,000 psi

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408TSB	1/4-20X1/2	800	13.43	1424TSB	1/4-20X1 1/2	600	23.88
1412TSB	1/4-20X3/4	600	16.50	1432TSB	1/4-20X2	600	26.20
1416TSB	1/4-20X1	600	18.83	1440TSB	1/4-20X2 1/2	500	34.00
1420TSB	1/4-20X1 1/4	600	20.20				

Black Zinc Finished Fasteners

Steel & Stainless

MACHINE SCREWS

Phillips Flat 82°	40
Phillips Flat 100°	40
Phillips Flat Undercut	40
Phillips Oval	40
Phillips Pan	41
Phillips Round	41
Phillips Truss	42
Slotted Oval	42
Slotted Pan	42
Slotted Truss	42
Slotted Round	43
Six-Lobe Pan	43
Phillips Pan External SEMS	43
Phillips Pan Internal SEMS	43
Six-Lobe Pan External SEMS *NEW*	43

SELF-TAPPING SCREWS

TYPES A & AB

Phillips Flat 82° Type-A	44
Phillips Flat 82° Type-AB	44
Phillips Flat Undercut Type-AB	44
Phillips Hex Washer Type-AB *NEW*	44
Phillips Pan Type-AB	44
Phillips Pan Type-A	44
Phillips Oval Type-AB	45
Phillips Oval Undercut Type-AB	45
Phillips Round Washer Type-A *NEW*	45
Phillips Truss Type-A	45
Phillips Truss Type-AB	45
Hex Washer Slotted Type-AB	45
Hex Washer Unslotted Type-AB	45
Six-Lobe Pan Type-AB	46

TYPE-B

Phillips Flat Undercut *NEW*	46
Phillips Pan	46

HIGH-LOW SCREWS

Phillips Flat	46
Phillips Pan	46
Six-Lobe Flat	47
Six-Lobe Pan	47

THREAD-CUTTING SCREWS

Phillips Pan	
Type-23	47
Type-25	47
Type-F	47
Phillips Truss Type-F *NEW*	48

THREAD-ROLLING SCREWS

Generic-Alternatives to Taptite II®*

Phillips Pan	48
--------------------	----

Generic-Alternatives to Plastite®*

Phillips Pan	48
Six-Lobe Pan	48

SELF-DRILLING SCREWS

Phillips Flat, #2 point *NEW*	48
Phillips Flat Undercut	48
Phillips Pan, #2 & #3 point	49
Hex Washer Unslotted, #2 & #3 point	49
Wafer Phillips w/ MS Threads, #3 point	49

NUTS


Acorn Hex Cap Nut	49
Hex Machine Screw Nut	
Standard Pattern	49
Small Pattern	49
Finished Hex Nut	49
Hex Jam Nut	50
K-Lock Nuts	50
Serrated Flange	50
Nylon Insert Stop	
Light Hex, Standard Height	50
Light Hex, Thin Height *NEW*	50
Tee-Nut, 3-Prong *NEW*	50
Two-Way Reversible	50

WASHERS

External Tooth Lock	51
Internal Tooth Lock	51
Regular Split Lock	51
Flat S.A.E.	51
Flat U.S.S.	51
Flat Machine Screw	51
Countersunk Finishing	51

*Taptite® and Plastite® are registered trademarks of REMINC.
Our screws are not authorized or made by licensed REMINC manufacturers.

Steel Black Zinc




FLAT 82° PHILLIPS MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203MPFBZ	2-56X3/16	10,000	0.28	1012MPFBZ	10-24X3/4	7,000	5.47
0204MPFBZ	2-56X1/4	10,000	0.36	1016MPFBZ	10-24X1	5,000	7.12
0206MPFBZ	2-56X3/8	10,000	0.52	1020MPFBZ	10-24X1 1/4	4,000	7.79
0212MPFBZ	2-56X3/4	10,000	0.99	1024MPFBZ	10-24X1 1/2	4,000	9.17
0216MPFBZ	2-56X1	10,000	1.28	1032MPFBZ	10-24X2	2,000	12.10
0404MPFBZ	4-40X1/4	10,000	0.70	1106MPFBZ	10-32X3/8	10,000	3.20
0405MPFBZ	4-40X5/16	10,000	0.77	1108MPFBZ	10-32X1/2	10,000	3.97
0406MPFBZ	4-40X3/8	10,000	0.88	1112MPFBZ	10-32X3/4	7,000	5.70
0408MPFBZ	4-40X1/2	10,000	1.14	1114MPFBZ	10-32X7/8	6,000	6.39
0410MPFBZ	4-40X5/8	10,000	1.37	1116MPFBZ	10-32X1	5,000	7.12
0412MPFBZ	4-40X3/4	10,000	1.56	1120MPFBZ	10-32X1 1/4	4,000	8.53
0416MPFBZ	4-40X1	10,000	2.05	1124MPFBZ	10-32X1 1/2	3,500	10.00
0420MPFBZ	4-40X1 1/4	9,000	2.58	1128MPFBZ	10-32X1 3/4	2,500	11.67
0424MPFBZ	4-40X1 1/2	8,000	3.00	1208MPFBZ	12-24X1/2	8,000	4.84
0604MPFBZ	6-32X1/4	10,000	1.03	1212MPFBZ	12-24X3/4	5,000	7.20
0605MPFBZ	6-32X5/16	10,000	1.19	1240MPFBZ	12-24X2 1/2	1,000	20.50
0606MPFBZ	6-32X3/8	10,000	1.46	1408MPFBZ	1/4-20X1/2	5,000	7.75
0608MPFBZ	6-32X1/2	10,000	1.81	1410MPFBZ	1/4-20X5/8	4,000	8.82
0610MPFBZ	6-32X5/8	10,000	2.13	1412MPFBZ	1/4-20X3/4	3,500	9.72
0612MPFBZ	6-32X3/4	10,000	2.45	1416MPFBZ	1/4-20X1	3,000	12.92
0616MPFBZ	6-32X1	10,000	3.25	1420MPFBZ	1/4-20X1 1/4	2,500	15.37
0620MPFBZ	6-32X1 1/4	8,000	3.82	1424MPFBZ	1/4-20X1 1/2	2,000	17.64
0624MPFBZ	6-32X1 1/2	6,000	4.70	1428MPFBZ	1/4-20X1 3/4	1,500	19.57
0628MPFBZ	6-32X1 3/4	4,500	5.42	1432MPFBZ	1/4-20X2	1,250	22.38
0632MPFBZ	6-32X2	4,000	6.09	1440MPFBZ	1/4-20X2 1/2	1,000	27.07
0640MPFBZ	6-32X2 1/2	2,000	7.67	1464MPFBZ	1/4-20X4	500	42.17
0806MPFBZ	8-32X3/8	10,000	2.35	1496MPFBZ	1/4-20X6	200	63.50
0808MPFBZ	8-32X1/2	10,000	2.94	3116MPFBZ	5/16-18X1	1,500	20.14
0810MPFBZ	8-32X5/8	10,000	3.45	3120MPFBZ	5/16-18X1 1/4	1,250	24.40
0812MPFBZ	8-32X3/4	10,000	3.69	3124MPFBZ	5/16-18X1 1/2	1,250	28.50
0814MPFBZ	8-32X7/8	8,000	4.38	3132MPFBZ	5/16-18X2	1,000	36.06
0816MPFBZ	8-32X1	7,000	4.89	3140MPFBZ	5/16-18X2 1/2	750	45.80
0820MPFBZ	8-32X1 1/4	5,000	6.00	3148MPFBZ	5/16-18X3	500	54.20
0824MPFBZ	8-32X1 1/2	4,000	7.07	3712MPFBZ	3/8-16X3/4	1,250	27.50
1006MPFBZ	10-24X3/8	10,000	3.18				
1008MPFBZ	10-24X1/2	10,000	4.14				

Steel Black Zinc




FLAT 100° PHILLIPS MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403MP1BZ	4-40X3/16	10,000	0.50	0804MP1BZ	8-32X1/4	10,000	1.47
0404MP1BZ	4-40X1/4	10,000	0.60	0805MP1BZ	8-32X5/16	10,000	1.78
0405MP1BZ	4-40X5/16	10,000	0.71	0806MP1BZ	8-32X3/8	10,000	2.02
0406MP1BZ	4-40X3/8	10,000	0.86	0808MP1BZ	8-32X1/2	10,000	2.66
0603MP1BZ	6-32X3/16	10,000	0.75	1008MP1BZ	10-24X1/2	10,000	3.60
0604MP1BZ	6-32X1/4	10,000	0.92	1104MP1BZ	10-32X1/4	10,000	2.30
0605MP1BZ	6-32X5/16	10,000	1.12	1106MP1BZ	10-32X3/8	10,000	3.00
0606MP1BZ	6-32X3/8	10,000	1.31	1108MP1BZ	10-32X1/2	10,000	3.71
				1412MP1BZ	1/4-20X3/4	4,000	9.40

Steel Black Zinc




FLAT PHILLIPS UNDERCUT MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203MPUBZ	2-56X3/16	10,000	0.27	1006MPUBZ	10-24X3/8	10,000	3.12
				1008MPUBZ	10-24X1/2	10,000	3.77
0402MPUBZ	4-40X1/8	10,000	0.39	1010MPUBZ	10-24X5/8	8,000	4.36
0403MPUBZ	4-40X3/16	10,000	0.51				
0404MPUBZ	4-40X1/4	10,000	0.61	1106MPUBZ	10-32X3/8	10,000	2.98
0405MPUBZ	4-40X5/16	10,000	0.76				
0406MPUBZ	4-40X3/8	10,000	0.86	1206MPUBZ	12-24X3/8	9,000	3.92
				1208MPUBZ	12-24X1/2	7,000	4.91
0603MPUBZ	6-32X3/16	10,000	0.80	1212MPUBZ	12-24X3/4	5,000	7.02
0604MPUBZ	6-32X1/4	10,000	1.02				
0605MPUBZ	6-32X5/16	10,000	1.21	1406MPUBZ	1/4-20X3/8	6,000	6.00
0606MPUBZ	6-32X3/8	10,000	1.41	1408MPUBZ	1/4-20X1/2	5,000	7.00
0608MPUBZ	6-32X1/2	10,000	1.75	1412MPUBZ	1/4-20X3/4	4,000	9.50
				1416MPUBZ	1/4-20X1	3,000	12.40
0804MPUBZ	8-32X1/4	10,000	1.61				
0805MPUBZ	8-32X5/16	10,000	1.93				
0806MPUBZ	8-32X3/8	10,000	2.14				
0808MPUBZ	8-32X1/2	10,000	2.60				
0812MPUBZ	8-32X3/4	10,000	3.70				
0816MPUBZ	8-32X1	7,000	6.20				

Steel Black Zinc



OVAL PHILLIPS MACHINE SCREWS

 Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606MPOBZ	6-32X3/8	10,000	1.66	1016MPOBZ	10-24X1	5,000	7.40
0608MPOBZ	6-32X1/2	10,000	2.12				
				1106MPOBZ	10-32X3/8	10,000	3.94
0806MPOBZ	8-32X3/8	10,000	2.57	1108MPOBZ	10-32X1/2	8,000	4.46
0808MPOBZ	8-32X1/2	10,000	3.43	1110MPOBZ	10-32X5/8	7,000	5.48
0812MPOBZ	8-32X3/4	9,000	4.37	1112MPOBZ	10-32X3/4	6,000	6.22
0814MPOBZ	8-32X7/8	8,000	5.34	1120MPOBZ	10-32X1 1/4	4,000	9.12
0816MPOBZ	8-32X1	7,000	5.37				
0820MPOBZ	8-32X1 1/4	5,000	6.50				


We also carry Oval Head Switchplate

screws with Painted Heads :

 See www.kanebridge.com

Brown • White • Ivory

Steel Black Zinc



**PAN PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MPPBZ	2-56X1/8	10,000	0.36	0816MPPBZ	8-32X1	5,000	6.07
0203MPPBZ	2-56X3/16	10,000	0.46	0820MPPBZ	8-32X1 1/4	4,000	7.00
0204MPPBZ	2-56X1/4	10,000	0.52	0824MPPBZ	8-32X1 1/2	3,000	8.20
0205MPPBZ	2-56X5/16	10,000	0.58	0826MPPBZ	8-32X1 5/8	2,500	8.70
0206MPPBZ	2-56X3/8	10,000	0.63	0828MPPBZ	8-32X1 3/4	2,500	9.26
0207MPPBZ	2-56X7/16	10,000	0.72	0832MPPBZ	8-32X2	2,000	10.47
0208MPPBZ	2-56X1/2	10,000	0.82	0836MPPBZ	8-32X2 1/4	2,000	11.42
0210MPPBZ	2-56X5/8	10,000	0.93	0840MPPBZ	8-32X2 1/2	1,250	12.50
0212MPPBZ	2-56X3/4	10,000	1.08	0848MPPBZ	8-32X3	1,000	14.96
0214MPPBZ	2-56X7/8	10,000	1.30	0856MPPBZ	8-32X3 1/2	800	17.40
				0864MPPBZ	8-32X4	700	18.90
0305MPPBZ	3-48X5/16	10,000	0.80	1004MPPBZ	10-24X1/4	9,000	3.93
0306MPPBZ	3-48X3/8	10,000	0.94	1005MPPBZ	10-24X5/16	9,000	4.35
0308MPPBZ	3-48X1/2	10,000	1.10	1006MPPBZ	10-24X3/8	8,000	4.56
0402MPPBZ	4-40X1/8	10,000	0.77	1008MPPBZ	10-24X1/2	7,000	5.37
0403MPPBZ	4-40X3/16	10,000	0.84	1010MPPBZ	10-24X5/8	7,000	5.63
0404MPPBZ	4-40X1/4	10,000	0.92	1012MPPBZ	10-24X3/4	5,000	6.86
0405MPPBZ	4-40X5/16	10,000	1.09	1014MPPBZ	10-24X7/8	5,000	7.60
0406MPPBZ	4-40X3/8	10,000	1.23	1016MPPBZ	10-24X1	5,000	8.27
0407MPPBZ	4-40X7/16	10,000	1.36	1020MPPBZ	10-24X1 1/4	3,000	9.54
0408MPPBZ	4-40X1/2	10,000	1.45	1024MPPBZ	10-24X1 1/2	3,000	10.90
0410MPPBZ	4-40X5/8	10,000	1.70	1028MPPBZ	10-24X1 3/4	2,000	12.56
0412MPPBZ	4-40X3/4	10,000	1.87	1032MPPBZ	10-24X2	1,500	13.88
0414MPPBZ	4-40X7/8	10,000	2.17	1036MPPBZ	10-24X2 1/4	1,500	15.20
0416MPPBZ	4-40X1	10,000	2.45	1040MPPBZ	10-24X2 1/2	1,250	16.70
0420MPPBZ	4-40X1 1/4	8,000	2.86	1048MPPBZ	10-24X3	750	19.50
0436MPPBZ	4-40X2 1/4	3,000	4.70	1056MPPBZ	10-24X3 1/2	700	22.00
0440MPPBZ	4-40X2 1/2	2,000	5.00				
0503MPPBZ	5-40X3/16	10,000	1.10	1103MPPBZ	10-32X3/16	10,000	3.65
0504MPPBZ	5-40X1/4	10,000	1.20	1104MPPBZ	10-32X1/4	9,000	4.04
0506MPPBZ	5-40X3/8	10,000	1.54	1105MPPBZ	10-32X5/16	9,000	4.50
0508MPPBZ	5-40X1/2	10,000	1.95	1106MPPBZ	10-32X3/8	8,000	4.98
0512MPPBZ	5-40X3/4	10,000	2.65	1108MPPBZ	10-32X1/2	7,000	5.75
0516MPPBZ	5-40X1	9,000	3.20	1110MPPBZ	10-32X5/8	6,000	6.45
				1112MPPBZ	10-32X3/4	5,000	7.22
0602MPPBZ	6-32X1/8	10,000	1.28	1114MPPBZ	10-32X7/8	5,000	7.90
0603MPPBZ	6-32X3/16	10,000	1.48	1116MPPBZ	10-32X1	4,000	8.71
0604MPPBZ	6-32X1/4	10,000	1.64	1118MPPBZ	10-32X1 1/8	4,000	9.25
0605MPPBZ	6-32X5/16	10,000	1.78	1120MPPBZ	10-32X1 1/4	3,000	10.02
0606MPPBZ	6-32X3/8	10,000	1.89	1122MPPBZ	10-32X1 3/8	3,000	10.79
0607MPPBZ	6-32X7/16	10,000	2.11	1124MPPBZ	10-32X1 1/2	3,000	11.50
0608MPPBZ	6-32X1/2	10,000	2.35	1128MPPBZ	10-32X1 3/4	2,500	13.38
0610MPPBZ	6-32X5/8	10,000	2.64	1132MPPBZ	10-32X2	2,000	15.00
0612MPPBZ	6-32X3/4	10,000	3.23	1136MPPBZ	10-32X2 1/4	1,500	16.00
0614MPPBZ	6-32X7/8	9,000	3.53	1140MPPBZ	10-32X2 1/2	1,250	17.90
0616MPPBZ	6-32X1	9,000	3.67	1148MPPBZ	10-32X3	750	21.01
0618MPPBZ	6-32X1 1/8	8,000	4.10	1204MPPBZ	12-24X1/4	7,000	5.59
0620MPPBZ	6-32X1 1/4	7,000	4.42	1206MPPBZ	12-24X3/8	6,000	6.51
0622MPPBZ	6-32X1 3/8	5,000	4.94	1208MPPBZ	12-24X1/2	5,000	7.60
0624MPPBZ	6-32X1 1/2	4,500	5.40	1210MPPBZ	12-24X5/8	4,000	8.30
0628MPPBZ	6-32X1 3/4	3,000	6.01	1212MPPBZ	12-24X3/4	4,000	9.33
0632MPPBZ	6-32X2	3,000	6.82	1216MPPBZ	12-24X1	3,000	11.00
0644MPPBZ	6-32X2 3/4	2,000	8.86	1220MPPBZ	12-24X1 1/4	3,000	11.90
0648MPPBZ	6-32X3	1,500	9.56	1224MPPBZ	12-24X1 1/2	2,000	14.70
				1232MPPBZ	12-24X2	1,250	18.30
0802MPPBZ	8-32X1/8	10,000	1.86	1404MPPBZ	1/4-20X1/4	4,500	8.47
0803MPPBZ	8-32X3/16	10,000	2.42	1405MPPBZ	1/4-20X5/16	5,000	9.28
0804MPPBZ	8-32X1/4	10,000	2.65	1406MPPBZ	1/4-20X3/8	4,000	9.79
0805MPPBZ	8-32X5/16	10,000	2.96	1408MPPBZ	1/4-20X1/2	3,000	10.23
0806MPPBZ	8-32X3/8	10,000	3.28	1410MPPBZ	1/4-20X5/8	3,000	12.27
0808MPPBZ	8-32X1/2	10,000	3.66	1412MPPBZ	1/4-20X3/4	2,500	13.86
0810MPPBZ	8-32X5/8	9,000	4.40	1414MPPBZ	1/4-20X7/8	2,500	14.86
0812MPPBZ	8-32X3/4	8,000	4.94	1416MPPBZ	1/4-20X1	2,000	16.08
0814MPPBZ	8-32X7/8	6,000	5.34				

More sizes on next column

Steel Black Zinc




**PAN PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1418MPPBZ	1/4-20X1 1/8	2,000	17.14	3106MPPBZ	5/16-18X3/8	2,000	18.27
1420MPPBZ	1/4-20X1 1/4	2,000	18.46	3108MPPBZ	5/16-18X1/2	2,000	19.33
1424MPPBZ	1/4-20X1 1/2	1,500	20.39	3110MPPBZ	5/16-18X5/8	1,750	21.83
1428MPPBZ	1/4-20X1 3/4	1,250	22.98	3112MPPBZ	5/16-18X3/4	1,500	24.00
1432MPPBZ	1/4-20X2	1,000	26.18	3116MPPBZ	5/16-18X1	1,250	27.83
1436MPPBZ	1/4-20X2 1/4	1,000	28.22	3120MPPBZ	5/16-18X1 1/4	1,000	31.64
1440MPPBZ	1/4-20X2 1/2	800	30.58	3124MPPBZ	5/16-18X1 1/2	1,000	36.00
1444MPPBZ	1/4-20X2 3/4	600	33.70	3132MPPBZ	5/16-18X2	800	44.67
1448MPPBZ	1/4-20X3	600	36.20	3136MPPBZ	5/16-18X2 1/4	600	49.60
1456MPPBZ	1/4-20X3 1/2	500	41.67	3140MPPBZ	5/16-18X2 1/2	600	53.28
1464MPPBZ	1/4-20X4	300	46.60	3148MPPBZ	5/16-18X3	400	61.00

Steel Black Zinc




**ROUND PHILLIPS
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404MPPBZ	4-40X1/4	10,000	0.98	1008MPPBZ	10-24X1/2	7,000	5.40
0406MPPBZ	4-40X3/8	10,000	1.17	1106MPPBZ	10-32X3/8	8,000	4.84
0408MPPBZ	4-40X1/2	10,000	1.47	1108MPPBZ	10-32X1/2	7,000	5.40
0604MPPBZ	6-32X1/4	10,000	1.51	1408MPPBZ	1/4-20X1/2	4,000	10.01
0606MPPBZ	6-32X3/8	10,000	1.94	1412MPPBZ	1/4-20X3/4	3,000	12.31
0608MPPBZ	6-32X1/2	10,000	2.26	1416MPPBZ	1/4-20X1	2,500	14.60
0804MPPBZ	8-32X1/4	10,000	2.40				
0806MPPBZ	8-32X3/8	10,000	2.92				
0808MPPBZ	8-32X1/2	10,000	3.80				

**Machine Screws with
Black Oxide finish—
See pages 4-13.**

Steel Black Zinc




TRUSS PHILLIPS MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403MPTBZ	4-40X3/16	10,000	0.88	1103MPTBZ	10-32X3/16	9,000	4.10
0404MPTBZ	4-40X1/4	10,000	1.03	1104MPTBZ	10-32X1/4	8,000	4.50
0406MPTBZ	4-40X3/8	10,000	1.17	1106MPTBZ	10-32X3/8	8,000	5.12
0408MPTBZ	4-40X1/2	10,000	1.47	1108MPTBZ	10-32X1/2	7,000	6.25
				1110MPTBZ	10-32X5/8	6,000	6.72
				1112MPTBZ	10-32X3/4	5,000	7.46
0604MPTBZ	6-32X1/4	10,000	1.51	1408MPTBZ	1/4-20X1/2	3,000	10.94
0605MPTBZ	6-32X5/16	10,000	2.00	1410MPTBZ	1/4-20X5/8	3,000	12.20
0606MPTBZ	6-32X3/8	10,000	1.89	1412MPTBZ	1/4-20X3/4	2,500	13.61
0608MPTBZ	6-32X1/2	10,000	2.55	1416MPTBZ	1/4-20X1	2,000	16.29
0610MPTBZ	6-32X5/8	10,000	2.95	1420MPTBZ	1/4-20X1 1/4	2,000	18.33
0612MPTBZ	6-32X3/4	10,000	3.23	1424MPTBZ	1/4-20X1 1/2	1,250	20.87
0616MPTBZ	6-32X1	9,000	4.03	1432MPTBZ	1/4-20X2	1,000	26.50
0620MPTBZ	6-32X1 1/4	7,000	4.63	1464MPTBZ	1/4-20X4	400	17.46
				3110MPTBZ	5/16-18X5/8	1,750	20.20
0804MPTBZ	8-32X1/4	10,000	2.78	3112MPTBZ	5/16-18X3/4	1,500	22.02
0805MPTBZ	8-32X5/16	10,000	3.17	3116MPTBZ	5/16-18X1	1,250	26.97
0806MPTBZ	8-32X3/8	10,000	3.46	3120MPTBZ	5/16-18X1 1/4	1,000	30.53
0808MPTBZ	8-32X1/2	9,000	3.91	3124MPTBZ	5/16-18X1 1/2	1,000	35.00
0810MPTBZ	8-32X5/8	8,000	4.50	3128MPTBZ	5/16-18X1 3/4	1,000	39.17
0812MPTBZ	8-32X3/4	7,000	5.02	3140MPTBZ	5/16-18X2 1/2	500	50.85
0816MPTBZ	8-32X1	5,000	6.15	3712MPTBZ	3/8-16X3/4	800	34.95
1006MPTBZ	10-24X3/8	8,000	5.00				
1008MPTBZ	10-24X1/2	7,000	5.71				
1010MPTBZ	10-24X5/8	6,000	6.40				
1012MPTBZ	10-24X3/4	5,000	7.44				

Steel Black Zinc




PAN SLOTTED MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MSPBZ	2-56X1/8	10,000	0.34	0610MSPBZ	6-32X5/8	10,000	2.80
0204MSPBZ	2-56X1/4	10,000	0.53	0612MSPBZ	6-32X3/4	10,000	3.07
0205MSPBZ	2-56X5/16	10,000	0.60	0614MSPBZ	6-32X7/8	9,000	3.48
0206MSPBZ	2-56X3/8	10,000	0.62	0616MSPBZ	6-32X1	9,000	3.79
0207MSPBZ	2-56X7/16	10,000	0.70				
0208MSPBZ	2-56X1/2	10,000	0.76	0803MSPBZ	8-32X3/16	10,000	2.25
				0804MSPBZ	8-32X1/4	10,000	2.53
0303MSPBZ	3-48X3/16	10,000	0.70	0806MSPBZ	8-32X3/8	10,000	3.13
0304MSPBZ	3-48X1/4	10,000	0.80	0807MSPBZ	8-32X7/16	10,000	3.30
0306MSPBZ	3-48X3/8	10,000	1.00	0808MSPBZ	8-32X1/2	10,000	2.96
				0810MSPBZ	8-32X5/8	9,000	4.05
0403MSPBZ	4-40X3/16	10,000	0.84	0812MSPBZ	8-32X3/4	8,000	4.79
0404MSPBZ	4-40X1/4	10,000	0.91	0814MSPBZ	8-32X7/8	6,000	5.34
0405MSPBZ	4-40X5/16	10,000	1.03	0816MSPBZ	8-32X1	5,000	5.78
0406MSPBZ	4-40X3/8	10,000	1.13	0818MSPBZ	8-32X1 1/8	5,000	6.45
0407MSPBZ	4-40X7/16	10,000	1.27	0824MSPBZ	8-32X1 1/2	3,000	7.92
0408MSPBZ	4-40X1/2	10,000	1.38	0828MSPBZ	8-32X1 3/4	2,500	9.21
0410MSPBZ	4-40X5/8	10,000	1.61	0848MSPBZ	8-32X3	1,000	14.50
0412MSPBZ	4-40X3/4	10,000	1.90				
0414MSPBZ	4-40X7/8	10,000	2.18	1006MSPBZ	10-24X3/8	8,000	4.55
0416MSPBZ	4-40X1	10,000	2.39	1007MSPBZ	10-24X7/16	8,000	4.70
0420MSPBZ	4-40X1 1/4	8,000	2.92	1008MSPBZ	10-24X1/2	8,000	5.04
0424MSPBZ	4-40X1 1/2	7,000	3.43	1010MSPBZ	10-24X5/8	7,000	5.79
0504MSPBZ	5-40X1/4	10,000	1.28	1104MSPBZ	10-32X1/4	9,000	3.93
0505MSPBZ	5-40X5/16	10,000	1.56	1106MSPBZ	10-32X3/8	8,000	4.54
0506MSPBZ	5-40X3/8	10,000	1.70	1108MSPBZ	10-32X1/2	7,000	5.34
				1110MSPBZ	10-32X5/8	6,000	6.43
0602MSPBZ	6-32X1/8	10,000	1.14	1112MSPBZ	10-32X3/4	5,000	7.04
0603MSPBZ	6-32X3/16	10,000	1.35				
0604MSPBZ	6-32X1/4	10,000	1.55	1204MSPBZ	12-24X1/4	8,000	5.00
0605MSPBZ	6-32X5/16	10,000	1.76	1206MSPBZ	12-24X3/8	6,000	6.00
0606MSPBZ	6-32X3/8	10,000	1.93				
0607MSPBZ	6-32X7/16	10,000	2.25	1408MSPBZ	1/4-20X1/2	3,500	10.57
0608MSPBZ	6-32X1/2	10,000	2.33	1410MSPBZ	1/4-20X5/8	3,000	12.25
				1412MSPBZ	1/4-20X3/4	3,000	12.75

Steel Black Zinc




OVAL SLOTTED MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606MSOBZ	6-32X3/8	10,000	1.63	0806MSOBZ	8-32X3/8	10,000	2.47
0608MSOBZ	6-32X1/2	10,000	1.90				

Steel Black Zinc




TRUSS SLOTTED MACHINE SCREWS

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1408MSTBZ	1/4-20X1/2	3,000	11.20	1416MSTBZ	1/4-20X1	2,500	16.25
1412MSTBZ	1/4-20X3/4	3,000	13.40	1420MSTBZ	1/4-20X1 1/4	2,000	18.33
				1424MSTBZ	1/4-20X1 1/2	1,250	21.38

Kanebridge stocks the MOST Black Ox & Black Zinc Machine Screws for SAME-DAY SHIPMENT.

Steel Black Zinc



**ROUND SLOTTED
MACHINE SCREWS**

Manufactured to ASME B18.6.3 & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0202MSRBZ	2-56X1/8	10,000	0.34	0803MSRBZ	8-32X3/16	10,000	2.09
0203MSRBZ	2-56X3/16	10,000	0.39	0804MSRBZ	8-32X1/4	10,000	2.40
0204MSRBZ	2-56X1/4	10,000	0.49	0806MSRBZ	8-32X3/8	10,000	2.97
0205MSRBZ	2-56X5/16	10,000	0.56	0808MSRBZ	8-32X1/2	10,000	3.50
0206MSRBZ	2-56X3/8	10,000	0.66				
0402MSRBZ	4-40X1/8	10,000	0.70	1006MSRBZ	10-24X3/8	8,000	4.27
0403MSRBZ	4-40X3/16	10,000	0.79	1008MSRBZ	10-24X1/2	8,000	4.97
0404MSRBZ	4-40X1/4	10,000	0.95	1012MSRBZ	10-24X3/4	6,000	6.20
0405MSRBZ	4-40X5/16	10,000	1.00	1016MSRBZ	10-24X1	4,500	8.30
0406MSRBZ	4-40X3/8	10,000	1.15				
0408MSRBZ	4-40X1/2	10,000	1.40	1104MSRBZ	10-32X1/4	9,000	3.77
0410MSRBZ	4-40X5/8	10,000	1.67	1105MSRBZ	10-32X5/16	9,000	3.85
0412MSRBZ	4-40X3/4	10,000	1.91	1106MSRBZ	10-32X3/8	8,000	4.36
				1108MSRBZ	10-32X1/2	7,000	5.19
0603MSRBZ	6-32X3/16	10,000	1.37	1110MSRBZ	10-32X5/8	6,000	5.93
0604MSRBZ	6-32X1/4	10,000	1.53	1112MSRBZ	10-32X3/4	6,000	6.44
0605MSRBZ	6-32X5/16	10,000	1.74				
0606MSRBZ	6-32X3/8	10,000	1.85	1406MSRBZ	1/4-20X3/8	4,000	8.15
0608MSRBZ	6-32X1/2	10,000	2.18	1408MSRBZ	1/4-20X1/2	4,000	9.97
0610MSRBZ	6-32X5/8	10,000	2.47	1412MSRBZ	1/4-20X3/4	3,000	12.60
0612MSRBZ	6-32X3/4	10,000	2.83	1416MSRBZ	1/4-20X1	2,500	15.26
0614MSRBZ	6-32X7/8	9,000	3.40	1420MSRBZ	1/4-20X1 1/4	2,000	16.97
0616MSRBZ	6-32X1	9,000	3.69	1424MSRBZ	1/4-20X1 1/2	1,250	20.08
				1428MSRBZ	1/4-20X1 3/4	1,250	22.40
				1432MSRBZ	1/4-20X2	1,000	26.87

Steel Black Zinc




**PAN SIX LOBE
MACHINE SCREWS**

Manufactured to SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403MTPBZ	4-40X3/16	10,000	0.90	1006MTPBZ	10-24X3/8	8,000	4.60
0405MTPBZ	4-40X5/16	10,000	1.10	1008MTPBZ	10-24X1/2	7,000	5.40
0406MTPBZ	4-40X3/8	10,000	1.21	1012MTPBZ	10-24X3/4	5,000	6.82
0408MTPBZ	4-40X1/2	10,000	1.60	1016MTPBZ	10-24X1	5,000	8.20
0410MTPBZ	4-40X5/8	10,000	1.86				
0603MTPBZ	6-32X3/16	10,000	1.40	1104MTPBZ	10-32X1/4	9,000	3.96
0604MTPBZ	6-32X1/4	10,000	1.63	1106MTPBZ	10-32X3/8	8,000	5.00
0605MTPBZ	6-32X5/16	10,000	1.82	1108MTPBZ	10-32X1/2	8,000	5.55
0606MTPBZ	6-32X3/8	10,000	1.98	1110MTPBZ	10-32X5/8	6,000	6.60
0608MTPBZ	6-32X1/2	10,000	2.35	1112MTPBZ	10-32X3/4	6,000	7.33
0804MTPBZ	8-32X1/4	10,000	2.80	1406MTPBZ	1/4-20X3/8	4,000	9.58
0806MTPBZ	8-32X3/8	10,000	3.30	1408MTPBZ	1/4-20X1/2	3,000	11.12
0808MTPBZ	8-32X1/2	10,000	3.84	1410MTPBZ	1/4-20X5/8	3,000	12.08
0810MTPBZ	8-32X5/8	9,000	4.45	1412MTPBZ	1/4-20X3/4	3,000	13.37
0812MTPBZ	8-32X3/4	8,000	5.00	1416MTPBZ	1/4-20X1	2,500	16.26
0816MTPBZ	8-32X1	5,000	5.95	1420MTPBZ	1/4-20X1 1/4	1,500	18.67

Steel Black Zinc



**PAN PHILLIPS EXTERNAL SEMS
MACHINE SCREWS**

Manufactured to ASME B18.13a & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404EPPBZ	4-40X1/4	10,000	1.08	1008EPPBZ	10-24X1/2	5,000	5.50
0405EPPBZ	4-40X5/16	10,000	1.18	1012EPPBZ	10-24X3/4	4,000	7.10
0406EPPBZ	4-40X3/8	10,000	1.33				
0604EPPBZ	6-32X1/4	10,000	1.83	1104EPPBZ	10-32X1/4	9,000	4.30
0605EPPBZ	6-32X5/16	10,000	2.03	1106EPPBZ	10-32X3/8	7,000	5.23
0606EPPBZ	6-32X3/8	10,000	2.17	1108EPPBZ	10-32X1/2	7,000	6.06
0608EPPBZ	6-32X1/2	10,000	2.65	1112EPPBZ	10-32X3/4	4,000	7.69
0804EPPBZ	8-32X1/4	10,000	2.90	1408EPPBZ	1/4-20X1/2	3,000	11.50
0805EPPBZ	8-32X5/16	10,000	3.11	1412EPPBZ	1/4-20X3/4	1,000	14.12
0806EPPBZ	8-32X3/8	10,000	3.55	1416EPPBZ	1/4-20X1	1,000	16.72
0808EPPBZ	8-32X1/2	10,000	4.03				

Steel Black Zinc




**PAN PHILLIPS INTERNAL SEMS
MACHINE SCREWS**

Manufactured to ASME B18.13a & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203IPPBZ	2-56X3/16	10,000	0.53	0804IPPBZ	8-32X1/4	10,000	2.80
0204IPPBZ	2-56X1/4	10,000	0.58	0806IPPBZ	8-32X3/8	10,000	3.49
0404IPPBZ	4-40X1/4	10,000	1.13	1106IPPBZ	10-32X3/8	6,000	5.22
0403IPPBZ	4-40X3/16	10,000	1.40	1108IPPBZ	10-32X1/2	5,000	5.98
0406IPPBZ	4-40X3/8	10,000	1.40	1112IPPBZ	10-32X3/4	4,000	7.53
0604IPPBZ	6-32X1/4	10,000	1.90	1408IPPBZ	1/4-20X1/2	1,000	11.50
0605IPPBZ	6-32X5/16	10,000	2.04				
0606IPPBZ	6-32X3/8	10,000	2.20				
0608IPPBZ	6-32X1/2	10,000	2.58				
0628IPPBZ	6-32X1 3/4	3,000	6.20				

Steel Black Zinc & Baked after Plating




**PAN SIX-LOBE EXTERNAL SEMS
MACHINE SCREWS**

Manufactured to ASME B18.13a & SAE J82 specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404ETPBZ	4-40X1/4	10,000	0.75	0604ETPBZ	6-32X1/4	10,000	1.86

Steel Black Zinc




FLAT PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APFBZ	6-18X1/2	10,000	1.50	0810APFBZ	8-15X5/8	10,000	2.68
0610APFBZ	6-18X5/8	10,000	1.77	0812APFBZ	8-15X3/4	10,000	3.14
0612APFBZ	6-18X3/4	10,000	2.15	0816APFBZ	8-15X1	7,000	4.14
0616APFBZ	6-18X1	10,000	3.11	0820APFBZ	8-15X1 1/4	5,000	5.10
0620APFBZ	6-18X1 1/4	8,000	3.43	0824APFBZ	8-15X1 1/2	4,000	6.00
0712APFBZ	7-16X3/4	10,000	2.70	1010APFBZ	10-12X5/8	8,000	3.90
				1012APFBZ	10-12X3/4	8,000	4.33
				1016APFBZ	10-12X1	6,000	5.75
				1020APFBZ	10-12X1 1/4	4,000	6.38
				1024APFBZ	10-12X1 1/2	4,000	7.70

Steel Black Zinc



FLAT PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0206ABPFBZ	2-32X3/8	10,000	0.70	0808ABPFBZ	8-18X1/2	10,000	2.38
0406ABPFBZ	4-24X3/8	10,000	0.87	0810ABPFBZ	8-18X5/8	10,000	3.15
0407ABPFBZ	4-24X7/16	10,000	1.08	0812ABPFBZ	8-18X3/4	10,000	3.47
0408ABPFBZ	4-24X1/2	10,000	1.03	0816ABPFBZ	8-18X1	7,000	4.24
0412ABPFBZ	4-24X3/4	10,000	1.48	0820ABPFBZ	8-18X1 1/4	5,000	5.07
0416ABPFBZ	4-24X1	10,000	1.92	0824ABPFBZ	8-18X1 1/2	4,000	6.07
0606ABPFBZ	6-20X3/8	10,000	1.25	0828ABPFBZ	8-18X1 3/4	3,000	7.19
0608ABPFBZ	6-20X1/2	10,000	1.58	0832ABPFBZ	8-18X2	2,500	8.23
0610ABPFBZ	6-20X5/8	10,000	1.93	1012ABPFBZ	10-16X3/4	7,000	4.29
0612ABPFBZ	6-20X3/4	10,000	2.30	1016ABPFBZ	10-16X1	6,000	5.86
0616ABPFBZ	6-20X1	10,000	2.95	1220ABPFBZ	12-14X1 1/4	4,000	9.39
0620ABPFBZ	6-20X1 1/4	8,000	3.56				

Steel Black Zinc




FLAT PHILLIPS UNDERCUT AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404ABPUBZ	4-24X1/4	10,000	0.57	1006ABPUBZ	10-16X3/8	10,000	2.51
0806ABPUBZ	8-18X3/8	10,000	1.81	1008ABPUBZ	10-16X1/2	10,000	3.22

Steel Black Zinc




HEX WASHER PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1006ABPWBZ	10-16X3/8	6,500	4.47				

Steel Black Zinc



PAN PHILLIPS AB SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204ABPPBZ	2-32X1/4	10,000	0.47	0806ABPPBZ	8-18X3/8	10,000	2.65
0205ABPPBZ	2-32X5/16	10,000	0.52	0808ABPPBZ	8-18X1/2	10,000	3.12
0206ABPPBZ	2-32X3/8	10,000	0.58	0810ABPPBZ	8-18X5/8	9,000	3.64
0208ABPPBZ	2-32X1/2	10,000	0.75	0812ABPPBZ	8-18X3/4	8,000	4.00
0404ABPPBZ	4-24X1/4	10,000	0.85	0816ABPPBZ	8-18X1	5,000	5.26
0405ABPPBZ	4-24X5/16	10,000	1.10	0820ABPPBZ	8-18X1 1/4	4,000	6.06
0406ABPPBZ	4-24X3/8	10,000	1.13	0824ABPPBZ	8-18X1 1/2	3,000	6.87
0408ABPPBZ	4-24X1/2	10,000	1.30	0832ABPPBZ	8-18X2	2,000	9.08
0410ABPPBZ	4-24X5/8	10,000	1.50	1006ABPPBZ	10-16X3/8	8,000	4.00
0412ABPPBZ	4-24X3/4	10,000	1.75	1008ABPPBZ	10-16X1/2	8,000	4.53
0416ABPPBZ	4-24X1	10,000	2.30	1010ABPPBZ	10-16X5/8	7,000	5.15
0604ABPPBZ	6-20X1/4	10,000	1.43	1012ABPPBZ	10-16X3/4	6,000	5.65
0605ABPPBZ	6-20X5/16	10,000	1.70	1014ABPPBZ	10-16X7/8	6,000	6.42
0606ABPPBZ	6-20X3/8	10,000	1.78	1016ABPPBZ	10-16X1	5,000	7.00
0608ABPPBZ	6-20X1/2	10,000	2.07	1020ABPPBZ	10-16X1 1/4	3,000	8.30
0610ABPPBZ	6-20X5/8	10,000	2.54	1024ABPPBZ	10-16X1 1/2	3,000	9.74
0612ABPPBZ	6-20X3/4	10,000	2.74	1028ABPPBZ	10-16X1 3/4	2,500	11.00
0616ABPPBZ	6-20X1	9,000	3.32	1032ABPPBZ	10-16X2	1,500	12.33
0620ABPPBZ	6-20X1 1/4	7,000	4.26	1412ABPPBZ	1/4-14X3/4	3,000	11.65
				1416ABPPBZ	1/4-14X1	2,500	12.86
				1420ABPPBZ	1/4-14X1 1/4	2,000	15.32
				1424ABPPBZ	1/4-14X1 1/2	1,250	18.05

Steel Black Zinc




PAN PHILLIPS A SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APPBZ	6-18X1/2	10,000	2.12	1008APPBZ	10-12X1/2	8,000	4.61
0610APPBZ	6-18X5/8	10,000	2.46	1010APPBZ	10-12X5/8	7,000	5.13
0612APPBZ	6-18X3/4	10,000	2.70	1012APPBZ	10-12X3/4	6,000	5.73
0616APPBZ	6-18X1	9,000	3.41	1016APPBZ	10-12X1	5,000	7.05
0620APPBZ	6-18X1 1/4	8,000	3.94	1020APPBZ	10-12X1 1/4	3,000	8.30
0808APPBZ	8-15X1/2	10,000	3.27	1024APPBZ	10-12X1 1/2	3,000	9.48
0810APPBZ	8-15X5/8	9,000	3.51	1224APPBZ	12-11X1 1/2	2,000	12.41
0812APPBZ	8-15X3/4	8,000	4.20				
0816APPBZ	8-15X1	5,000	5.12				
0820APPBZ	8-15X1 1/4	4,000	6.02				
0824APPBZ	8-15X1 1/2	3,000	6.85				
0832APPBZ	8-15X2	2,000	8.92				

Steel Black Zinc




**OVAL PHILLIPS AB
SELF TAPPING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606ABPOBZ	6-20X3/8	10,000	1.46	1016ABPOBZ	10-16X1	5,000	6.44
0608ABPOBZ	6-20X1/2	10,000	1.64	1020ABPOBZ	10-16X1 1/4	4,000	7.53
0610ABPOBZ	6-20X5/8	10,000	2.08	1024ABPOBZ	10-16X1 1/2	4,000	8.96
0808ABPOBZ	8-18X1/2	10,000	2.83				
0812ABPOBZ	8-18X3/4	10,000	3.78				

Steel Black Zinc



**TRUSS PHILLIPS AB
SELF TAPPING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0606ABPTBZ	6-20X3/8	10,000	1.88	1006ABPTBZ	10-16X3/8	8,000	4.30
0608ABPTBZ	6-20X1/2	10,000	2.25	1008ABPTBZ	10-16X1/2	8,000	5.00
				1010ABPTBZ	10-16X5/8	6,000	5.50
0808ABPTBZ	8-18X1/2	10,000	3.44	1012ABPTBZ	10-16X3/4	6,000	5.91
0812ABPTBZ	8-18X3/4	8,000	4.34	1016ABPTBZ	10-16X1	5,000	7.94
0816ABPTBZ	8-18X1	5,000	5.30				

Steel Black Zinc



**OVAL PHILLIPS UNDERCUT AB
SELF TAPPING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0806ABPOUBZ	8-18X3/8	10,000	2.45				

NEW!

Steel Black Zinc




**ROUND WASHER PHILLIPS A
SELF TAPPING SCREWS**

Manufactured to SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0816APRWBZ	8-15X1	4,000	5.35				

Steel Black Zinc




**TRUSS PHILLIPS A
SELF TAPPING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0608APTbZ	6-18X1/2	10,000	2.16	1008APTbZ	10-12X1/2	8,000	4.68
0612APTbZ	6-18X3/4	10,000	2.72	1010APTbZ	10-12X5/8	7,000	5.42
				1012APTbZ	10-12X3/4	6,000	5.91
0808APTbZ	8-15X1/2	10,000	3.44	1016APTbZ	10-12X1	5,000	7.20
0810APTbZ	8-15X5/8	9,000	3.90				
0812APTbZ	8-15X3/4	8,000	4.34				
0816APTbZ	8-15X1	5,000	5.28				
0824APTbZ	8-15X1 1/2	3,000	7.33				

Steel Black Zinc



**HEX WASHER SLOTTED AB
SELF TAPPING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0604ABS WBZ	6-20X1/4	10,000	1.85	1006ABS WBZ	10-16X3/8	8,000	4.00
0606ABS WBZ	6-20X3/8	10,000	2.30	1008ABS WBZ	10-16X1/2	8,000	4.92
0608ABS WBZ	6-20X1/2	10,000	2.63	1010ABS WBZ	10-16X5/8	6,000	5.46
0610ABS WBZ	6-20X5/8	10,000	2.93	1012ABS WBZ	10-16X3/4	6,000	5.74
				1016ABS WBZ	10-16X1	4,000	7.07
0804ABS WBZ	8-18X1/4	10,000	2.37				
0805ABS WBZ	8-18X5/16	10,000	2.67	1412ABS WBZ	1/4-14X3/4	3,000	11.80
0806ABS WBZ	8-18X3/8	10,000	2.75				
0808ABS WBZ	8-18X1/2	10,000	3.29				

Steel Black Zinc



**HEX WASHER UNSLOTTED AB
SELF TAPPING SCREWS**

Manufactured to SAE J933 specifications (threads to ASME B18.6.3)
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0806ABWBZ	8-18X3/8	10,000	2.86	1408ABWBZ	1/4-14X1/2	4,000	10.73
				1410ABWBZ	1/4-14X5/8	3,000	10.83
1006ABWBZ	10-16X3/8	8,000	4.27	1412ABWBZ	1/4-14X3/4	3,000	11.75
1008ABWBZ	10-16X1/2	7,000	4.90	1416ABWBZ	1/4-14X1	2,000	13.83
1010ABWBZ	10-16X5/8	6,000	5.55	1420ABWBZ	1/4-14X1 1/4	2,000	17.10
1012ABWBZ	10-16X3/4	6,000	6.06				
1016ABWBZ	10-16X1	4,000	7.43	3112ABWBZ	5/16-12X3/4	1,500	23.10
				3116ABWBZ	5/16-12X1	1,250	28.60
1208ABWBZ	12-14X1/2	4,000	6.61	3120ABWBZ	5/16-12X1 1/4	1,000	32.30
1212ABWBZ	12-14X3/4	3,000	8.15				
				3716ABWBZ	3/8-12X1	750	44.13

Steel Black Zinc



PAN SIX-LOBE AB SELF TAPPING SCREWS

Manufactured to SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404ABTPBZ	4-24X1/4	10,000	0.89	0806ABTPBZ	8-18X3/8	10,000	2.88
0410ABTPBZ	4-24X5/8	10,000	1.61	0808ABTPBZ	8-18X1/2	10,000	3.48
0604ABTPBZ	6-20X1/4	10,000	1.40	0810ABTPBZ	8-18X5/8	9,000	3.95
0608ABTPBZ	6-20X1/2	10,000	2.17	0812ABTPBZ	8-18X3/4	8,000	4.33
				1008ABTPBZ	10-16X1/2	8,000	4.72
				1010ABTPBZ	10-16X5/8	7,000	5.50
				1012ABTPBZ	10-16X3/4	6,000	5.90
				1016ABTPBZ	10-16X1	4,000	7.30

NEW!

Steel Black Zinc



FLAT PHILLIPS UNDERCUT B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & J933 specifications
Case Hardened to Rockwell C45 min. (Core Hardness: Rockwell C28-38)
Fully Threaded / Steel Black Zinc

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403BPUBZ	4-24X3/16	10,000	0.45				

Steel Black Zinc



PAN PHILLIPS B SELF TAPPING SCREWS

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0203BPPBZ	2-32X3/16	10,000	0.43	0804BPPBZ	8-18X1/4	10,000	2.47
0204BPPBZ	2-32X1/4	10,000	0.50	0805BPPBZ	8-18X5/16	10,000	2.81
0205BPPBZ	2-32X5/16	10,000	0.60	0806BPPBZ	8-18X3/8	10,000	3.00
0206BPPBZ	2-32X3/8	10,000	0.70	0808BPPBZ	8-18X1/2	10,000	3.37
0208BPPBZ	2-32X1/2	10,000	0.76	0810BPPBZ	8-18X5/8	9,000	3.84
				0812BPPBZ	8-18X3/4	8,000	4.37
0403BPPBZ	4-24X3/16	10,000	0.84	0816BPPBZ	8-18X1	5,000	5.38
0404BPPBZ	4-24X1/4	10,000	0.92	0820BPPBZ	8-18X1 1/4	4,000	6.20
0405BPPBZ	4-24X5/16	10,000	1.06	0824BPPBZ	8-18X1 1/2	3,000	7.30
0406BPPBZ	4-24X3/8	10,000	1.20				
0408BPPBZ	4-24X1/2	10,000	1.37	1004BPPBZ	10-16X1/4	10,000	3.87
0410BPPBZ	4-24X5/8	10,000	1.62	1005BPPBZ	10-16X5/16	10,000	3.99
0412BPPBZ	4-24X3/4	10,000	1.90	1006BPPBZ	10-16X3/8	9,000	4.26
0414BPPBZ	4-24X7/8	10,000	2.10	1008BPPBZ	10-16X1/2	8,000	4.89
0416BPPBZ	4-24X1	10,000	2.40	1012BPPBZ	10-16X3/4	6,000	4.04
				1016BPPBZ	10-16X1	5,000	7.70
0603BPPBZ	6-20X3/16	10,000	1.45				
0604BPPBZ	6-20X1/4	10,000	1.64	1206BPPBZ	12-14X3/8	8,000	5.70
0605BPPBZ	6-20X5/16	10,000	1.70	1208BPPBZ	12-14X1/2	5,000	7.23
0606BPPBZ	6-20X3/8	10,000	1.88				
0608BPPBZ	6-20X1/2	10,000	2.24	1408BPPBZ	1/4-14X1/2	3,000	10.04
0612BPPBZ	6-20X3/4	10,000	2.80				
0616BPPBZ	6-20X1	9,000	3.73				

Steel Black Zinc




FLAT PHILLIPS HIGH-LOW SELF TAPPING SCREWS

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406HPFBZ	4-24X3/8	10,000	0.84	0808HPFBZ	8-18X1/2	10,000	2.18
0408HPFBZ	4-24X1/2	10,000	1.00	0812HPFBZ	8-18X3/4	10,000	3.08
0412HPFBZ	4-24X3/4	10,000	1.10	0816HPFBZ	8-18X1	7,000	3.78
0606HPFBZ	6-19X3/8	10,000	1.31	1008HPFBZ	10-16X1/2	10,000	3.21
0608HPFBZ	6-19X1/2	10,000	1.58	1012HPFBZ	10-16X3/4	7,000	3.90
0610HPFBZ	6-19X5/8	10,000	1.60	1016HPFBZ	10-16X1	6,000	5.40
0612HPFBZ	6-19X3/4	10,000	2.01				
				1416HPFBZ	1/4-15X1	3,000	11.00
				1420HPFBZ	1/4-15X1 1/4	3,000	12.80

Steel Black Zinc




PAN PHILLIPS HIGH-LOW SELF TAPPING SCREWS

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404HPPBZ	4-24X1/4 #3HD	10,000	0.76	1006HPPBZ	10-16X3/8 #8HD	10,000	3.00
0405HPPBZ	4-24X5/16 #3HD	10,000	0.84	1008HPPBZ	10-16X1/2 #8HD	8,000	3.50
0406HPPBZ	4-24X3/8 #3HD	10,000	0.85	1010HPPBZ	10-16X5/8 #8HD	6,000	4.00
0408HPPBZ	4-24X1/2 #3HD	10,000	1.13	1012HPPBZ	10-16X3/4 #8HD	5,000	4.55
0410HPPBZ	4-24X5/8 #3HD	10,000	1.23	1016HPPBZ	10-16X1 #8HD	4,000	5.58
0412HPPBZ	4-24X3/4 #3HD	10,000	1.53	1020HPPBZ	10-16X1 1/4#8H	3,000	6.56
0416HPPBZ	4-24X1 #3HD	10,000	1.90	1024HPPBZ	10-16X1 1/2#8H	3,000	7.57
0604HPPBZ	6-19X1/4 #5HD	10,000	1.26	1208HPPBZ	12-16X1/2#10HD	5,000	5.35
0605HPPBZ	6-19X5/16 #5HD	10,000	1.40	1212HPPBZ	12-16X3/4#10HD	5,000	6.60
0606HPPBZ	6-19X3/8 #5HD	10,000	1.58	1216HPPBZ	12-16X1 #10HD	4,000	8.00
0608HPPBZ	6-19X1/2 #5HD	10,000	1.80	1220HPPBZ	12X1 1/4 #10HD	3,000	9.40
0610HPPBZ	6-19X5/8 #5HD	10,000	2.15				
0612HPPBZ	6-19X3/4 #5HD	10,000	2.29	1408HPPBZ	1/4-15X1/2	4,000	8.67
0616HPPBZ	6-19X1 #5HD	9,000	3.04	1412HPPBZ	1/4-15X3/4	3,000	10.80
0620HPPBZ	6X1 1/4 #5HD	7,000	3.56	1416HPPBZ	1/4-15X1	2,500	12.88
0806HPPBZ	8-18X3/8 #6HD	10,000	2.00				
0808HPPBZ	8-18X1/2 #6HD	10,000	2.50				
0810HPPBZ	8-18X5/8 #6HD	9,000	2.83				
0812HPPBZ	8-18X3/4 #6HD	8,000	3.18				
0816HPPBZ	8-18X1 #6HD	5,000	3.92				
0820HPPBZ	8-18X1 1/4#6HD	4,000	4.60				
0824HPPBZ	8-18X1 1/2#6HD	3,000	5.50				

**Thread-Cutting Screws
with Black Oxide finish—
Steel & Stainless:
See pages 22-23.**

Steel Black Zinc




**FLAT SIX-LOBE HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406HTFBZ	4-24X3/8	10,000	0.83	0808HTFBZ	8-18X1/2	10,000	2.30
0408HTFBZ	4-24X1/2	10,000	1.00	0812HTFBZ	8-18X3/4	10,000	3.00
0412HTFBZ	4-24X3/4	10,000	1.17	0816HTFBZ	8-18X1	7,000	3.80
0606HTFBZ	6-19X3/8	10,000	1.33	1008HTFBZ	10-16X1/2	10,000	3.20
0608HTFBZ	6-19X1/2	10,000	1.59	1012HTFBZ	10-16X3/4	7,000	4.19
0610HTFBZ	6-19X5/8	10,000	1.73	1016HTFBZ	10-16X1	6,000	5.20
0612HTFBZ	6-19X3/4	10,000	2.00	1416HTFBZ	1/4-15X1	3,000	10.50
				1420HTFBZ	1/4-15X1 1/4	2,000	12.70

Steel Black Zinc




**PAN SIX-LOBE HIGH-LOW
SELF TAPPING SCREWS**

Head Dimensions often differ from standard Tapping Screws
Case Hardened to Rockwell C45-50 (Core Hardness: Rockwell C28-36)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0408HTPBZ	4-24X1/2 #3HD	10,000	1.15	1008HTPBZ	10-16X1/2 #8HD	8,000	3.44
0606HTPBZ	6-19-3/8 #5HD	10,000	1.59	1010HTPBZ	10-16X5/8 #8HD	6,000	3.94
0608HTPBZ	6-19X1/2 #5HD	10,000	1.90	1012HTPBZ	10-16X3/4 #8HD	5,000	4.42
0808HTPBZ	8-18X1/2 #6HD	10,000	2.41	1016HTPBZ	10-16X1 #8HD	4,000	5.42
0812HTPBZ	8-18X3/4 #6HD	8,000	3.21	1412HTPBZ	1/4-15X3/4	3,000	11.00
0816HTPBZ	8-18X1 #6HD	5,000	3.94				

Steel Black Zinc




**PAN PHILLIPS TYPE 23
THREAD CUTTING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403PPBZ	4-40X3/16	10,000	0.72	10063PPBZ	10-24X3/8	9,000	4.43
04043PPBZ	4-40X1/4	10,000	0.95	10083PPBZ	10-24X1/2	8,000	5.11
06043PPBZ	6-32X1/4	10,000	1.63	10103PPBZ	10-24X5/8	6,000	5.93
06053PPBZ	6-32X5/16	10,000	1.78	10123PPBZ	10-24X3/4	5,000	6.75
06063PPBZ	6-32X3/8	10,000	1.89	11063PPBZ	10-32X3/8	8,000	4.60
06083PPBZ	6-32X1/2	10,000	2.27	11083PPBZ	10-32X1/2	7,000	5.43
06103PPBZ	6-32X5/8	10,000	2.70	11103PPBZ	10-32X5/8	6,000	6.10
06123PPBZ	6-32X3/4	10,000	3.05	11123PPBZ	10-32X3/4	6,000	6.95
08043PPBZ	8-32X1/4	10,000	2.57	12083PPBZ	12-24X1/2	5,000	7.18
08053PPBZ	8-32X5/16	10,000	2.89	12123PPBZ	12-24X3/4	3,000	9.20
08063PPBZ	8-32X3/8	10,000	3.22	12163PPBZ	12-24X1	2,000	10.90
08083PPBZ	8-32X1/2	10,000	3.58	14083PPBZ	1/4-20X1/2	3,000	10.46
08103PPBZ	8-32X5/8	9,000	4.24	14103PPBZ	1/4-20X5/8	3,000	12.10
08123PPBZ	8-32X3/4	8,000	4.77	14123PPBZ	1/4-20X3/4	3,000	13.15
08163PPBZ	8-32X1	5,000	5.94	14163PPBZ	1/4-20X1	2,500	15.25

Steel Black Zinc




**PAN PHILLIPS TYPE 25
THREAD CUTTING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02035PPBZ	2-32X3/16	10,000	0.42	06205PPBZ	6-20X1 1/4	7,000	4.19
02045PPBZ	2-32X1/4	10,000	0.48	06245PPBZ	6-20X1 1/2	3,500	4.86
02055PPBZ	2-32X5/16	10,000	0.56	08065PPBZ	8-18X3/8	10,000	2.93
02065PPBZ	2-32X3/8	10,000	0.61	08085PPBZ	8-18X1/2	10,000	3.43
02085PPBZ	2-32X1/2	10,000	0.73	08105PPBZ	8-18X5/8	9,000	3.75
04045PPBZ	4-24X1/4	10,000	0.91	08125PPBZ	8-18X3/4	8,000	4.32
04055PPBZ	4-24X5/16	10,000	1.08	08165PPBZ	8-18X1	5,000	5.25
04065PPBZ	4-24X3/8	10,000	1.13	08205PPBZ	8-18X1 1/4	4,000	6.19
04085PPBZ	4-24X1/2	10,000	1.30	08245PPBZ	8-18X1 1/2	3,000	7.14
05065PPBZ	5-20X3/8	10,000	1.50	10085PPBZ	10-16X1/2	8,000	4.99
05085PPBZ	5-20X1/2	10,000	1.88	10125PPBZ	10-16X3/4	6,000	6.00
06045PPBZ	6-20X1/4	10,000	1.51	10165PPBZ	10-16X1	5,000	7.29
06055PPBZ	6-20X5/16	10,000	1.68	10205PPBZ	10-16X1 1/4	3,000	9.35
06065PPBZ	6-20X3/8	10,000	1.88				
06085PPBZ	6-20X1/2	10,000	2.09				
06125PPBZ	6-20X3/4	10,000	2.91				
06165PPBZ	6-20X1	9,000	3.55				

Steel Black Zinc




**PAN PHILLIPS TYPE F
THREAD CUTTING SCREWS**

Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0404FPPBZ	4-40X1/4	10,000	0.97	1006FPPBZ	10-24X3/8	10,000	4.65
0406FPPBZ	4-40X3/8	10,000	1.21	1008FPPBZ	10-24X1/2	10,000	5.49
0408FPPBZ	4-40X1/2	10,000	1.49	1010FPPBZ	10-24X5/8	8,000	5.93
0604FPPBZ	6-32X1/4	10,000	1.57	1012FPPBZ	10-24X3/4	7,000	6.65
0605FPPBZ	6-32X5/16	10,000	1.77	1106FPPBZ	10-32X3/8	10,000	4.71
0606FPPBZ	6-32X3/8	10,000	1.89	1108FPPBZ	10-32X1/2	10,000	5.49
0608FPPBZ	6-32X1/2	10,000	2.32	1408FPPBZ	1/4-20X1/2	5,000	10.24
0610FPPBZ	6-32X5/8	10,000	2.70	1412FPPBZ	1/4-20X3/4	4,000	12.75
0612FPPBZ	6-32X3/4	10,000	3.17				
0804FPPBZ	8-32X1/4	10,000	2.69				
0805FPPBZ	8-32X5/16	10,000	2.91				
0806FPPBZ	8-32X3/8	10,000	3.20				
0808FPPBZ	8-32X1/2	10,000	3.65				
0810FPPBZ	8-32X5/8	10,000	4.50				
0812FPPBZ	8-32X3/4	8,000	4.81				
0816FPPBZ	8-32X1	6,000	5.83				


Steel Black Zinc



**TRUSS PHILLIPS TYPE F
THREAD CUTTING SCREWS**
Manufactured to ASME B18.6.3 & SAE J933 specifications
Case Hardened to Rockwell C45 min (Core Hardness: Rockwell C28-38)
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0605FPTBZ	6-32X5/16	10,000	1.83	1006FPTBZ	10-24X3/8	9,000	5.00
0606FPTBZ	6-32X3/8	10,000	2.00	1016FPTBZ	10-24X1	5,000	8.10
				1008FPTBZ	10-24X1/2	9,000	5.40
0805FPTBZ	8-32X5/16	10,000	2.98	1108FPTBZ	10-32X1/2	9,000	5.88
0806FPTBZ	8-32X3/8	10,000	3.23	1110FPTBZ	10-32X5/8	7,000	6.63
0808FPTBZ	8-32X1/2	9,000	3.78				
0810FPTBZ	8-32X5/8	8,000	4.50	1408FPTBZ	1/4-20X1/2	4,000	10.20
0812FPTBZ	8-32X3/4	7,000	5.08	1416FPTBZ	1/4-20X1	3,000	15.35


Steel Black Zinc and Waxed



**PAN PHILLIPS
THREAD ROLLING SCREWS**
Generic Alternatives to Tapitite® II Thread Rolling Screws*
Manufactured to SAE J81 dimensions (heads to ASME B18.6.3 dimensions)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0403RPPBZ	4-40X3/16	10,000	0.87	1006RPPBZ	10-24X3/8	8,000	4.80
0404RPPBZ	4-40X1/4	10,000	0.99	1008RPPBZ	10-24X1/2	7,000	5.20
0406RPPBZ	4-40X3/8	10,000	1.18				
0604RPPBZ	6-32X1/4	10,000	1.62	1106RPPBZ	10-32X3/8	8,000	4.77
0606RPPBZ	6-32X3/8	10,000	1.95	1108RPPBZ	10-32X1/2	7,000	5.51
0616RPPBZ	6-32X1	10,000	3.70	1408RPPBZ	1/4-20X1/2	5,000	10.75
0804RPPBZ	8-32X1/4	10,000	2.61				
0806RPPBZ	8-32X3/8	10,000	3.15				
0808RPPBZ	8-32X1/2	10,000	3.68				


Steel Black Zinc and Waxed



**PAN PHILLIPS
THREAD ROLLING SCREWS**
Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design (heads to ASME B18.6.3 dimensions)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0204LPPBZ	2-28X1/4	10,000	0.45	0410LPPBZ	4-20X5/8	10,000	1.69
0205LPPBZ	2-28X5/16	10,000	0.60	0412LPPBZ	4-20X3/4	10,000	1.90
0206LPPBZ	2-28X3/8	10,000	0.61	0416LPPBZ	4-20X1	10,000	2.30
0208LPPBZ	2-28X1/2	10,000	0.73	0420LPPBZ	4-20X1/4	10,000	2.93
0306LPPBZ	3-24X3/8	10,000	0.93	0605LPPBZ	6-19X5/16	10,000	1.78
				0606LPPBZ	6-19X3/8	10,000	1.93
0404LPPBZ	4-20X1/4	10,000	0.96	0608LPPBZ	6-19X1/2	10,000	2.25
0405LPPBZ	4-20X5/16	10,000	1.07				
0406LPPBZ	4-20X3/8	10,000	1.18	0806LPPBZ	8-16X3/8	10,000	3.17
0408LPPBZ	4-20X1/2	10,000	1.50	0808LPPBZ	8-16X1/2	10,000	3.86
				0816LPPBZ	8-16X1	5,000	5.80


Steel Black Zinc and Waxed



**PAN SIX-LOBE
THREAD ROLLING SCREWS**
Generic Alternatives to Plastite® 48-2 Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0406LTPBZ	4-20X3/8	10,000	1.20	0806LTPBZ	8-16X3/8	10,000	3.18
0408LTPBZ	4-20X1/2	10,000	1.42	0808LTPBZ	8-16X1/2	10,000	3.81
0606LTPBZ	6-19X3/8	10,000	2.07				
0608LTPBZ	6-19X1/2	10,000	2.42				
0612LTPBZ	6-19X3/4	10,000	3.20				

Steel Black Zinc




#2 point

**FLAT PHILLIPS
SELF DRILLING SCREWS**
Combination Phillips and Slotted Recess
Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C52 - 58 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0848KFPBZ	8-18X3	1,250	11.83				

Steel Black Zinc



Items marked with "*" have #2 point; all others have #3 point

**FLAT PHILLIPS UNDERCUT
SELF DRILLING SCREWS**
Combination Phillips and Slotted Recess
Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0808KPUBZ	8-18X1/2	10,000	1.97	1008KPUBZ	10-16X1/2	10,000	3.60
0812KPUBZ	8-18X3/4	10,000	2.83	1012KPUBZ	10-16X3/4	7,000	2.86
				1212KPUBZ	12-14X3/4	5,000	4.91

*Tapitite® and Plastite® are registered trademarks of REMINC. Our screws are not authorized or made by licensed REMINC manufacturers.

Steel Black Zinc




Items marked with “•” have #2 point; all others have #3 point

**PAN PHILLIPS
SELF DRILLING SCREWS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0406KPPBZ	4-24X3/8	10,000	1.08	•1008KPPBZ	10-16X1/2	8,000	4.58
•0408KPPBZ	4-24X1/2	10,000	1.27	1010KPPBZ	10-16X5/8	8,000	4.80
•0606KPPBZ	6-20X3/8	10,000	1.63	1012KPPBZ	10-16X3/4	7,000	5.51
•0608KPPBZ	6-20X1/2	10,000	2.11	1016KPPBZ	10-16X1	5,000	6.93
•0612KPPBZ	6-20X3/4	10,000	2.80	1020KPPBZ	10-16X1 1/4	4,000	8.07
•0616KPPBZ	6-20X1	10,000	3.33	1024KPPBZ	10-16X1 1/2	3,000	9.30
•0806KPPBZ	8-18X3/8	10,000	2.78	1028KPPBZ	10-16X1 3/4	3,000	11.00
•0808KPPBZ	8-18X1/2	10,000	3.10	1212KPPBZ	12-14X3/4	5,000	8.10
•0810KPPBZ	8-18X5/8	10,000	3.45	1216KPPBZ	12-14X1	3,000	9.14
•0812KPPBZ	8-18X3/4	9,000	4.05	1220KPPBZ	12-14X1 1/4	3,000	11.45
•0816KPPBZ	8-18X1	6,000	5.05	1224KPPBZ	12-14X1 1/2	2,000	12.43
•0820KPPBZ	8-18X1 1/4	5,000	5.90	1232KPPBZ	12-14X2	1,000	15.75
•0824KPPBZ	8-18X1 1/2	4,000	6.73	1412KPPBZ	1/4-14X3/4	3,000	11.50
•0828KPPBZ	8-18X1 3/4	3,000	7.75	1416KPPBZ	1/4-14X1	2,000	13.70
				1420KPPBZ	1/4-14X1 1/4	1,000	15.52
				1424KPPBZ	1/4-14X1 1/2	1,000	17.82

Steel Black Zinc



Items marked with “•” have #2 point; all others have #3 point

**HEX WASHER UNSLOTTED
SELF DRILLING SCREWS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
•0806KWBZ	8-18X3/8	10,000	2.93	1412KWBZ	1/4-14X3/4	3,000	11.71
•0808KWBZ	8-18X1/2	10,000	3.25	1416KWBZ	1/4-14X1	2,000	14.20
•0812KWBZ	8-18X3/4	8,000	4.17	1420KWBZ	1/4-14X1 1/4	1,500	16.25
•0816KWBZ	8-18X1	6,000	5.13	1424KWBZ	1/4-14X1 1/2	1,250	18.67
•0820KWBZ	8-18X1 1/4	6,000	6.05	1428KWBZ	1/4-14X1 3/4	1,000	21.34
•0824KWBZ	8-18X1 1/2	5,000	7.26	1432KWBZ	1/4-14X2	900	24.18
•1008KWBZ	10-16X1/2	8,000	5.06	3112KWBZ	5/16-12X3/4	1,000	22.78
•1012KWBZ	10-16X3/4	5,000	5.70	3116KWBZ	5/16-12X1	1,000	26.50
1016KWBZ	10-16X1	5,000	6.90	3120KWBZ	5/16-12X1 1/4	700	30.05
1020KWBZ	10-16X1 1/4	4,000	8.07	3124KWBZ	5/16-12X1 1/2	600	33.88
1024KWBZ	10-16X1 1/2	3,000	9.30				
1212KWBZ	12-14X3/4	5,000	7.50				
1216KWBZ	12-14X1	4,000	9.20				

Steel Black Zinc




Items marked with “•” have #2 point; all others have #3 point

**WAFER PHILLIPS
SELF DRILLING SCREWS WITH MACHINE SCREW THREADS**

Manufactured to ASME B18.6.3 & SAE J78 specifications
Case Hardened to Rockwell C50 - 56 (Core Hardness: Rockwell C32-40)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
1024KWAFMSBZ	10-24X1 1/2	1,000	9.20				

Steel Black Zinc



**ACORN HEX CAP
NUTS**

Low Crown
Two Piece Construction

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06NCBZ	6-32	2,000	2.43	11NCBZ	10-32	2,000	3.75
08NCBZ	8-32	2,000	2.33	14NCBZ	1/4-20	2,000	6.77
10NCBZ	10-24	2,000	3.79	31NCBZ	5/16-18	1,000	13.60
				37NCBZ	3/8-16	1,000	18.36

Steel Black Zinc



**HEX MACHINE SCREW
NUTS**

Manufactured to ASME B18.6.3 dimensions

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NHBZ	4-40X1/4X3/32	10,000	1.06	10NHBZ	10-24X3/8X1/8	8,000	2.93
06NHBZ	6-32X5/16X7/64	10,000	1.85	11NHBZ	10-32X3/8X1/8	8,000	2.92
08NHBZ	8-32X11/32X1/8	10,000	2.70	14NHBZ	1/4-20X7/16X3/16	5,000	5.78
				31NHBZ	5/16-18X9/16X7/32	3,000	10.90

Steel Black Zinc



**HEX MACHINE SCREW
NUTS**

Small Pattern
Dimensions derived from ASME B18.6.3 dimensions

Part #	Thread Size x A.F. Dimensions	Ctn Qty	Wght Lbs/M	Part #	Thread Size x A.F. Dimensions	Ctn Qty	Wght Lbs/M
0403NHBZ	4-40X3/16X1/16	10,000	1.06	1005NHBZ	10-24X5/16X7/64	8,000	2.90
0604NHBZ	6-32X1/4X3/32	10,000	1.85	1105NHBZ	10-32X5/16X7/64	8,000	2.88

Steel Black Zinc



**FINISHED HEX
NUTS (COARSE & FINE THREAD)**

Double Chamfered
Manufactured to ASME B18.2.2 & SAE J995 specifications
Proof Load: 90,000 psi (Coarse Thread); 80,000 psi (Fine Thread)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NFBZ	1/4-20	3,000	7.14	37NFBZ	3/8-16	1,500	36.40
31NFBZ	5/16-18	2,000	10.70	50NFBZ	1/2-13	500	34.64

Steel Black Zinc



FINISHED PATTERN HEX JAM NUTS (COARSE & FINE THREAD)

Manufactured to ASME B18.2.2 & SAE J995 specifications
 Proof Load: 54,000 psi (Coarse Thread); 48,000 psi (Fine Thread)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
14NJBZ	1/4-20	4,000	5.08	37NJBZ	3/8-16	3,000	9.70
15NJBZ	1/4-28	4,000	5.00	38NJBZ	3/8-24	3,000	9.40
31NJBZ	5/16-18	4,000	7.00	50NJBZ	1/2-13	1,200	25.20
32NJBZ	5/16-24	4,000	6.96	51NJBZ	1/2-20	1,200	24.63

Steel Black Zinc




EXTERNAL LOCKWASHER "K"-LOCK NUTS

Pre-Assembled Nut and Free Spinning External Tooth Washer

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NKBZ	4-40	5,000	1.20	12NKBZ	12-24	3,000	6.28
06NKBZ	6-32	5,000	2.17	14NKBZ	1/4-20	2,000	6.62
08NKBZ	8-32	5,000	2.84	31NKBZ	5/16-18	1,500	11.53
10NKBZ	10-24	4,000	3.20	37NKBZ	3/8-16	1,000	17.17
11NKBZ	10-32	4,000	3.38	50NKBZ	1/2-13	1,000	39.80

Steel Black Zinc and Baked after Plating




SERRATED HEX FLANGE LOCK NUTS

Case Hardened to Rockwell HR15N 78 - 90

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
08NRBZ	8-32	5,000	4.90	31NRBZ	5/16-18	1,500	13.20
14NRBZ	1/4-20	2,000	8.72	37NRBZ	3/8-16	1,000	18.71

Steel Black Zinc



NYLON INSERT STOP NUTS

Light Hex, Standard Height (NM & NE Series)
 Proof Load: 90,000 psi minimum

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04NSBZ	4-40 NM	2,000	1.21	11NSBZ	10-32 NM	2,000	4.69
06NSBZ	6-32 NM	2,000	2.45	14NSBZ	1/4-20 NE	2,000	6.62
08NSBZ	8-32 NM	2,000	4.00	31NSBZ	5/16-18 NE	1,000	11.00
10NSBZ	10-24 NM	2,000	4.70	37NSBZ	3/8-16 NE	1,000	17.95
				50NSBZ	1/2-13 NE	300	43.25

NEW!

Steel Black Zinc



NYLON INSERT THIN PATTERN STOP NUTS

Light Hex, Thin Height (NTM & NTE Series)
 For use in limited clearance applications & not for load bearing purposes

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02NSTBZ	2-56 NTM	4,000	0.90	11NSTBZ	10-32 NTM	4,000	3.21
04NSTBZ	4-40 NTM	4,000	0.92	12NSTBZ	12-24 NTE	4,000	5.08
06NSTBZ	6-32	4,000	1.60	14NSTBZ	1/4-20 NTE	4,000	4.80
08NSTBZ	8-32 NTM	4,000	2.75	31NSTBZ	5/16-18 NTE	2,000	7.50
10NSTBZ	10-24 NTM	4,000	3.36	37NSTBZ	3/8-16 NTE	1,000	9.00

NEW!

Steel Black Zinc



3 PRONG TEE NUTS

Straight Barrel

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
0804NT3BZ	8-32X1/4	2,000	5.00				

Steel Black Zinc and Waxed



TWO WAY REVERSIBLE LOCK NUTS (COARSE & FINE THREAD)

Finished Pattern
 Can have 2 or 3 indentations on the flat sides of the nut equidistant from each other
 Proof Load: 90,000 psi

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
08NYBZ	8-32	5,000	4.10	14NYBZ	1/4-20	2,000	7.25
10NYBZ	10-24	4,000	2.95	31NYBZ	5/16-18	1,500	10.40
11NYBZ	10-32	4,000	4.90	37NYBZ	3/8-16	1,000	15.25
12NYBZ	12-24	3,000	7.79	50NYBZ	1/2-13	400	36.25

**No One carries more
 Nuts with Black Ox &
 Black Zinc finishes than
 Kanebridge.**

Spring Steel
Black Zinc



**EXTERNAL TOOTH
LOCKWASHERS**

Hardness: Rockwell C40 - 50
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
04WEBZ	#4	10,000	0.09	31WEBZ	5/16	9,000	1.00
06WEBZ	#6	10,000	0.19	37WEBZ	3/8	6,000	1.38
08WEBZ	#8	10,000	0.36	43WEBZ	7/16	6,000	1.63
10WEBZ	#10	10,000	0.39	50WEBZ	1/2	4,000	3.18
12WEBZ	#12	10,000	0.61	56WEBZ	9/16	2,000	3.68
14WEBZ	1/4	10,000	0.68	100WEBZ	1 INCH	1,000	12.50

Spring Steel
Black Zinc



**INTERNAL TOOTH
LOCKWASHERS**

Hardness: Rockwell C40 - 50
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WIBZ	#2	10,000	0.05	12WIBZ	#12	10,000	0.43
03WIBZ	#3	10,000	0.10	14WIBZ	1/4	10,000	0.58
04WIBZ	#4	10,000	0.13	31WIBZ	5/16	9,000	1.20
05WIBZ	#5	10,000	0.16	37WIBZ	3/8	6,000	1.60
06WIBZ	#6	10,000	0.17	43WIBZ	7/16	6,000	2.31
08WIBZ	#8	10,000	0.25	50WIBZ	1/2	4,000	3.17
10WIBZ	#10	10,000	0.32				

Spring Steel
Black Zinc




**REGULAR SPLIT
LOCKWASHERS**

Hardness: Rockwell C38 - 46
Manufactured to ASME B18.21.1 specifications

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WSBZ	#2	30,000	0.09	37WSBZ	3/8	3,000	6.00
04WSBZ	#4	30,000	0.14	50WSBZ	1/2	2,000	13.17
06WSBZ	#6	30,000	0.24	56WSBZ	9/16	1,500	17.10
08WSBZ	#8	20,000	0.39	62WSBZ	5/8	1,000	22.20
10WSBZ	#10	15,000	0.63	75WSBZ	3/4	500	38.60
14WSBZ	1/4	10,000	2.34	87WSBZ	7/8	350	54.83
31WSBZ	5/16	4,500	3.92	100WSBZ	1 INCH	250	79.33

Steel Black Zinc




**FLAT SAE
WASHERS**

Manufactured to ASME B18.22.1 specifications

Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn	Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn
04WSAEBZ	#4	10	16,680	14WSAEBZ	1/4	50	11,100
06WSAEBZ	6	50	39,500	31WSAEBZ	5/16	50	9,750
08WSAEBZ	8	50	29,500	37WSAEBZ	3/8	50	7,000
10WSAEBZ	10	50	22,750	50WSAEBZ	1/2	50	2,800

Steel Black Zinc




**FLAT USS
WASHERS**

Manufactured to ASME B18.22.1 specifications

Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn	Part #	Size	Ctn Qty (lbs)	Approx Pcs/Ctn
10WUSSBZ	#10	50	17,287	62WUSSBZ	5/8	50	650
14WUSSBZ	1/4	50	7,450	75WUSSBZ	3/4	50	455
31WUSSBZ	5/16	50	4,350	87WUSSBZ	7/8	50	325
37WUSSBZ	3/8	50	3,350	100WUSSBZ	1 INCH	50	265
43WUSSBZ	7/16	50	2,050	125WUSSBZ	1 1/4	50	190
50WUSSBZ	1/2	50	1,300				

Steel Black Zinc




**MACHINE SCREW
WASHERS**

Steel Black Zinc

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
02WMBZ	2	10,000	0.15	08WMBZ	8	10,000	0.78
03WMBZ	3	10,000	0.27	10WMBZ	10	10,000	1.03
04WMBZ	4	10,000	0.32	14WMBZ	1/4	10,000	2.48
05WMBZ	5	10,000	0.32	31WMBZ	5/16	10,000	3.05
06WMBZ	6	10,000	0.67	37WMBZ	3/8	10,000	3.33

Steel Black Zinc



**COUNTERSUNK FINISHING
WASHERS**

For use with 82° countersunk screws

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
06WCBZ	#6	10,000	0.78	10WCBZ	#10	8,000	1.30
08WCBZ	#8	10,000	1.00	14WCBZ	1/4	2,500	2.30

**Your Order Ships the
Same Day when it's placed
by 5 PM.**

METRIC Black Oxide/Black Zinc/Black Phos

Steel & Stainless

MACHINE SCREWS

18-8 Stainless

DIN 7985A, Black Ox..... 52
 DIN 965, Black Ox..... 52

Steel

DIN 7985A, Black Ox..... 53
 DIN 965, Black Ox..... 53
 ISO 7045 Six-Lobe, Black Ox 53

TRILOBULAR THREAD ROLLING SCREWS

Steel

DIN 7500-C Pan Ty-Z, Blk Zinc/Wx..... 53

HEX FLANGE BOLTS

Steel

DIN 6921, Blk Phos..... 54

NUTS

18-8 Stainless

DIN 934, Black Ox..... 54

Steel

DIN 985, Black Ox..... 54
 DIN 6927, Black Phos 54


WASHERS

18-8 Stainless

DIN 125A, Black Ox..... 54
 DIN 127B, Black Ox 54

Steel

DIN 127B, Thermal Black..... 54




**Black Oxide over
18-8 Stainless Steel**

DIN 7985A PAN PHILLIPS

MACHINE SCREWS

Type H
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M23MPP188B	M2-0.4X3	6,000	0.32	M425MPP188B	M4-0.7X25	2,000	6.07
M24MPP188B	M2-0.4X4	6,000	0.38	M430MPP188B	M4-0.7X30	1,500	6.90
M25MPP188B	M2-0.4X5	5,000	0.42	M435MPP188B	M4-0.7X35	1,500	7.67
M26MPP188B	M2-0.4X6	4,000	0.44	M440MPP188B	M4-0.7X40	1,000	8.30
M28MPP188B	M2-0.4X8	5,000	0.53	M445MPP188B	M4-0.7X45	1,000	9.25
M210MPP188B	M2-0.4X10	4,000	0.60	M450MPP188B	M4-0.7X50	1,000	10.00
M212MPP188B	M2-0.4X12	4,000	0.68				
				M58MPP188B	M5-0.8X8	1,500	6.42
M2.54MPP188B	M2.5-0.45X4	6,000	0.75	M510MPP188B	M5-0.8X10	1,500	6.97
M2.56MPP188B	M2.5-0.45X6	5,000	0.86	M512MPP188B	M5-0.8X12	1,500	7.52
M2.58MPP188B	M2.5-0.45X8	5,000	1.00	M516MPP188B	M5-0.8X16	1,000	8.08
500738	M2.5-0.45X10	4,000	1.09	M520MPP188B	M5-0.8X20	1,000	9.10
500742	M2.5-0.45X12	4,000	1.22	M525MPP188B	M5-0.8X25	1,000	10.40
				M530MPP188B	M5-0.8X30	1,000	11.60
M34MPP188B	M3-0.5X4	4,000	1.17				
M36MPP188B	M3-0.5X5	4,000	1.47	M610MPP188B	M6-1.0X10	700	9.13
M38MPP188B	M3-0.5X6	4,000	1.57	M612MPP188B	M6-1.0X12	700	9.90
M38MPP188B	M3-0.5X8	4,000	1.80	M616MPP188B	M6-1.0X16	700	12.00
M310MPP188B	M3-0.5X10	3,000	1.93	M620MPP188B	M6-1.0X20	500	13.90
M312MPP188B	M3-0.5X12	3,000	1.95	M625MPP188B	M6-1.0X25	500	15.93
M314MPP188B	M3-0.5X14	3,000	2.10	M630MPP188B	M6-1.0X30	500	17.90
M316MPP188B	M3-0.5X16	3,000	2.28	M635MPP188B	M6-1.0X35	500	19.87
M320MPP188B	M3-0.5X20	3,000	2.70	M640MPP188B	M6-1.0X40	500	21.77
M325MPP188B	M3-0.5X25	2,000	3.10	M645MPP188B	M6-1.0X45	500	23.65
M330MPP188B	M3-0.5X30	2,000	3.60	M650MPP188B	M6-1.0X50	500	25.55
M45MPP188B	M4-0.7X5	3,000	2.80	M812MPP188B	M8-1.25X12	500	22.70
M46MPP188B	M4-0.7X6	3,000	3.00	M816MPP188B	M8-1.25X16	500	25.30
M48MPP188B	M4-0.7X8	2,000	3.17	M820MPP188B	M8-1.25X20	500	28.00
M410MPP188B	M4-0.7X10	2,000	3.50	M825MPP188B	M8-1.25X25	500	31.35
M412MPP188B	M4-0.7X12	2,000	3.79	M830MPP188B	M8-1.25X30	500	34.90
M416MPP188B	M4-0.7X16	2,000	4.42	M835MPP188B	M8-1.25X35	400	38.20
M420MPP188B	M4-0.7X20	2,000	5.20	M840MPP188B	M8-1.25X40	400	41.50



**18-8 Stainless Steel
with Black Oxide Finish**


DIN 965 FLAT PHILLIPS

MACHINE SCREWS

Type H
Stainless Steel with Black Oxide Finish
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M24MPF188B	M2-0.4X4	7,000	0.23	M45MPF188B	M4-0.7X5	3,000	1.30
M25MPF188B	M2-0.4X5	7,000	0.30	M46MPF188B	M4-0.7X6	3,000	1.66
M26MPF188B	M2-0.4X6	7,000	0.30	M48MPF188B	M4-0.7X8	2,000	2.01
M28MPF188B	M2-0.4X8	7,000	0.38	M410MPF188B	M4-0.7X10	2,000	2.34
M210MPF188B	M2-0.4X10	7,000	0.45	M412MPF188B	M4-0.7X12	2,000	2.69
				M416MPF188B	M4-0.7X16	4,000	3.11
M2.54MPF188B	M2.5-0.45X4	7,000	0.41				
M2.55MPF188B	M2.5-0.45X5	7,000	0.43	M58MPF188B	M5-0.8X8	1,500	3.20
M2.56MPF188B	M2.5-0.45X6	7,000	0.53	M510MPF188B	M5-0.8X10	1,500	3.75
M2.58MPF188B	M2.5-0.45X8	7,000	0.60	M512MPF188B	M5-0.8X12	1,500	4.30
				M516MPF188B	M5-0.8X16	3,000	5.50
M34MPF188B	M3-0.5X4	5,000	0.60				
M35MPF188B	M3-0.5X5	4,000	0.74	M610MPF188B	M6-1.0X10	700	5.60
M36MPF188B	M3-0.5X6	4,000	0.78	M612MPF188B	M6-1.0X12	700	5.95
M38MPF188B	M3-0.5X8	4,000	0.95	M616MPF188B	M6-1.0X16	700	7.38
M310MPF188B	M3-0.5X10	3,000	1.15				
M312MPF188B	M3-0.5X12	3,000	1.31				
M316MPF188B	M3-0.5X16	5,000	1.71				

Steel Black Oxide



DIN 7985A PAN PHILLIPS
MACHINE SCREWS
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M1.63D7985AB	M1.6-0.35X3	8,000	0.20	M46D7985AB	M4-0.7X6	3,000	2.88
M1.64D7985AB	M1.6-0.35X4	8,000	0.21	M48D7985AB	M4-0.7X8	2,000	3.25
M1.65D7985AB	M1.6-0.35X5	8,000	0.23	M410D7985AB	M4-0.7X10	2,000	3.37
M1.66D7985AB	M1.6-0.35X6	8,000	0.26	M412D7985AB	M4-0.7X12	2,000	3.85
560721	M1.6-0.35X10	8,000	0.37	M416D7985AB	M4-0.7X16	2,000	4.47
560739	M1.6-0.35X12	8,000	0.40	M420D7985AB	M4-0.7X20	2,000	5.25
M24D7985AB	M2-0.4X4	4,000	0.40	M425D7985AB	M4-0.7X25	2,000	6.00
M25D7985AB	M2-0.4X5	4,000	0.45	M430D7985AB	M4-0.7X30	1,500	6.88
M26D7985AB	M2-0.4X6	4,000	0.40	M435D7985AB	M4-0.7X35	1,500	7.54
M28D7985AB	M2-0.4X8	4,000	0.56	M440D7985AB	M4-0.7X40	1,000	8.38
M210D7985AB	M2-0.4X10	4,000	0.62	M445D7985AB	M4-0.7X45	1,000	9.29
M212D7985AB	M2-0.4X12	4,000	0.72	M450D7985AB	M4-0.7X50	1,000	10.00
M2.53D7985AB	M2.5-0.45X3	5,000	0.65	M56D7985AB	M5-0.8X6	2,000	5.30
M2.54D7985AB	M2.5-0.45X4	5,000	0.72	M58D7985AB	M5-0.8X8	1,500	6.13
M2.55D7985AB	M2.5-0.45X5	5,000	0.80	M510D7985AB	M5-0.8X10	1,500	6.33
M2.56D7985AB	M2.5-0.45X6	4,000	0.90	M512D7985AB	M5-0.8X12	1,500	6.88
M2.58D7985AB	M2.5-0.45X8	4,000	0.98	M516D7985AB	M5-0.8X16	1,000	8.00
503482	M2.5-0.45X10	4,000	1.20	M520D7985AB	M5-0.8X20	1,000	9.00
503495	M2.5-0.45X12	3,000	1.35	M525D7985AB	M5-0.8X25	1,000	10.30
M34D7985AB	M3-0.5X4	4,000	1.21	M530D7985AB	M5-0.8X30	1,000	11.40
M35D7985AB	M3-0.5X5	4,000	1.32	M535D7985AB	M5-0.8X35	700	12.75
M36D7985AB	M3-0.5X6	4,000	1.36	M540D7985AB	M5-0.8X40	600	14.15
M38D7985AB	M3-0.5X8	4,000	1.80	M545D7985AB	M5-0.8X45	500	15.30
M310D7985AB	M3-0.5X10	3,000	1.90	M550D7985AB	M5-0.8X50	500	16.50
M312D7985AB	M3-0.5X12	3,000	2.10	M68D7985AB	M6-1.0X8	1,000	9.10
M314D7985AB	M3-0.5X14	3,000	2.10	M610D7985AB	M6-1.0X10	700	10.00
M316D7985AB	M3-0.5X16	3,000	2.28	M612D7985AB	M6-1.0X12	700	10.80
M320D7985AB	M3-0.5X20	3,000	2.64	M616D7985AB	M6-1.0X16	700	12.00
M325D7985AB	M3-0.5X25	2,000	3.06	M620D7985AB	M6-1.0X20	700	13.50
M330D7985AB	M3-0.5X30	2,000	3.54	M625D7985AB	M6-1.0X25	700	15.63
M3.56D7985AB	M3.5-0.6X6	3,000	1.93	M630D7985AB	M6-1.0X30	600	16.90
M3.58D7985AB	M3.5-0.6X8	3,000	2.20	M635D7985AB	M6-1.0X35	600	19.40
503505	M3.5-0.6X10	3,000	2.40	M640D7985AB	M6-1.0X40	500	22.15
503514	M3.5-0.6X20	2,000	3.75	M650D7985AB	M6-1.0X50	500	25.10
M812D7985AB	M8-1.25X12	500	23.00				
M816D7985AB	M8-1.25X16	500	25.50				
M820D7985AB	M8-1.25X20	500	28.17				
M825D7985AB	M8-1.25X25	500	31.67				
M830D7985AB	M8-1.25X30	500	34.75				


Steel Black Oxide



DIN 965 FLAT PHILLIPS
MACHINE SCREWS
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M24D965B	M2-0.4X4	4,000	0.20	M2.54D965B	M2.5-0.45X4	4,000	0.40
M25D965B	M2-0.4X5	4,000	0.25	M2.55D965B	M2.5-0.45X5	4,000	0.42
M26D965B	M2-0.4X6	4,000	0.29	M2.56D965B	M2.5-0.45X6	4,000	0.45
M28D965B	M2-0.4X8	4,000	0.37	M2.58D965B	M2.5-0.45X8	4,000	0.55
M210D965B	M2-0.4X10	4,000	0.41	M2.510D965B	M2.5-0.45X10	3,000	0.75
M212D965B	M2-0.4X12	4,000	0.50	M2.512D965B	M2.5-0.45X12	3,000	0.87
M216D965B	M2-0.4X16	3,000	0.64	M2.516D965B	M2.5-0.45X16	3,000	1.08
M220D965B	M2-0.4X20	4,000	0.80				


Steel Black Oxide



DIN 965 FLAT PHILLIPS
MACHINE SCREWS
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M34D965B	M3-0.5X4	4,000	0.56	M416D965B	M4-0.7X16	2,000	3.10
M35D965B	M3-0.5X5	5,000	0.71	M420D965B	M4-0.7X20	2,000	3.68
M36D965B	M3-0.5X6	4,000	0.72	M425D965B	M4-0.7X25	2,000	4.40
M38D965B	M3-0.5X8	4,000	0.88	M430D965B	M4-0.7X30	1,500	5.20
M310D965B	M3-0.5X10	4,000	1.10	M510D965B	M5-0.8X10	2,000	3.59
M312D965B	M3-0.5X12	3,000	1.31	M512D965B	M5-0.8X12	2,000	4.30
M314D965B	M3-0.5X14	3,000	1.47	M610D965B	M6-1.0X10	1,500	5.50
M316D965B	M3-0.5X16	3,000	1.65	M612D965B	M6-1.0X12	1,500	5.80
M318D965B	M3-0.5X18	3,000	1.80	M614D965B	M6-1.0X14	1,000	6.60
M320D965B	M3-0.5X20	3,000	2.00	M616D965B	M6-1.0X16	1,000	7.50
M325D965B	M3-0.5X25	2,500	2.50	M620D965B	M6-1.0X20	1,000	8.93
M330D965B	M3-0.5X30	2,000	2.93	M625D965B	M6-1.0X25	1,000	10.70
M45D965B	M4-0.7X5	3,000	1.20	M630D965B	M6-1.0X30	700	12.80
M46D965B	M4-0.7X6	3,000	1.40	M635D965B	M6-1.0X35	700	14.60
M48D965B	M4-0.7X8	3,000	1.60	M640D965B	M6-1.0X40	600	16.30
M410D965B	M4-0.7X10	3,000	2.06				
M412D965B	M4-0.7X12	2,500	2.30				
M414D965B	M4-0.7X14	2,500	2.72				


Steel Black Oxide



ISO 7045 PAN SIX-LOBE
MACHINE SCREWS
Manufactured to ISO 7045 Specifications
Class 4.8 Steel / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M34MTPB	M3-0.5X4	4,000	1.03	M58MTPB	M5-0.8X8	1,500	5.20
M35MTPB	M3-0.5X5	4,000	1.08	M510MTPB	M5-0.8X10	1,500	5.80
M36MTPB	M3-0.5X6	4,000	1.22	M512MTPB	M5-0.8X12	1,500	6.20
M38MTPB	M3-0.5X8	4,000	1.40	M516MTPB	M5-0.8X16	1,000	7.20
M310MTPB	M3-0.5X10	3,000	1.59	M518MTPB	M5-0.8X18	1,000	7.74
M312MTPB	M3-0.5X12	3,000	1.76	M520MTPB	M5-0.8X20	1,000	8.25
M316MTPB	M3-0.5X16	3,000	2.10	M525MTPB	M5-0.8X25	1,000	9.70
M46MTPB	M4-0.7X6	3,000	2.60	M530MTPB	M5-0.8X30	2,500	10.80
M48MTPB	M4-0.7X8	2,000	3.00	M612MTPB	M6-1.0X12	2,000	10.53
M410MTPB	M4-0.7X10	2,000	3.30	M616MTPB	M6-1.0X16	1,000	12.20
M412MTPB	M4-0.7X12	2,000	3.75	M620MTPB	M6-1.0X20	1,000	14.00
M414MTPB	M4-0.7X14	2,000	4.00				
M416MTPB	M4-0.7X16	2,000	4.40				

Steel Zinc Black,
Baked and Waxed




DIN 7500-C PAN TYPE Z RECESS (1A)
HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS
Case Hardened 1022 Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M48D7500CBZ	M4-0.7X8	700	3.13				

Steel Black Phosphate

METRIC



Free Manufacturer's Certifications Available

DIN 6921 HEX FLANGE BOLTS

Class 10.9 Steel, Quenched and Tempered
Tensile Strength: 1040 N/mm²
Partial Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M616BF10BP	M6-1.0X16	1,000	14.51	M1020BF10BP	M10-1.5X20	500	52.15
M620BF10BP	M6-1.0X20	1,000	15.65	M1025BF10BP	M10-1.5X25	400	54.37
M625BF10BP	M6-1.0X25	1,000	17.22	M1030BF10BP	M10-1.5X30	400	59.44
M630BF10BP	M6-1.0X30	1,000	20.72	M1035BF10BP	M10-1.5X35	400	65.04
M640BF10BP	M6-1.0X40	800	25.13	M1040BF10BP	M10-1.5X40	300	72.75
M650BF10BP	M6-1.0X50	800	30.86	M1045BF10BP	M10-1.5X45	300	83.50
M660BF10BP	M6-1.0X60	700	34.04	M1050BF10BP	M10-1.5X50	300	80.49
				M1060BF10BP	M10-1.5X60	200	100.75
M812BF10BP	M8-1.25X12	800	27.73	M1070BF10BP	M10-1.5X70	200	114.33
M820BF10BP	M8-1.25X20	800	30.60	M1080BF10BP	M10-1.5X80	200	128.90
M825BF10BP	M8-1.25X25	800	33.95				
M830BF10BP	M8-1.25X30	700	37.04	M1230BF10BP	M12-1.75X30	300	93.92
M835BF10BP	M8-1.25X35	600	42.77	M1235BF10BP	M12-1.75X35	300	100.97
M840BF10BP	M8-1.25X40	500	43.36	M1240BF10BP	M12-1.75X40	200	109.68
M845BF10BP	M8-1.25X45	500	54.50	M1245BF10BP	M12-1.75X45	200	129.00
M850BF10BP	M8-1.25X50	400	54.32	M1250BF10BP	M12-1.75X50	200	127.43
M860BF10BP	M8-1.25X60	400	66.05	M1260BF10BP	M12-1.75X60	100	145.50
				M1270BF10BP	M12-1.75X70	100	164.09
				M1280BF10BP	M12-1.75X80	100	184.26
				M12100BF10BP	M12-1.75X100	100	223.99
				M12120BF10BP	M12-1.75X120	100	261.91

Black Oxide over 18-8 Stainless Steel

METRIC



DIN 934 HEX NUTS CLASS 50

Property Class 50

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D934188B	M3-0.5	5,000	0.93	M5D934188B	M5-0.8	2,000	2.22
M4D934188B	M4-0.7	3,000	1.50	M6D934188B	M6-1.00	2,000	4.60

Steel Black Oxide

METRIC



DIN 985 NYLON INSERT STOP NUTS

Property Class 8 Steel
Proof Load: 800 N/mm²
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D985B	M3-0.50	2,500	0.95	M10D985B	M10-1.5	500	24.50
M4D985B	M4-0.70	2,000	1.93	M12D985B	M12-1.75	300	33.25
M5D985B	M5-0.8	2,000	2.20	M14D985B	M14-2.00	200	51.80
M6D985B	M6-1.00	1,500	4.75	M16D985B	M16-2.00	150	68.50
M8D985B	M8-1.25	1,000	10.38				

Black Phosphate & Oil

METRIC



Free Manufacturer's Certifications Available

DIN 6927 FLANGE TOP LOCK NUTS CLASS 10

Heat Treated Steel, Quenched and Tempered
Hardness: Rockwell C26 - 36

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6D6927-10PH	M6-1.0	2,500	8.38	M12D6927-10P	M12-1.75	600	45.25
M8D6927-10PH	M8-1.25	2,500	16.75	M16D6927-10P	M16-2.0	300	111.00
M10D6927-10P	M10-1.5	1,000	28.00				

Black Oxide over 18-8 Stainless Steel



The edges of DIN 125A washers are not chamfered

DIN 125A STANDARD FLAT WASHERS

Hardness: HV 140 minimum

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D125A188B	M3	10,000	0.24	M5D125A188B	M5	10,000	0.83
M4D125A188B	M4	10,000	0.56	M6D125A188B	M6	6,000	1.73

Black Oxide over 18-8 Stainless Steel

METRIC



DIN 127B SPLIT LOCKWASHERS

Regular Series

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D127B188B	M3	15,000	0.25	M5D127B188B	M5	10,000	0.80
M4D127B188B	M4	15,000	0.41	M6D127B188B	M6	7,000	1.90

Steel Thermal Black

METRIC



DIN 127B SPLIT LOCKWASHERS

Regular Series / Spring Steel
Hardness: Rockwell C 44-51

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D127BB	M3	20,000	0.29	M10D127BB	M10	3,000	6.12
M4D127BB	M4	20,000	0.38	M12D127BB	M12	3,000	9.40
M5D127BB	M5	15,000	0.80	M16D127BB	M16	1,000	18.70
M6D127BB	M6	7,000	1.89	M20D127BB	M20	600	31.77
M8D127BB	M8	6,000	3.74				

MILITARY Black Oxide/Black Phos

Steel & Stainless

MACHINE SCREWS

18-8 Stainless

MS24693, Black Ox	55
MS51957, Black Ox	55
MS51958, Black Ox	56

WASHERS

18-8 Stainless

MS15795, Black Ox	56
<i>Steel</i>	
MS51848, Black Phos	56

18-8 Stainless Steel with
Black Oxide Finish

MILITARY GRADE



Free Manufacturer's
Certifications Available

FLAT 100° PHILLIPS MACHINE SCREWS MS24693-B


Coarse & Fine Thread

Tested and Certified to Military Standards / Parts are DFAR-Compliant
All Items Are Made In The U.S.A.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
MS24693-16B	2-56X1/8	5,000	0.18	MS24693-268B	10-32X1/4	2,000	2.30
MS24693-15B	2-56X3/32	3,000	0.15	MS24693-269B	10-32X5/16	2,000	2.60
MS24693-17B	2-56X5/32	5,000	0.20	MS24693-270B	10-32X3/8	2,000	2.97
				MS24693-271B	10-32X7/16	2,000	3.40
MS24693-1B	4-40X 3/16	5,000	0.48	MS24693-272B	10-32X1/2	2,000	3.75
MS24693-2B	4-40X1/4	5,000	0.60	MS24693-273B	10-32X5/8	2,000	4.45
MS24693-3B	4-40X5/16	5,000	0.71	MS24693-274B	10-32X3/4	2,000	5.30
MS24693-4B	4-40X3/8	5,000	0.83	MS24693-275B	10-32X7/8	1,000	6.00
MS24693-5B	4-40X7/16	5,000	0.97	MS24693-276B	10-32X1	1,000	6.90
MS24693-6B	4-40X1/2	4,000	1.07				
				MS24693-91B	1/4-20X5/16	1,000	4.70
MS24693-23B	6-32X3/16	4,000	0.75	MS24693-92B	1/4-20X3/8	1,000	5.30
MS24693-24B	6-32X1/4	4,000	0.93	MS24693-93B	1/4-20X7/16	1,000	6.00
MS24693-25B	6-32X5/16	4,000	1.13	MS24693-94B	1/4-20X1/2	1,000	6.60
MS24693-26B	6-32X3/8	3,000	1.33	MS24693-95B	1/4-20X5/8	1,000	7.90
MS24693-27B	6-32X7/16	3,000	1.50	MS24693-96B	1/4-20X3/4	1,000	9.20
MS24693-28B	6-32X1/2	3,000	1.70	MS24693-97B	1/4-20X7/8	1,000	10.50
MS24693-29B	6-32X5/8	3,000	2.05	MS24693-98B	1/4-20X1	1,000	11.80
MS24693-30B	6-32X3/4	2,000	2.45	MS24693-99B	1/4-20X1 1/8	1,000	12.88
				MS24693-100B	1/4-20X1 1/4	1,000	14.13
MS24693-46B	8-32X1/4	3,000	1.53	MS24693-102B	1/4-20X1 1/2	1,000	16.75
MS24693-47B	8-32X5/16	3,000	1.80				
MS24693-48B	8-32X3/8	3,000	2.07	MS24693-292B	1/4-28X3/8	1,000	5.50
MS24693-49B	8-32X7/16	3,000	2.35	MS24693-293B	1/4-28X7/16	1,000	6.20
MS24693-50B	8-32X1/2	2,000	2.60	MS24693-294B	1/4-28X1/2	1,000	6.90
MS24693-51B	8-32X5/8	2,000	3.15	MS24693-295B	1/4-28X5/8	1,000	8.30
MS24693-52B	8-32X3/4	2,000	3.70	MS24693-296B	1/4-28X3/4	1,000	9.70
MS24693-53B	8-32X7/8	2,000	4.30	MS24693-297B	1/4-28X7/8	1,000	11.00
MS24693-54B	8-32X1	2,000	4.80	MS24693-298B	1/4-28X1	1,000	12.50
				MS24693-299B	1/4-28X1 1/8	1,000	13.70
MS24693-69B	10-24X5/16	2,000	2.43	MS24693-300B	1/4-28X1 1/4	1,000	15.13
MS24693-70B	10-24X3/8	2,000	2.80	MS24693-301B	1/4-28X1 3/8	1,000	16.50
MS24693-71B	10-24X7/16	2,000	3.20	MS24693-302B	1/4-28X1 1/2	1,000	18.00
MS24693-72B	10-24X1/2	2,000	3.20	MS24693-303B	1/4-28X1 5/8	1,000	19.38
MS24693-73B	10-24X5/8	2,000	4.25				
MS24693-74B	10-24X3/4	2,000	5.00				
MS24693-75B	10-24X7/8	1,000	5.80				
MS24693-76B	10-24X1	1,000	6.40				

Black Oxide over
18-8 Stainless Steel

MILITARY GRADE



Free Manufacturer's
Certifications Available

PAN PHILLIPS MACHINE SCREWS MS51957-B

Coarse Thread


Tested and Certified to Military Standards / Parts are DFAR-Compliant
All Items Are Made In The U.S.A.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
MS51957-1B	2-56X1/8	4,000	0.50	MS51957-40B	8-32X3/16	2,000	2.48
MS51957-2B	2-56X3/16	4,000	0.45	MS51957-41B	8-32X1/4	2,000	2.75
MS51957-3B	2-56X1/4	4,000	0.53	MS51957-42B	8-32X5/16	2,000	3.00
MS51957-4B	2-56X5/16	4,000	0.60	MS51957-43B	8-32X3/8	2,000	3.25
MS51957-5B	2-56X3/8	4,000	0.67	MS51957-44B	8-32X7/16	2,000	3.60
MS51957-6B	2-56X7/16	4,000	0.73	MS51957-45B	8-32X1/2	2,000	3.85
MS51957-7B	2-56X1/2	4,000	0.81	MS51957-46B	8-32X5/8	2,000	4.40
MS51957-8B	2-56X5/8	3,000	0.97	MS51957-47B	8-32X3/4	1,000	5.00
MS51957-9B	2-56X3/4	3,000	1.10	MS51957-48B	8-32X7/8	1,000	5.50
MS51957-10B	2-56X7/8	3,000	1.23	MS51957-49B	8-32X1	1,000	6.04
				MS51957-50B	8-32X1 1/4	1,000	7.44
MS51957-11B	4-40X1/8	3,000	0.77	MS51957-51B	8-32X1 1/2	1,000	8.50
MS51957-12B	4-40X3/16	3,000	0.85	MS51957-52B	8-32X1 3/4	1,000	9.64
MS51957-13B	4-40X1/4	3,000	1.03				
MS51957-14B	4-40X5/16	3,000	1.13	MS51957-60B	10-24X5/16	1,000	4.19
MS51957-15B	4-40X3/8	3,000	1.27	MS51957-61B	10-24X3/8	1,000	4.70
MS51957-16B	4-40X7/16	3,000	1.37	MS51957-63B	10-24X1/2	1,000	5.42
MS51957-17B	4-40X1/2	2,000	1.50	MS51957-64B	10-24X5/8	1,000	6.13
MS51957-18B	4-40X5/8	2,000	1.72	MS51957-65B	10-24X3/4	1,000	6.79
MS51957-19B	4-40X3/4	2,000	2.00	MS51957-66B	10-24X7/8	1,000	7.50
MS51957-20B	4-40X7/8	2,000	2.20	MS51957-67B	10-24X1	1,000	8.27
MS51957-21B	4-40X1	2,000	2.50	MS51957-68B	10-24X1 1/4	1,000	9.58
MS51957-22B	4-40X1 1/4	2,000	2.90				
MS51957-23B	4-40X1 1/2	2,000	3.40	MS51957-78B	1/4-20X7/16	1,000	10.60
				MS51957-79B	1/4-20X1/2	500	11.20
MS51957-25B	6-32X3/16	2,000	1.47	MS51957-80B	1/4-20X5/8	500	12.60
MS51957-26B	6-32X1/4	2,000	1.69	MS51957-81B	1/4-20X3/4	500	13.70
MS51957-27B	6-32X5/16	2,000	1.90	MS51957-82B	1/4-20X7/8	500	15.13
MS51957-28B	6-32X3/8	2,000	2.16	MS51957-83B	1/4-20X1	500	16.40
MS51957-29B	6-32X7/16	2,000	2.24	MS51957-84B	1/4-20X1 1/4	500	18.75
MS51957-30B	6-32X1/2	2,000	2.45	MS51957-85B	1/4-20X1 1/2	500	21.25
MS51957-31B	6-32X5/8	2,000	2.83	MS51957-87B	1/4-20X2	500	26.83
MS51957-32B	6-32X3/4	2,000	3.10	MS51957-89B	1/4-20X2 1/2	500	31.50
MS51957-33B	6-32X7/8	2,000	3.62				
MS51957-34B	6-32X1	2,000	3.90				
MS51957-35B	6-32X1 1/4	1,000	4.71				
MS51957-36B	6-32X1 1/2	1,000	5.50				
MS51957-37B	6-32X1 3/4	1,000	6.29				

Full Certification available for all **Military-Grade Fasteners**
at no charge.

Black Oxide over
18-8 Stainless Steel

MILITARY GRADE



Free Manufacturer's
Certifications Available

**PAN PHILLIPS MACHINE SCREWS
MS51958-B**


Fine Thread

Tested and Certified to Military Standards / Parts are DFAR-Compliant
All Items Are Made In The U.S.A.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
MS51958-120B	0-80X1/8	5,000	0.14	MS51958-64B	10-32X5/8	1,000	6.40
MS51958-121B	0-80X3/16	5,000	0.18	MS51958-65B	10-32X3/4	1,000	7.18
MS51958-122B	0-80X1/4	5,000	0.21	MS51958-66B	10-32X7/8	1,000	7.89
MS51958-125B	0-80X7/16	5,000	0.33	MS51958-67B	10-32X1	1,000	8.75
				MS51958-68B	10-32X1 1/4	1,000	10.31
MS51958-58B	10-32X3/16	2,000	3.79	MS51958-69B	10-32X1 1/2	1,000	12.06
MS51958-59B	10-32X1/4	2,000	4.25				
MS51958-60B	10-32X5/16	1,000	4.64	MS51958-81B	1/4-28X3/4	500	14.40
MS51958-61B	10-32X3/8	1,000	4.85	MS51958-82B	1/4-28X7/8	500	15.80
MS51958-62B	10-32X7/16	1,000	5.35				
MS51958-63B	10-32X1/2	1,000	5.56				

Black Oxide over
300-series Stainless

MILITARY GRADE



Free Manufacturer's
Certifications Available

**FLAT WASHERS
MS15795**

Tested and Certified to Military Standards / Parts are DFAR compliant
All Items Are Made In The U.S.A.

Part #	Size ID x OD	Ctn Qty	Wght Lbs/M	Part #	Size ID x OD	Ctn Qty	Wght Lbs/M
MS15795-801B	.078-.188	5,000	0.12	MS15795-824B	.938-1.750	100	53.75
MS15795-802B	.094-.250	5,000	0.21	MS15795-825B	.938-2.250	50	166.00
MS15795-803B	.125-.250	5,000	0.22	MS15795-826B	1.062-2.000	50	73.00
MS15795-804B	.125-.312	5,000	0.55	MS15795-827B	1.062-2.500	50	168.80
MS15795-805B	.156-.312	5,000	0.50	MS15795-840B	.604-1.469	100	39.17
MS15795-806B	.156-.375	5,000	1.02	MS15795-841B	.188-.438	5,000	1.38
MS15795-807B	.188-.375	5,000	0.93	MS15795-842B	.219-.500	5,000	1.75
MS15795-808B	.219-.438	2,500	1.23	MS15795-843B	.594-1.469	200	40.67
MS15795-809B	.250-.562	2,000	3.13	MS15795-844B	.094-.218	10,000	0.18
MS15795-810B	.281-.625	2,000	4.09	MS15795-845B	.172-.281	5,000	0.33
MS15795-811B	.312-.734	1,000	5.67	MS15795-846B	.203-.375	5,000	0.43
MS15795-812B	.344-.688	1,000	4.63	MS15795-847B	.203-.562	2,500	2.00
MS15795-813B	.375-.875	500	10.75	MS15795-848B	.203-.562	2,000	3.57
MS15795-814B	.405-.812	1,000	6.44	MS15795-849B	.203-.625	2,000	3.03
MS15795-815B	.438-1.000	500	13.50	MS15795-850B	.023-1.062	1,000	4.89
MS15795-816B	.469-.922	1,000	7.83	MS15795-851B	.250-.688	1,000	6.50
MS15795-817B	.500-1.250	250	21.83	MS15795-852B	.266-.625	2,000	2.27
MS15795-818B	.551-1.062	250	14.13	MS15795-853B	.266-.688	2,000	4.08
MS15795-819B	.562-1.375	200	30.83	MS15795-854B	.296-.438	5,000	0.73
MS15795-820B	.656-1.312	200	22.13	MS15795-855B	.531-1.250	200	28.50
MS15795-821B	.688-1.750	100	64.75	MS15795-856B	.172-.312	5,000	0.46
MS15795-822B	.812-1.469	100	36.75	MS15795-857B	.203-.734	2,000	3.75
MS15795-823B	.812-1.469	100	91.00	MS15795-858B	.266-.458	5,000	0.91

Spring Steel
Black Phosphate Finish

MILITARY GRADE



Free Manufacturer's
Certifications Available

**HIGH COLLAR SPLIT LOCKWASHERS
MS51848**

Tested and Certified to Military Standards
All Items Are Made In The U.S.A.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
MS51848-27	6	10,000	0.19	MS51848-31	5/16	5,000	1.90
MS51848-28	8	7,500	0.38	MS51848-32	3/8	2,500	3.86
MS51848-29	10	7,500	0.40	MS51848-34	1/2	2,000	9.67
MS51848-30	1/4	5,000	0.97				

Ask our Customer
Service Department
how Kanebridge
can apply **Custom-**
designed Labels to
every carton you order.

A Quick-Start Guide to Black Oxide Finish

Black oxide is a conversion coating (as opposed to an applied coating) because it results from a chemical reaction with the iron present in the metal fastener and forms an integral protective surface. It is a color of the base metal, which neither removes nor deposits metal; therefore it adds, at the most, 5 to 10 millionths of an inch to the fastener's dimensions. Likewise, it cannot chip, peel or rub off. Also, the item maintains 99% of its conductivity making black oxide a popular finish for electrical parts.

When a black oxide finish is specified, it is interpreted as "Black Oxide and Oil". Other supplementary coatings such as wax or lacquer may be ordered, but fasteners with those finishes are usually not available from a distributor's stock.

Typically, the oil after-finish is dry to the touch, which gives the part a lustrous appearance and improved lubricity without excessive residue. The color is a deep black rather than the grayish-black appearance of a black phosphate, and remains consistent at temperatures as high as 900°F. Black oxide also resists abrasions better than phosphate.

One of the most important advantages of black oxide is that there is almost no risk of hydrogen embrittlement because the process does not involve electro-plating nor does it require an acid-activation. Case hardened parts need not be baked after receiving a black oxide finish.

Black oxide neither enhances nor detracts from a fastener's resistance to corrosion. The post-treatment oil application offers good indoor corrosion protection, but a zinc-plated part is more resistant to rust. However, parts with a black oxide finish will not suffer from white corrosion, which can occur over time with electro-plated parts. To avoid the risk of white corrosive particles (which can cause electrical shorts) many in the electronics industry opt for black oxide instead of zinc-plated fasteners.

The popularity of black oxide stainless fasteners is also growing. In addition to being used for decorative purposes, the finish reduces light glare and reflection, and makes the surface of the fastener smoother. The automotive aftermarket utilizes them in tail-light assemblies, luggage racks, grills and windshield wiper assemblies, to name a few.



KANEBRIDGE
CORPORATION

TEL (800) 222-9221

FAX (201) 337-2301

SALES@KANEBRIDGE.COM